





TWINTUBE 2 Gorber

* 57MM. BODY DIAMETER

20MM. PISTON ROD

40MM. DIAMETER PISTON



ADVENTURE PRO SERIES ADVENTURE PRO-8 SERIES COMFORT SERIES COMPACT SERIES



ADVENTURE 1.5
PRO SERESTOR

ADVENTURE PRO SERIES

- >: TWIN-TUBE
- >: FIXED COIL SEAT
- >: AVAILABLE IN GAS & OIL
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT

20_{MM}.


57mm. BODY

40mm. PISTON

EXTPLORIBE EXTREME DEFINANCE







ADVENTUNE	PRO SERIES
- 57mm. Body Diameter	- Heavy Duty Build
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Rubber Dust Cover	- Improved Performance under
- Mounting Bush Kit	Demanding Conditions

CHEVROLET						
PART NO.	SPORT	DETAILS		YEAR	LIFT	
F5-20-538	G5-20-538	COLORADO/1ST GEN	FRT	04-12	STD	
13-21-506	H4-21-506	COLORADO/1ST GEN	RR	04-12	STD	
F5-21-538	G5-21-538	COLORADO/1ST GEN	FRT	04-12	2"	
I3-23-506	H4-23-506	COLORADO/1ST GEN	RR	04-12	2"	
F5-20-538	G5-20-538	COLORADO/2ND GEN	FRT	15-21	STD	
I3-23-506	H4-23-506	COLORADO/2ND GEN	RR	15-21	STD	
F5-21-538	G5-21-538	COLORADO/2ND GEN	FRT	15-21	2"	
I3-25-506	H4-25-506	COLORADO/2ND GEN	RR	15-21	2"	
F5-20-538	G5-20-538	Trailblazer/1st gen	FRT	02-09	STD	
13-24-632	H4-24-632	Trailblazer/1st gen	RR	02-09	STD	
F5-21-538	G5-21-538	Trailblazer/1st gen	FRT	02-09	2"	
13-26-632	H4-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"	
F5-18-625N	G5-18-625N	SILVERADO 3RD GEN	FRT	14-18	STD	
I3-25-630	H4-25-630	SILVERADO 3RD GEN	RR	14-18	STD	
F5-19-625N	G5-19-625N	SILVERADO 3RD GEN	FRT	14-18	2"	
I3-27-630	H4-27-630	SILVERADO 3RD GEN	RR	14-18	2"	

		DODGE			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-21.5-729	G5-21.5-729	DODGE RAM 1500	FRT	09-23	2"
I3-27-730	H4-27-730	DODGE RAM 1500	RR	09-23	2"






ADVENTUNE	PRO SERIES
- 57mm. Body Diameter	- Heavy Duty Build
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Rubber Dust Cover	- Improved Performance under
- Mountina Bush Kit	Demanding Conditions

		FORD			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F4-21-619	G5-21-619	RANGER T6/T7	FRT	11-19	STD
13-24-504	13-24-504	RANGER T6/T7	RR	11-19	STD
F4-22-619	G5-22-619	RANGER T6/T7	FRT	11-19	2"
13-26-504	I3-26-504	RANGER T6/T7	RR	11-19	2"
F4-19-719	G5-19-719	RANGER PXIII/BI TURBO	FRT	19-21	STD
13-24-504	I3-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
F4-20-719	G5-20-719	RANGER PXIII/BI TURBO	FRT	19-21	2"
13-26-504	I3-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
F4-21-619	F4-21-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD
13-22-634	H4-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
F4-22-619	F4-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	2"
13-24-634	H4-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
F4-19-719	F4-19-719	EVEREST 4X4/2ND GEN	FRT	15-	STD
13-22-634	H4-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
F4-20-719	F4-20-719	EVEREST 4X4/2ND GEN	FRT	15-	2"
13-24-634	H4-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
F4-21-920	G5-21-920	EVEREST NERS GEN	FRT	2022-	STD
13-22-634	H4-22-634	EVEREST NERS GEN	RR	2022-	STD
F4-22-920	G5-22-920	EVEREST NERS GEN	FRT	2022-	2"
13-24-634	H4-24-634	EVEREST NERS GEN	RR	2022-	2"
F4-23-919	G1-23-919	F-150/14TH GEN	FRT	15-20	STD
13-30-904	H4-30-904	F-150/14TH GEN	RR	15-20	STD
F4-24-919	G1-24-919	F-150/14TH GEN	FRT	15-20	2"
13-32-904	H4-32-904	F-150/14TH GEN	RR	15-20	2"
F4-25-819	G1-25-819	RANGER RAPTOR	FRT	17-21	STD
13-25-704	H4-25-704	RANGER RAPTOR	RR	17-21	STD
F4-26-819	G1-26-819	RANGER RAPTOR	FRT	17-21	2"
13-27-704	H4-27-704	RANGER RAPTOR	RR	17-21	2"
F4-21-920	G5-21-920	RANGER NERS GEN	FRT	2022-	STD
13-24-529	13-24-529	RANGER NERS GEN	RR	2022-	STD
F4-22-920	G5-22-920	RANGER NERS GEN	FRT	2022-	2"
13-26-529	13-26-529	RANGER NERS GEN	RR	2022-	2"





ADVENTUNE PRO SERIES					
- 57mm. Body Diameter	- Heavy Duty Build				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Rubber Dust Cover	- Improved Performance under				
- Mounting Bush Kit	Demanding Conditions				

HYUNDAI						
PART NO.	SPORT	DETAILS		YEAR	LIFT	
F4-18-537	F4-18-537	HYUNDAI H1	FRT	11-14	STD	
F4-18-527	F4-18-527	HYUNDAI H1	RR	11-14	STD	

ISUZU					
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-20-538	G5-20-538	D-MAX V-CROSS 4WD	FRT	12-15	STD
I3-21-506	H4-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
F5-21-538	G5-21-538	D-MAX V-CROSS 4WD	FRT	12-15	2"
I3-23-506	H4-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
F5-20-538	G5-20-538	D-MAX V-CROSS 4WD	FRT	20-	STD
I3-23-506	H4-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
F5-21-538	G5-21-538	D-MAX V-CROSS 4WD	FRT	20-	2"
13-25-506	H4-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
F4-16-505	F5-16-505	ISUZU MU-7	FRT	04-09	STD
13-22-506	H4-22-506	ISUZU MU-7	RR	04-09	STD
F4-18-505	F5-18-505	ISUZU MU-7	FRT	04-09	2"
13-24-506	H4-24-506	ISUZU MU-7	RR	04-09	2"
F4-20-538	F5-20-538	MU-X 1ST GEN	FRT	13-20	STD
13-24-632	H4-24-632	MU-X 1ST GEN	RR	13-20	STD
F4-21-538	F5-21-538	MU-X 1ST GEN	FRT	13-20	2"
I3-26-632	H4-26-632	MU-X 1ST GEN	RR	13-20	2"
F4-20-538	F5-20-538	MU-X 2ND GEN	FRT	20-	STD
13-23-632	H4-23-632	MU-X 2ND GEN	RR	20-	STD
F4-21-538	F5-21-538	MU-X 2ND GEN	FRT	20-	2"
I3-25-632	H4-25-632	MU-X 2ND GEN	RR	20-	2"






ADVENTUNE	PRO SERIES
- 57mm. Body Diameter	- Heavy Duty Build
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Rubber Dust Cover	- Improved Performance under
- Mounting Bush Kit	Demanding Conditions

		JEEP			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-22-516	F5-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
G5-22-517	G5-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
F5-24-516	F5-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
G5-24-517	G5-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
G5-22-514	G5-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
G5-20-515	G5-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
G5-24-514	G5-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
G5-22-515	G5-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
F5-22-514	F5-22-514	WRANGLER TJ	FRT	97-06	STD
G5-20-515	G5-20-515	WRANGLER TJ	RR	97-06	STD
F5-24-514	F5-24-514	WRANGLER TJ	FRT	97-06	2"
G5-22-515	G5-22-515	WRANGLER TJ	RR	97-06	2"
F5-24-503	F5-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
G5-24-633	G5-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
F5-26-503	F5-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
G5-26-633	G5-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
F5-25-646	F5-25-646	JEEP JL	FRT	18-	STD
G5-27-646	G5-27-646	JEEP JL	RR	18-	STD
F5-27-646	F5-27-646	JEEP JL	FRT	18-	2"
G5-29-646	G5-29-646	JEEP JL	RR	18-	2"
F5-28.79-646	F5-28.79-646	JEEP JL	FRT	18-	3.5"
G5-31.40-646	G5-31.40-646	JEEP JL	RR	18-	3.5"
F5-25-646	F5-25-646	JEEP JT	FRT	19-23	STD
G5-27-747	G5-27-747	JEEP JT	RR	19-23	STD
F5-27-646	F5-27-646	JEEP JT	FRT	19-23	2"
G5-29-747	G5-29-747	JEEP JT	RR	19-23	2"
F5-16-505	G1-16-505	MAHINDRA THAR CRDE	FRT	10	STD
13-22-506	H4-22-506	MAHINDRA THAR CRDE	RR	10	STD
F5-18-505	G1-18-505	MAHINDRA THAR CRDE	FRT	10	2"
13-24-506	H4-24-506	MAHINDRA THAR CRDE	RR	10	2"





ADVENTUNE PRO SERIES					
- 57mm. Body Diameter	- Heavy Duty Build				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Rubber Dust Cover	- Improved Performance under				
- Mounting Bush Kit	Demanding Conditions				

LAND ROVER						
PART NO.	SPORT	DETAILS		YEAR	LIFT	
G5-24-522	G5-24-522	DISCOVERY I	FRT	89-98	STD	
G5-24-510	G5-24-510	DISCOVERY I	RR	89-98	STD	
G5-26-522	G5-26-522	DISCOVERY I	FRT	89-98	2"	
G5-26-510	G5-26-510	DISCOVERY I	RR	89-98	2"	
G5-24-522	G5-24-522	DEFENDER 90/110/130	FRT	83-16	STD	
G5-24-510	G5-24-510	DEFENDER 90/110/130	RR	83-16	STD	
G5-26-522	G5-26-522	DEFENDER 90/110/130	FRT	83-16	2"	
G5-26-510	G5-26-510	DEFENDER 90/110/130	RR	83-16	2"	

		MAZDA			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F4-21-619	F4-21-619	MAZDA BT50	FRT	18-20	STD
13-24-504	13-24-504	MAZDA BT50	RR	18-20	STD
F4-22-619	F4-22-619	MAZDA BT50	FRT	18-20	2"
13-26-504	13-26-504	MAZDA BT50	RR	18-20	2"
F4-20-538	G5-20-538	MAZDA BT50	FRT	20-	STD
13-23-506	13-23-506	MAZDA BT50	RR	20-	STD
F4-21-538	G5-21-538	MAZDA BT50	FRT	20-	2"
13-25-506	13-25-506	MAZDA BT50	RR	20-	2"





ADVENTUNE PRO SERIES					
- 57mm. Body Diameter	- Heavy Duty Build				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Rubber Dust Cover	- Improved Performance under				
- Mounting Bush Kit	Demanding Conditions				

		MITSUBISHI			
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-17-520	G1-17-520	TRITON 4WD 3RD GEN	FRT	05-14	STD
I3-21-506	H4-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
G5-18-520	G1-18-520	TRITON 4WD 3RD GEN	FRT	05-14	2"
13-23-506	H4-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
G5-17-520	G1-17-520	TRITON 4WD 4TH GEN	FRT	15-23	STD
I3-21-506	H4-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
G5-18-520	G1-18-520	TRITON 4WD 4TH GEN	FRT	15-23	2"
13-23-506	H4-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
G5-19-420	G1-19-420	TRITON 4WD 5TH GEN	FRT	24-	STD
13-23-404	H4-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
G5-20-420	G1-20-420	TRITON 4WD 5TH GEN	FRT	24-	2"
13-25-404	H4-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
G1-16-505	G1-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
F1-20-501	F1-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
G1-18-505	G1-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
F1-22-501	F1-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
F5-17-520	F5-17-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD
GE-21-528	H4-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
F5-18-520	F5-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	2"
GE-23-528	H4-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
F5-17-520	F5-17-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD
GE-20-528	H4-20-528	. PAJERO SPORT 3RD GEN	RR	15-23	STD
F5-18-520	F5-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	2"
GE-22-528	H4-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"






ADVENTUNE PRO SERIES						
- 57mm. Body Diameter	- Heavy Duty Build					
- 20mm. Piston Rod	- Increased Durability					
- 40mm. Diameter Piston	- Longer lifespan					
- Available in Gas and Oil Type	- Dissipate Heat more Effectively					
- Rubber Dust Cover	- Improved Performance under					
- Mounting Bush Kit	Demanding Conditions					

NISSAN					
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-20-522	G1-20-522	NISSAN PATROL Y60/Y61	FRT	97-16	STD
G5-24-502	G5-24-502	NISSAN PATROL Y60/Y61	RR	97-16	STD
G5-22-522	G1-22-522	NISSAN PATROL Y60/Y61	FRT	97-16	2"
G5-26-502	G5-26-502	NISSAN PATROL Y60/Y61	RR	97-16	2"
G1-18-615	G1-18-615	NISSAN PATROL Y62	FRT	10-	STD
G5-23-616	G1-23-616	NISSAN PATROL Y62	RR	10-	STD
G1-19-615	G1-19-615	NISSAN PATROL Y62	FRT	10-	2"
G5-25-616	G1-25-616	NISSAN PATROL Y62	RR	10-	2"
G5-16-524	G1-16-524	NAVARA 4WD D40	FRT	05-15	STD
I3-21-525	I3-21-525	NAVARA 4WD D40	RR	05-15	STD
G5-17-524	G1-17-524	NAVARA 4WD D40	FRT	05-15	2"
13-24-525	13-24-525	NAVARA 4WD D40	RR	05-15	2"
G5-16-524	G1-16-524	NP300 D22/L.SPRING	FRT	08-14	STD
I3-22-506	I3-22-506	NP300 D22/L.SPRING	RR	08-14	STD
G5-17-524	G1-17-524	NP300 D22/L.SPRING	FRT	08-14	2"
I3-24-506	13-24-506	NP300 D22/L.SPRING	RR	08-14	2"
G5-16-524	G1-16-524	NP300/2ND GEN	FRT	05-14	STD
13-21-525	l3-21-525	NP300/2ND GEN	RR	05-14	STD
G5-17-524	G1-17-524	NP300/2ND GEN	FRT	05-14	2"
13-24-525	13-24-525	NP300/2ND GEN	RR	05-14	2"






ADVENTUNE PRO SERIES					
- 57mm. Body Diameter	- Heavy Duty Build				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Rubber Dust Cover	- Improved Performance under				
- Mounting Bush Kit	Demanding Conditions				

SUZUKI					
PART NO.	SPORT	DETAILS		YEAR	LIFT
I3-18-507	I3-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
13-18-506	I3-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
I3-20-507	13-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
13-20-506	13-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
I3-21-507	I3-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
13-21-506	I3-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
I3-17-505	I3-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
13-18-508	I3-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
I3-19-505	I3-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
13-20-508	13-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

		TOYOTA			
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-19-511	G1-19-511	PRADO 95/J90	FRT	96-02	STD
H4-22-512	H4-22-512	PRADO 95/J90	RR	96-02	STD
G5-20-511	G1-20-511	PRADO 95/J90	FRT	96-02	2"
H4-24-512	H4-24-512	PRADO 95/J90	RR	96-02	2"
G5-22-533	G1-22-533	PRADO 120	FRT	02-09	STD
H4-24-539	H4-24-539	PRADO 120	RR	02-09	STD
G5-23-533	G1-23-533	PRADO 120	FRT	02-09	2"
H4-26-539	H4-26-539	PRADO 120	RR	02-09	2"
G5-22-531	G5-22-531	PRADO 150	FRT	09-	STD
H4-24-539	H4-24-539	PRADO 150	RR	09-	STD
G5-23-531	G5-23-531	PRADO 150	FRT	09-	2"
H4-26-539	H4-26-539	PRADO 150	RR	09-	2"
F5-20-522	G5-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
13-24-502	G5-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
F5-22-522	G5-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
l3-26-502	G5-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





ADVENTUNE PRO SERIES					
- 57mm. Body Diameter	- Heavy Duty Build				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Rubber Dust Cover	- Improved Performance under				
- Mounting Bush Kit	Demanding Conditions				

TOYOTA					
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-24-522	G1-24-522	LANDCRUISER 80	FRT	90-97	STD
H4-24-536	H4-24-536	LANDCRUISER 80	RR	90-97	STD
G5-26-522	G1-26-522	LANDCRUISER 80	FRT	90-97	2"
H4-26-536	H4-26-536	LANDCRUISER 80	RR	90-97	2"
G5-18-534	G1-18-534	LANDCRUISER 90	FRT	96-02	STD
H4-22-512	H4-22-512	LANDCRUISER 90	RR	96-02	STD
G5-20-534	G1-20-534	LANDCRUISER 90	FRT	96-02	2"
H4-24-512	H4-24-512	LANDCRUISER 90	RR	96-02	2"
G5-18-534	G1-18-534	LANDCRUISER 100	FRT	98-07	STD
H4-24-535	H4-24-535	LANDCRUISER 100	RR	98-07	STD
G5-20-534	G1-20-534	LANDCRUISER 100	FRT	98-07	2"
H4-26-535	H4-26-535	LANDCRUISER 100	RR	98-07	2"
G5-25-621	G1-25-621	LANDCRUISER 200	FRT	08-21	STD
G5-24-622	G1-24-622	LANDCRUISER 200	RR	08-21	STD
G5-26-621	G1-26-621	LANDCRUISER 200	FRT	08-21	2"
G5-26-622	G1-26-622	LANDCRUISER 200	RR	08-21	2"
G5-25-436	G1-25-436	LANDCRUISER 300	FRT	21-	STD
G5-27-437	G1-27-437	LANDCRUISER 300	RR	21-	STD
G5-26-436	G1-26-436	LANDCRUISER 300	FRT	21-	2"
G5-29-437	G1-29-437	LANDCRUISER 300	RR	21-	2"
G5-25-426	G1-25-426	LANDCRUISER/PRADO 250	FRT	24	STD
G5-27-437	G1-27-437	LANDCRUISER/PRADO 250	RR	24	STD
G5-26-426	G1-26-426	LANDCRUISER/PRADO 250	FRT	24	2"
G5-29-437	G1-29-437	LANDCRUISER/PRADO 250	RR	24	2"





ADVENTUNE PRO SERIES					
- 57mm. Body Diameter	- Heavy Duty Build				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Rubber Dust Cover	- Improved Performance under				
- Mounting Bush Kit	Demanding Conditions				

	TOYOTA					
PART NO.	SPORT	DETAILS		YEAR	LIFT	
F5-17-518/L	G1-17-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD	
F5-17-519/R	G1-17-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD	
I3-20-512	H4-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD	
F5-18-518/L	G1-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	2"	
F5-18-519/R	G1-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	2"	
13-22-512	H4-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"	
G5-22-533	G1-22-533	FJ CRUISER	FRT	06-14	STD	
H4-24-539	H4-24-539	FJ CRUISER	RR	06-14	STD	
G5-23-533	G1-23-533	FJ CRUISER	FRT	06-14	2"	
H4-26-539	H4-26-539	FJ CRUISER	RR	06-14	2"	
G5-22-533	G1-22-533	TACOMA/2ND GEN SST	FRT	05-15	STD	
H4-24-539	H4-24-539	TACOMA/2ND GEN SST	RR	05-15	STD	
G5-23-533	G1-23-533	TACOMA/2ND GEN SST	FRT	05-15	2"	
H4-26-539	H4-26-539	TACOMA/2ND GEN SST	RR	05-15	2"	
G5-22-533	G1-22-533	TACOMA/3RD GEN SST	FRT	16-	STD	
H4-24-505	H4-24-505	TACOMA/3RD GEN SST	RR	16-	STD	
G5-23-533	G1-23-533	TACOMA/3RD GEN SST	FRT	16-	2"	
H4-26-505	H4-26-505	TACOMA/3RD GEN SST	RR	16-	2"	
G5-24-617	G1-24-617	TUNDRA	FRT	07-21	STD	
H4-25-618	H4-25-618	TUNDRA	RR	07-21	STD	
G5-25-617	G1-25-617	TUNDRA	FRT	07-21	2"	
H4-27-618	H4-27-618	TUNDRA	RR	07-21	2"	
F5-22-531	G1-22-531	HILUX VIGO 4WD	FRT	05-15	STD	
I3-22-502	H4-22-502	HILUX VIGO 4WD	RR	05-15	STD	
F5-23-531	G1-23-531	HILUX VIGO 4WD	FRT	05-15	2"	
13-24-502	H4-24-502	HILUX VIGO 4WD	RR	05-15	2"	





ADVENTUNE	PRO SERIES
- 57mm. Body Diameter	- Heavy Duty Build
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Rubber Dust Cover	- Improved Performance under
- Mounting Bush Kit	Demanding Conditions

TOYOTA					
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-22-531	G1-22-531	Fortuner 1st gen	FRT	05-15	STD
13-22-512	H4-22-512	Fortuner 1st gen	RR	05-15	STD
F5-23-531	G1-23-531	Fortuner 1st gen	FRT	05-15	2"
13-24-512	H4-24-512	Fortuner 1st gen	RR	05-15	2"
F5-22-531	G1-22-531	Fortuner 2nd gen	FRT	15-	STD
13-23-612	H4-23-612	Fortuner 2nd gen	RR	15-	STD
F5-23-531	G1-23-531	Fortuner 2nd gen	FRT	15-	2"
13-25-612	H4-25-612	Fortuner 2nd gen	RR	15-	2"
F5-22-531	G1-22-531	HILUX REVO	FRT	15-23	STD
13-24-502	H4-24-502	HILUX REVO	RR	15-23	STD
F5-23-531	G1-23-531	HILUX REVO	FRT	15-23	2"
13-26-502	H4-26-502	HILUX REVO	RR	15-23	2"
F5-25-532	G1-25-532	HILUX GRS	FRT	23-	STD
I3-27-712	H4-27-712	HILUX GRS	RR	23-	STD
F5-26-532	G1-26-532	HILUX GRS	FRT	23-	2"
13-29-712	H4-29-712	HILUX GRS	RR	23-	2"
F5-17-518/L	G1-17-518/L	HILUX CHAMP	FRT/L	23-	STD
F5-17-519/R	G1-17-519/R	HILUX CHAMP	FRT/R	23-	STD
I3-22-502	H4-22-502	HILUX CHAMP	RR	23-	STD
F5-18-518/L	G1-18-518/L	HILUX CHAMP	FRT/L	23-	2"
F5-18-519/R	G1-18-519/R	HILUX CHAMP	FRT/R	23-	2"
13-24-502	H4-24-502	HILUX CHAMP	RR	23-	2"





ADVENTURE PRO SERIES

- >: TWIN-TUBE
- >: FIXED COIL SEAT
- >: AVAILABLE IN GAS & OIL
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT
- >: DAMPING ADJUSTABLE (8 WAYS)

20mm. Rod

57mm. Body

EX# PLORBR

EXT PLORBR

40mm. PISTON






ADVENTURE PRO -8 SERIES					
- 57mm. Body Diameter	- 8 Ways Damping Adjustable				
- 20mm. Piston Rod	- Increased Durability				
- 40mm. Diameter Piston	- Longer lifespan				
- Available in Gas and Oil Type	- Dissipate Heat more Effectively				
- Heavy Duty Build	- Improved Performance under				
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions				

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
A-820-538	COLORADO/1ST GEN	FRT	04-12	STD
A-8-21-506	COLORADO/1ST GEN	RR	04-12	STD
A-8-21-538	COLORADO/1ST GEN	FRT	04-12	2"
A-8-23-506	COLORADO/1ST GEN	RR	04-12	2"
A-8-20-538	COLORADO/2ND GEN	FRT	15-21	STD
A-8-23-506	COLORADO/2ND GEN	RR	15-21	STD
A-8-21-538	COLORADO/2ND GEN	FRT	15-21	2"
A-8-25-506	COLORADO/2ND GEN	RR	15-21	2"
A-8-20-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD
A-8-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
A-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	2"
A-8-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
A-8-18-625N	SILVERADO 3RD GEN	FRT	14-18	STD
A-8-25-630	SILVERADO 3RD GEN	RR	14-18	STD
A-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	2"
A-8-27-630	SILVERADO 3RD GEN	RR	14-18	2"

DODGE				
PART NO.	DETAILS		YEAR	LIFT
A-8-21.5-729	DODGE RAM 1500	FRT	09-23	2"
A-8-27-730	DODGE RAM 1500	RR	09-23	2"






ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

	FORD			
PART NO.	DETAILS		YEAR	LIFT
A-8-21-619	RANGER T6/T7	FRT	11-19	STD
A-8-24-504	RANGER T6/T7	RR	11-19	STD
A-8-22-619	RANGER T6/T7	FRT	11-19	2"
A-8-26-504	RANGER T6/T7	RR	11-19	2"
A-8-19-719	RANGER PXIII/BI TURBO	FRT	19-21	STD
A-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
A-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	2"
A-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
A-8-21-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD
A-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
A-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	2"
A-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
A-8-19-719	EVEREST 4X4/2ND GEN	FRT	15-	STD
A-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
A-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	2"
A-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
A-8-21-920	EVEREST NERS GEN	FRT	2022-	STD
A-8-22-634	EVEREST NERS GEN	RR	2022-	STD
A-8-22-920	EVEREST NERS GEN	FRT	2022-	2"
A-8-24-634	EVEREST NERS GEN	RR	2022-	2"
A-8-23-919	F-150/14TH GEN	FRT	15-20	STD
A-8-30-904	F-150/14TH GEN	RR	15-20	STD
A-8-24-919	F-150/14TH GEN	FRT	15-20	2"
A-8-32-904	F-150/14TH GEN	RR	15-20	2"
A-8-25-819	RANGER RAPTOR	FRT	17-21	STD
A-8-25-704	RANGER RAPTOR	RR	17-21	STD
A-8-26-819	RANGER RAPTOR	FRT	17-21	2"
A-8-27-704	RANGER RAPTOR	y RR	17-21	2"
A-8-21-920	RANGER NERS GEN	FRT	2022-	STD
A-8-24-529	RANGER NERS GEN	RR	2022-	STD
A-8-22-920	RANGER NERS GEN	FRT	2022-	2"
A-8-26-529	RANGER NERS GEN	RR	2022-	2"






ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

GMC				
PART NO.	DETAILS		YEAR	LIFT
A-8-18-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD
A-8-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
A-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	2"
A-8-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
A-8-18-625	SIERRA 1500	FRT	07-13	STD
A-8-25-630	SIERRA 1500	RR	07-13	STD
A-8-19-625	SIERRA 1500	FRT	07-13	2"
A-8-27-630	SIERRA 1500	RR	07-13	2"
A-8-18-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD
A-8-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
A-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	2"
A-8-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
A-8-21.4-625	SIERRA 1500 AT4	FRT	19-23	STD
A-8-27-630	SIERRA 1500 AT4	RR	19-23	STD
A-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	2"
A-8-29-630	SIERRA 1500 AT4	RR	19-23	2"
A-8-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
A-8-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
A-8-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
A-8-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
A-8-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
A-8-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
A-8-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
A-8-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
A-8-16-631	SIERRA 1500/2500/CHEV. SILVERADO	FRT	01-10	STD
A-8-25-630	SIERRA 1500/2500/CHEV. SILVERADO	RR	01-10	STD
A-8-18-631	SIERRA 1500/2500/CHEV. SILVERADO	FRT	01-10	2"
A-8-27-630	SIERRA 1500/2500/CHEV. SILVERADO	RR	01-10	2"





ADVENTURE PRO -8 SERIES				
- 57mm. Body Diameter	- 8 Ways Damping Adjustable			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Dissipate Heat more Effectively			
- Heavy Duty Build	- Improved Performance under			
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions			

HYUNDAI				
PART NO. DETAILS			YEAR	LIFT
A-8-18-537	HYUNDAI H1	FRT	11-14	STD
A-8-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
A-8-20-538	D-MAX V-CROSS 4WD	FRT	12-15	STD
A-8-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
A-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	2"
A-8-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
A-8-20-538	D-MAX V-CROSS 4WD	FRT	20-	STD
A-8-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
A-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	2"
A-8-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
A-8-16-505	MU-7	FRT	04-09	STD
A-8-22-506	MU-7	RR	04-09	STD
A-8-18-505	MU-7	FRT	04-09	2"
A-8-24-506	MU-7	RR	04-09	2"
A-8-20-538	MU-X 1ST GEN	FRT	13-20	STD
A-8-24-632	MU-X 1ST GEN	RR	13-20	STD
A-8-21-538	MU-X 1ST GEN	FRT	13-20	2"
A-8-26-632	MUX 1ST GEN	RR	13-20	2"
A-8-20-538	MU-X 2ND GEN	FRT	20-	STD
A-8-23-632	MU-X 2ND GEN	RR	20-	STD
A-8-21-538	MU-X 2ND GEN	FRT	20-	2"
A-8-25-632	MU-X 2ND GEN	RR	20-	2"





ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mountina Bush Kit	Demanding Conditions

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
A-8-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
A-8-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
A-8-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
A-8-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
A-8-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
A-8-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
A-8-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
A-8-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
A-8-22-514	WRANGLER TJ	FRT	97-06	STD
A-8-20-515	WRANGLER TJ	RR	97-06	STD
A-8-24-514	WRANGLER TJ	FRT	97-06	2"
A-8-22-515	WRANGLER TJ	RR	97-06	2"
A-8-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
A-8-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
A-8-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
A-8-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
A-8-25-646	JL	FRT	18-	STD
A-8-27-646	JL	RR	18-	STD
A-8-27-646	JL	FRT	18-	2"
A-8-29-646	JL	RR	18-	2"
A-8-28.79-646	JL	FRT	18-	3.5"
A-8-31.40-646	JL	RR	18-	3.5"
A-8-25-646	Л	FRT	19-23	STD
A-8-27-747	Л	RR	19-23	STD
A-8-27-646	JΤ	FRT	19-23	2"
A-8-29-747	JT	RR	19-23	2"
A-8-16-505	MAHINDRA THAR CRDE	FRT	10	STD
A-8-22-506	MAHINDRA THAR CRDE	RR	10	STD
A-8-18-505	MAHINDRA THAR CRDE	FRT	10	2"
A-8-24-506	MAHINDRA THAR CRDE	RR	10	2"





ADVENTURE I	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
A-8-24-522	DISCOVERY I	FRT	89-98	STD
A-8-24-510	DISCOVERY I	RR	89-98	STD
A-8-26-522	DISCOVERY I	FRT	89-98	2"
A-8-26-510	DISCOVERY I	RR	89-98	2"
A-8-24-522	DEFENDER 90/110/130	FRT	83-16	STD
A-8-24-510	DEFENDER 90/110/130	RR	83-16	STD
A-8-26-522	DEFENDER 90/110/130	FRT	83-16	2"
A-8-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA			
PART NO.	DETAILS		YEAR	LIFT
A-8-21-619	MAZDA BT50	FRT	18-20	STD
A-8-24-504	MAZDA BT50	RR	18-20	STD
A-8-22-619	MAZDA BT50	FRT	18-20	2"
A-8-26-504	MAZDA BT50	RR	18-20	2"
A-8-20-538	MAZDA BT50	FRT	20-	STD
A-8-23-506	MAZDA BT50	RR	20-	STD
A-8-21-538	MAZDA BT50	FRT	20-	2"
A-8-25-506	MAZDA BT50	RR	20-	2"






ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

MITSUBISHI				
PART NO.	DETAILS		YEAR	LIFT
A-8-17-520	TRITON 4WD 3RD GEN	FRT	05-14	STD
A-8-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
A-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	2"
A-8-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
A-8-17-520	TRITON 4WD 4TH GEN	FRT	15-23	STD
A-8-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
A-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	2"
A-8-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
A-8-19-420	TRITON 4WD 5TH GEN	FRT	24-	STD
A-8-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
A-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	2"
A-8-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
A-8-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
A-8-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
A-8-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
A-8-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
A-8-17-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD
A-8-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
A-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	2"
A-8-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
A-8-17-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD
A-8-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
A-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	2"
A-8-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
A-8-20-522	PATROL Y60/Y61	FRT	97-16	STD
A-8-24-502	PATROL Y60/Y61	RR	97-16	STD
A-8-22-522	PATROL Y60/Y61	FRT	97-16	2"
A-8-26-502	PATROL Y60/Y61	RR	97-16	2"
A-8-18-615	PATROL Y62	FRT	10-	STD
A-8-23-616	PATROL Y62	RR	10-	STD
A-8-19-615	PATROL Y62	FRT	10-	2"
A-8-25-616	PATROL Y62	RR	10-	2"
A-8-16-524	NAVARA 4WD D40	FRT	05-15	STD
A-8-21-525	NAVARA 4WD D40	RR	05-15	STD
A-8-17-524	NAVARA 4WD D40	FRT	05-15	2"
A-8-24-525	NAVARA 4WD D40	RR	05-15	2"
A-8-16-524	NP300 D22/L.SPRING	FRT	08-14	STD
A-8-22-506	NP300 D22/L.SPRING	RR	08-14	STD
A-8-17-524	NP300 D22/L.SPRING	FRT	08-14	2"
A-8-24-506	NP300 D22/L.SPRING	RR	08-14	2"
A-8-16-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD
A-8-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
A-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	2"
A-8-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"






ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
A-8-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
A-8-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
A-8-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
A-8-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
A-8-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
A-8-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
A-8-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
A-8-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
A-8-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
A-8-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
A-8-19-511	PRADO 95/J90	FRT	96-02	STD
A-8-22-512	PRADO 95/J90	RR	96-02	STD
A-8-20-511	PRADO 95/J90	FRT	96-02	2"
A-8-24-512	PRADO 95/J90	RR	96-02	2"
A-8-22-533	PRADO 120	FRT	02-09	STD
A-8-24-539	PRADO 120	RR	02-09	STD
A-8-23-533	PRADO 120	FRT	02-09	2"
A-8-26-539	PRADO 120	RR	02-09	2"
A-8-22-531	PRADO 150	FRT	09-	STD
A-8-24-539	PRADO 150	RR	09-	STD
A-8-23-531	PRADO 150	FRT	09-	2"
A-8-26-539	PRADO 150	RR	09-	2"
A-8-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
A-8-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
A-8-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
A-8-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
A-8-24-522	LANDCRUISER 80	FRT	90-97	STD
A-8-24-536	LANDCRUISER 80	RR	90-97	STD
A-8-26-522	LANDCRUISER 80	FRT	90-97	2"
A-8-26-536	LANDCRUISER 80	RR	90-97	2"
A-8-18-534	LANDCRUISER 90	FRT	96-02	STD
A-8-22-512	LANDCRUISER 90	RR	96-02	STD
A-8-20-534	LANDCRUISER 90	FRT	96-02	2"
A-8-24-512	LANDCRUISER 90	RR	96-02	2"
A-8-18-534	LANDCRUISER 100	FRT	98-07	STD
A-8-24-535	LANDCRUISER 100	RR	98-07	STD
A-8-20-534	LANDCRUISER 100	FRT	98-07	2"
A-8-26-535	LANDCRUISER 100	RR	98-07	2"
A-8-25-621	LANDCRUISER 200	FRT	08-21	STD
A-8-24-622	LANDCRUISER 200	RR	08-21	STD
A-8-26-621	LANDCRUISER 200	FRT	08-21	2"
A-8-26-622	LANDCRUISER 200	RR	08-21	2"
A-8-25-436	LANDCRUISER 300	FRT	21-	STD
A-8-27-437	LANDCRUISER 300	RR	21-	STD
A-8-26-436	LANDCRUISER 300	FRT	21-	2"
A-8-29-437	LANDCRUISER 300	RR	21-	2"
A-8-25-426	LANDCRUISER/PRADO 250	FRT	24	STD
A-8-27-437	LANDCRUISER/PRADO 250	RR	24	STD
A-8-26-426	LANDCRUISER/PRADO 250	FRT	24	2"
A-8-29-437	LANDCRUISER/PRADO 250	RR	24	2"






ADVENTURE F	PRO -8 SERIES
- 57mm. Body Diameter	- 8 Ways Damping Adjustable
- 20mm. Piston Rod	- Increased Durability
- 40mm. Diameter Piston	- Longer lifespan
- Available in Gas and Oil Type	- Dissipate Heat more Effectively
- Heavy Duty Build	- Improved Performance under
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
A-8-17-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD
A-8-17-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD
A-8-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
A-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	2"
A-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	2"
A-8-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
A-8-22-533	FJ CRUISER	FRT	06-14	STD
A-8-24-539	FJ CRUISER	RR	06-14	STD
A-8-23-533	FJ CRUISER	FRT	06-14	2"
A-8-26-539	FJ CRUISER	RR	06-14	2"
A-8-22-533	TACOMA/2ND GEN SST	FRT	05-15	STD
A-8-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
A-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	2"
A-8-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
A-8-22-533	TACOMA/3RD GEN SST	FRT	16-	STD
A-8-24-505	TACOMA/3RD GEN SST	RR	16-	STD
A-8-23-533	TACOMA/3RD GEN SST	FRT	16-	2"
A-8-26-505	TACOMA/3RD GEN SST	RR	16-	2"
A-8-24-617	TUNDRA	FRT	07-21	STD
A-8-25-618	TUNDRA	RR	07-21	STD
A-8-25-617	TUNDRA	FRT	07-21	2"
A-8-27-618	TUNDRA	RR	07-21	2"
A-8-22-531	HILUX VIGO 4WD	FRT	05-15	STD
A-8-22-502	HILUX VIGO 4WD	RR	05-15	STD
A-8-23-531	HILUX VIGO 4WD	FRT	05-15	2"
A-8-24-502	HILUX VIGO 4WD	RR	05-15	2"





ADVENTURE PRO -8 SERIES				
- 57mm. Body Diameter	- 8 Ways Damping Adjustable			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Dissipate Heat more Effectively			
- Heavy Duty Build	- Improved Performance under			
- Rubber Dust Cover / - Mounting Bush Kit	Demanding Conditions			

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
A-8-22-531	FORTUNER 1ST GEN	FRT	05-15	STD
A-8-22-512	FORTUNER 1ST GEN	RR	05-15	STD
A-8-23-531	FORTUNER 1ST GEN	FRT	05-15	2"
A-8-24-512	FORTUNER 1ST GEN	RR	05-15	2"
A-8-22-531	FORTUNER 2ND GEN	FRT	15-	STD
A-8-23-612	FORTUNER 2ND GEN	RR	15-	STD
A-8-23-531	FORTUNER 2ND GEN	FRT	15-	2"
A-8-25-612	FORTUNER 2ND GEN	RR	15-	2"
A-8-22-531	HILUX REVO	FRT	15-23	STD
A-8-24-502	HILUX REVO	RR	15-23	STD
A-8-23-531	HILUX REVO	FRT	15-23	2"
A-8-26-502	HILUX REVO	RR	15-23	2"
A-8-25-532	HILUX GRS	FRT	23-	STD
A-8-27-712	HILUX GRS	RR	23-	STD
A-8-26-532	HILUX GRS	FRT	23-	2"
A-8-29-712	HILUX GRS	RR	23-	2"
A-8-17-518/L	HILUX CHAMP	FRT/L	23-	STD
A-8-17-519/R	HILUX CHAMP	FRT/R	23-	STD
A-8-22-502	HILUX CHAMP	RR	23-	STD
A-8-18-518/L	HILUX CHAMP	FRT/L	23-	2"
A-8-18-519/R	HILUX CHAMP	FRT/R	23-	2"
A-8-24-502	HILUX CHAMP	RR	23-	2"









COMFORT SERIES		
- 57mm. Body Diameter	- Heavy Duty Build	
- 20mm. Piston Rod	- Increased Durability	
- 40mm. Diameter Piston	- Longer lifespan	
- Available in Gas and Oil Type	- Customizable Damping Ride Quality	
- Adjustable Coil Seat	- Dissipate Heat more Effectively	
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort	

		CHEVROLET			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-9-21-538	G5-9-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2"
13-21-506	H4-21-506	COLORADO/1ST GEN	RR	04-12	STD
F5-9-21-538	G5-9-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2"
l3-23-506	H4-23-506	COLORADO/1ST GEN	RR	04-12	2"
F5-9-21-538	G5-9-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2"
I3-23-506	H4-23-506	COLORADO/2ND GEN	RR	15-21	STD
F5-9-21-538	G5-9-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2"
I3-25-506	H4-25-506	COLORADO/2ND GEN	RR	15-21	2"
F5-9-21-538	G5-9-21-538	Trailblazer/1st gen	FRT	02-09	STD/2"
13-24-632	H4-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
F5-9-21-538	G5-9-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2"
13-26-632	H4-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
F5-9-19-625N	G5-9-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2"
I3-25-630	H4-25-630	SILVERADO 3RD GEN	RR	14-18	STD
F5-9-19-625N	G5-9-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2"
13-27-630	H4-27-630	SILVERADO 3RD GEN	RR	14-18	2"

		DODGE			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-9-21.5-729	G5-9-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2"
l3-27-730	H4-27-730	DODGE RAM 1500	RR	09-23	2"





COMFORT SERIES			
- 57mm. Body Diameter	- Heavy Duty Build		
- 20mm. Piston Rod	- Increased Durability		
- 40mm. Diameter Piston	- Longer lifespan		
- Available in Gas and Oil Type	- Customizable Damping Ride Quality		
- Adjustable Coil Seat	- Dissipate Heat more Effectively		
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort		

		FORD			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F4-9-22-619	G5-9-22-619	RANGER T6/T7	FRT	11-19	STD/2"
13-24-504	13-24-504	RANGER T6/T7	RR	11-19	STD
F4-9-22-619	G5-9-22-619	RANGER T6/T7	FRT	11-19	STD/2"
13-26-504	13-26-504	RANGER T6/T7	RR	11-19	2"
F4-9-20-719	G5-9-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2"
13-24-504	13-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
F4-9-20-719	G5-9-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2"
13-26-504	13-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
F4-9-22-619	F4-9-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2"
13-22-634	H4-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
F4-9-22-619	F4-9-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2"
13-24-634	H4-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
F4-9-20-719	F4-9-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2"
13-22-634	H4-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
F4-9-20-719	F4-9-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2"
13-24-634	H4-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
F4-9-22-920	G5-9-22-920	EVEREST NERS GEN	FRT	2022-	STD/2"
13-22-634	H4-22-634	EVEREST NERS GEN	RR	2022-	STD
F4-9-22-920	G5-9-22-920	EVEREST NERS GEN	FRT	2022-	STD/2"
13-24-634	H4-24-634	EVEREST NERS GEN	RR	2022-	2"
F4-9-24-919	G1-9-24-919	F-150/14TH GEN	FRT	15-20	STD/2"
13-30-904	H4-30-904	F-150/14TH GEN	RR	15-20	STD
F4-9-24-919	G1-9-24-919	F-150/14TH GEN	FRT	15-20	STD/2"
13-32-904	H4-32-904	F-150/14TH GEN	RR	15-20	2"
F4-9-26-819	G1-9-26-819	RANGER RAPTOR	FRT	17-21	STD/2"
13-25-704	H4-25-704	RANGER RAPTOR	RR	17-21	STD
F4-9-26-819	G1-9-26-819	RANGER RAPTOR	FRT	17-21	STD/2"
13-27-704	H4-27-704	RANGER RAPTOR	RR	17-21	2"
F4-9-22-920	G5-9-22-920	RANGER NERS GEN	FRT	2022-	STD/2"
13-24-529	13-24-529	RANGER NERS GEN	RR	2022-	STD
F4-9-22-920	G5-9-22-920	RANGER NERS GEN	FRT	2022-	STD/2"
13-26-529	13-26-529	RANGER NERS GEN	RR	2022-	2"





COMFORT SERIES		
- 57mm. Body Diameter	- Heavy Duty Build	
- 20mm. Piston Rod	- Increased Durability	
- 40mm. Diameter Piston	- Longer lifespan	
- Available in Gas and Oil Type	- Customizable Damping Ride Quality	
- Adjustable Coil Seat	- Dissipate Heat more Effectively	
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort	

HYUNDAI					
PART NO.	SPORT	DETAILS		YEAR	LIFT
F4-18-537	F4-18-537	HYUNDAI H1	FRT	11-14	STD
F4-18-527	F4-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU				
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-9-21-538	G5-9-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2"
13-21-506	H4-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
F5-9-21-538	G5-9-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2"
13-23-506	H4-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
F5-9-21-538	G5-9-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2"
13-23-506	H4-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
F5-9-21-538	G5-9-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2"
13-25-506	H4-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
F4-16-505	F5-16-505	MU-7	FRT	04-09	STD
13-22-506	H4-22-506	MU-7	RR	04-09	STD
F4-18-505	F5-18-505	MU-7	FRT	04-09	2"
13-24-506	H4-24-506	MU-7	RR	04-09	2"
F4-9-21-538	F5-9-21-538	MUX 1ST GEN	FRT	13-20	STD/2"
13-24-632	H4-24-632	MUX 1ST GEN	RR	13-20	STD
F4-9-21-538	F5-9-21-538	MUX 1ST GEN	FRT	13-20	STD/2"
13-26-632	H4-26-632	MUX 1ST GEN	RR	13-20	2"
F4-9-21-538	F5-9-21-538	MUX 2ND GEN	FRT	20-	STD/2"
13-23-632	H4-23-632	MUX 2ND GEN	RR	20-	STD
F4-9-21-538	F5-9-21-538	MUX 2ND GEN	FRT	20-	STD/2"
13-25-632	H4-25-632	MUX 2ND GEN	RR	20-	2"





COMFORT SERIES				
- 57mm. Body Diameter	- Heavy Duty Build			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Customizable Damping Ride Quality			
- Adjustable Coil Seat	- Dissipate Heat more Effectively			
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort			

		JEEP			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-22-516	F5-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
G5-22-517	G5-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
F5-24-516	F5-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
G5-24-517	G5-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
G5-22-514	G5-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
G5-20-515	G5-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
G5-24-514	G5-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
G5-22-515	G5-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
F5-22-514	F5-22-514	WRANGLER TJ	FRT	97-06	STD
G5-20-515	G5-20-515	WRANGLER TJ	RR	97-06	STD
F5-24-514	F5-24-514	WRANGLER TJ	FRT	97-06	2"
G5-22-515	G5-22-515	WRANGLER TJ	RR	97-06	2"
F5-24-503	F5-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
G5-24-633	G5-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
F5-26-503	F5-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
G5-26-633	G5-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
F5-25-646	F5-25-646	JL	FRT	18-	STD
G5-27-646	G5-27-646	JL	RR	18-	STD
F5-27-646	F5-27-646	JL	FRT	18-	2"
G5-29-646	G5-29-646	JL	RR	18-	2"
F5-28.79-646	F5-28.79-646	JL	FRT	18-	3.5"
G5-31.40-646	G5-31.40-646	JL	RR	18-	3.5"
F5-25-646	F5-25-646	JT	FRT	19-23	STD
G5-27-747	G5-27-747	JT	RR	19-23	STD
F5-27-646	F5-27-646	JT	FRT	19-23	2"
G5-29-747	G5-29-747	JT	RR	19-23	2"
F5-16-505	G1-16-505	MAHINDRA THAR CROE	FRT	10	STD
13-22-506	H4-22-506	MAHINDRA THAR CRDE	RR	10	STD
F5-18-505	G1-18-505	MAHINDRA THAR CRDE	FRT	10	2"
13-24-506	H4-24-506	MAHINDRA THAR CRDE	RR	10	2"





COMFORT SERIES				
- 57mm. Body Diameter	- Heavy Duty Build			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Customizable Damping Ride Quality			
- Adjustable Coil Seat	- Dissipate Heat more Effectively			
Rubber Dust Cover /Mounting Bush Kit	- Ride Quality and Comfort			

LAND ROVER					
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-24-522	G5-24-522	DISCOVERY I	FRT	89-98	STD
G5-24-510	G5-24-510	DISCOVERY I	RR	89-98	STD
G5-26-522	G5-26-522	DISCOVERY I	FRT	89-98	2"
G5-26-510	G5-26-510	DISCOVERY I	RR	89-98	2"
G5-24-522	G5-24-522	DEFENDER 90/110/130	FRT	83-16	STD
G5-24-510	G5-24-510	DEFENDER 90/110/130	RR	83-16	STD
G5-26-522	G5-26-522	DEFENDER 90/110/130	FRT	83-16	2"
G5-26-510	G5-26-510	DEFENDER 90/110/130	RR	83-16	2"

MAZDA					
PART NO.	SPORT	DETAILS		YEAR	LIFT
F4-9-22-619	F4-9-22-619	MAZDA BT50	FRT	18-20	STD/2"
I3-24-504	13-24-504	MAZDA BT50	RR	18-20	STD
F4-9-22-619	F4-9-22-619	MAZDA BT50	FRT	18-20	STD/2"
l3-26-504	13-26-504	MAZDA BT50	RR	18-20	2"
F4-9-21-538	G5-9-21-538	MAZDA BT50	FRT	20-	STD/2"
I3-23-506	13-23-506	MAZDA BT50	RR	20-	STD
F4-9-21-538	G5-9-21-538	MAZDA BT50	FRT	20-	STD/2"
I3-25-506	13-25-506	MAZDA BT50	RR	20-	2"





COMFORT SERIES				
- 57mm. Body Diameter	- Heavy Duty Build			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Customizable Damping Ride Quality			
- Adjustable Coil Seat	- Dissipate Heat more Effectively			
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort			

		MITSUBISHI			
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-9-18-520	G1-9-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
I3-21-506	H4-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
G5-9-18-520	G1-9-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
13-23-506	H4-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
G5-9-18-520	G1-9-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
I3-21-506	H4-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
G5-9-18-520	G1-9-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
13-23-506	H4-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
G5-9-20-420	G1-9-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
13-23-404	H4-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
G5-9-20-420	G1-9-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
13-25-404	H4-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
G1-16-505	G1-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
F1-20-501	F1-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
G1-18-505	G1-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
F1-22-501	F1-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
F5-9-18-520	F5-9-18-520	Pajero sport 2nd gen	FRT	08-15	STD/2"
GE-21-528	H4-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
F5-9-18-520	F5-9-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GE-23-528	H4-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
F5-9-18-520	F5-9-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GE-20-528	H4-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
F5-9-18-520	F5-9-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GE-22-528	H4-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





COMFORT SERIES				
- 57mm. Body Diameter	- Heavy Duty Build			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Customizable Damping Ride Quality			
- Adjustable Coil Seat	- Dissipate Heat more Effectively			
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort			

	NISSAN				
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-20-522	G1-20-522	PATROL Y60/Y61	FRT	97-16	STD
G5-24-502	G5-24-502	PATROL Y60/Y61	RR	97-16	STD
G5-22-522	G1-22-522	PATROL Y60/Y61	FRT	97-16	2"
G5-26-502	G5-26-502	PATROL Y60/Y61	RR	97-16	2"
G1-9-19-615	G1-9-19-615	PATROL Y62	FRT	10-	STD/2"
G5-23-616	G1-23-616	PATROL Y62	RR	10-	STD
G1-9-19-615	G1-9-19-615	PATROL Y62	FRT	10-	STD/2"
G5-25-616	G1-25-616	PATROL Y62	RR	10-	2"
G5-9-17-524	G1-9-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
13-21-525	13-21-525	NAVARA 4WD D40	RR	05-15	STD
G5-9-17-524	G1-9-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
13-24-525	13-24-525	NAVARA 4WD D40	RR	05-15	2"
G5-9-17-524	G1-9-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
13-22-506	13-22-506	NP300 D22/L.SPRING	RR	08-14	STD
G5-9-17-524	G1-9-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
13-24-506	13-24-506	NP300 D22/L.SPRING	RR	08-14	2"
G5-9-17-524	G1-9-17-524	NP300/2ND GEN	FRT	05-14	STD/2"
13-21-525	l3-21-525	NP300/2ND GEN	RR	05-14	STD
G5-9-17-524	G1-9-17-524	NP300/2ND GEN	FRT	05-14	STD/2"
13-24-525	13-24-525	NP300/2ND GEN	RR	05-14	2"





COMFORT SERIES				
- 57mm. Body Diameter	- Heavy Duty Build			
- 20mm. Piston Rod	- Increased Durability			
- 40mm. Diameter Piston	- Longer lifespan			
- Available in Gas and Oil Type	- Customizable Damping Ride Quality			
- Adjustable Coil Seat	- Dissipate Heat more Effectively			
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort			

SUZUKI							
PART NO.	SPORT	DETAILS		YEAR	LIFT		
13-18-507	13-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD		
13-18-506	l3-18-506	JIMNY/CARIBBEAN	RR	98-18	STD		
I3-20-507	13-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"		
13-20-506	13-20-506	JIMNY/CARIBBEAN	RR	98-18	2"		
13-21-507	13-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"		
13-21-506	13-21-506	JIMNY/CARIBBEAN	RR	98-18	3"		
I3-17-505	13-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD		
13-18-508	13-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD		
I3-19-505	13-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"		
13-20-508	13-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"		

TOYOTA							
PART NO.	SPORT	DETAILS		YEAR	LIFT		
G5-9-20-511	G1-9-20-511	PRADO 95/J90	FRT	96-02	STD/2"		
H4-22-512	H4-22-512	PRADO 95/J90	RR	96-02	STD		
G5-9-20-511	G1-9-20-511	PRADO 95/J90	FRT	96-02	STD/2"		
H4-24-512	H4-24-512	PRADO 95/J90	RR	96-02	2"		
G5-9-23-533	G1-9-23-533	PRADO 120	FRT	02-09	STD/2"		
H4-24-539	H4-24-539	PRADO 120	RR	02-09	STD		
G5-9-23-533	G1-9-23-533	PRADO 120	FRT	02-09	STD/2"		
H4-26-539	H4-26-539	PRADO 120	RR	02-09	2"		
G5-9-23-531	G5-9-23-531	PRADO 150	FRT	09-	STD/2"		
H4-24-539	H4-24-539	PRADO 150	RR	09-	STD		
G5-9-23-531	G5-9-23-531	PRADO 150	FRT	09-	STD/2"		
H4-26-539	H4-26-539	PRADO 150	RR	09-	2"		
F5-20-522	G5-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD		
13-24-502	G5-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD		
F5-22-522	G5-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"		
l3-26-502	G5-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"		





COMFORT SERIES			
- 57mm. Body Diameter	- Heavy Duty Build		
- 20mm. Piston Rod	- Increased Durability		
- 40mm. Diameter Piston	- Longer lifespan		
- Available in Gas and Oil Type	- Customizable Damping Ride Quality		
- Adjustable Coil Seat	- Dissipate Heat more Effectively		
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort		

TOYOTA					
PART NO.	SPORT	DETAILS		YEAR	LIFT
G5-24-522	G1-24-522	Landcruiser 80	FRT	90-97	STD
H4-24-536	H4-24-536	Landcruiser 80	RR	90-97	STD
G5-26-522	G1-26-522	Landcruiser 80	FRT	90-97	2"
H4-26-536	H4-26-536	Landcruiser 80	RR	90-97	2"
G5-18-534	G1-18-534	LANDCRUISER 90	FRT	96-02	STD
H4-22-512	H4-22-512	LANDCRUISER 90	RR	96-02	STD
G5-20-534	G1-20-534	LANDCRUISER 90	FRT	96-02	2"
H4-24-512	H4-24-512	LANDCRUISER 90	RR	96-02	2"
G5-18-534	G1-18-534	LANDCRUISER 100	FRT	98-07	STD
H4-24-535	H4-24-535	LANDCRUISER 100	RR	98-07	STD
G5-20-534	G1-20-534	LANDCRUISER 100	FRT	98-07	2"
H4-26-535	H4-26-535	LANDCRUISER 100	RR	98-07	2"
G5-9-26-621	G1-9-26-621	LANDCRUISER 200	FRT	08-21	STD/2"
G5-24-622	G1-24-622	LANDCRUISER 200	RR	08-21	STD
G5-9-26-621	G1-9-26-621	LANDCRUISER 200	FRT	08-21	STD/2"
G5-26-622	G1-26-622	LANDCRUISER 200	RR	08-21	2"
G5-9-26-436	G1-9-26-436	LANDCRUISER 300	FRT	21-	STD/2"
G5-27-437	G1-27-437	LANDCRUISER 300	RR	21-	STD
G5-9-26-436	G1-9-26-436	LANDCRUISER 300	FRT	21-	STD/2"
G5-29-437	G1-29-437	LANDCRUISER 300	RR	21-	2"
G5-9-26-426	G1-9-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2"
G5-27-437	G1-27-437	LANDCRUISER/PRADO 250	RR	24	STD
G5-9-26-426	G1-9-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2"
G5-29-437	G1-29-437	LANDCRUISER/PRADO 250	RR	24	2"





COMFORT SERIES		
- 57mm. Body Diameter	- Heavy Duty Build	
- 20mm. Piston Rod	- Increased Durability	
- 40mm. Diameter Piston	- Longer lifespan	
- Available in Gas and Oil Type	- Customizable Damping Ride Quality	
- Adjustable Coil Seat	- Dissipate Heat more Effectively	
- Rubber Dust Cover / - Mounting Bush Kit	- Ride Quality and Comfort	

	TOYOTA				
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-9-18-518/L	G1-9-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2"
F5-9-18-519/R	G1-9-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2"
I3-20-512	H4-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
F5-9-18-518/L	G1-9-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2"
F5-9-18-519/R	G1-9-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2"
13-22-512	H4-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
G5-9-23-533	G1-9-23-533	FJ CRUISER	FRT	06-14	STD/2"
H4-24-539	H4-24-539	FJ CRUISER	RR	06-14	STD
G5-9-23-533	G1-9-23-533	FJ CRUISER	FRT	06-14	STD/2"
H4-26-539	H4-26-539	FJ CRUISER	RR	06-14	2"
G5-9-23-533	G1-9-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2"
H4-24-539	H4-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
G5-9-23-533	G1-9-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2"
H4-26-539	H4-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
G5-9-23-533	G1-9-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2"
H4-24-505	H4-24-505	TACOMA/3RD GEN SST	RR	16-	STD
G5-9-23-533	G1-9-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2"
H4-26-505	H4-26-505	TACOMA/3RD GEN SST	RR	16-	2"
G5-9-25-617	G1-9-25-617	TUNDRA	FRT	07-21	STD/2"
H4-25-618	H4-25-618	TUNDRA	RR	07-21	STD
G5-9-25-617	G1-9-25-617	TUNDRA	FRT	07-21	STD/2"
H4-27-618	H4-27-618	TUNDRA	RR	07-21	2"
F5-9-23-531	G1-9-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2"
13-22-502	H4-22-502	HILUX VIGO 4WD	RR	05-15	STD
F5-9-23-531	G1-9-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2"
13-24-502	H4-24-502	HILUX VIGO 4WD	RR	05-15	2"





COMFORT SERIES		
- 57mm. Body Diameter	- Heavy Duty Build	
- 20mm. Piston Rod	- Increased Durability	
- 40mm. Diameter Piston	- Longer lifespan	
- Available in Gas and Oil Type	- Customizable Damping Ride Quality	
- Adjustable Coil Seat	- Dissipate Heat more Effectively	
Rubber Dust Cover /Mounting Bush Kit	- Ride Quality and Comfort	

TOYOTA					
		ТОУОТА			
PART NO.	SPORT	DETAILS		YEAR	LIFT
F5-9-23-531	G1-9-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2"
13-22-512	H4-22-512	FORTUNER 1ST GEN	RR	05-15	STD
F5-9-23-531	G1-9-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2"
13-24-512	H4-24-512	FORTUNER 1ST GEN	RR	05-15	2"
F5-9-23-531	G1-9-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2"
13-23-612	H4-23-612	FORTUNER 2ND GEN	RR	15-	STD
F5-9-23-531	G1-9-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2"
13-25-612	H4-25-612	FORTUNER 2ND GEN	RR	15-	2"
F5-9-23-531	G1-9-23-531	HILUX REVO	FRT	15-23	STD/2"
13-24-502	H4-24-502	HILUX REVO	RR	15-23	STD
F5-9-23-531	G1-9-23-531	HILUX REVO	FRT	15-23	STD/2"
l3-26-502	H4-26-502	HILUX REVO	RR	15-23	2"
F5-9-25-532	G1-25-532	HILUX GRS	FRT	23-	STD/2"
I3-27-712	H4-27-712	HILUX GRS	RR	23-	STD
F5-9-26-532	G1-26-532	HILUX GRS	FRT	23-	STD/2"
I3-29-712	H4-29-712	HILUX GRS	RR	23-	2"
F5-9-18-518/L	G1-9-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2"
F5-9-18-519/R	G1-9-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2"
l3-22-502	H4-22-502	HILUX CHAMP	RR	23-	STD
F5-9-18-518/L	G1-9-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2"
F5-9-18-519/R	G1-9-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2"
l3-24-502	H4-24-502	HILUX CHAMP	RR	23-	2"









COMPACT SERIES		
- 57mm. Body Diameter	Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

	CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT	
A-89-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2	
A-8-21-506	COLORADO/1ST GEN	RR	04-12	STD	
A-89-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2	
A-8-23-506	COLORADO/1ST GEN	RR	04-12	2"	
A-89-21-538	COLORADO/1ST GEN	FRT	15-21	STD/2	
A-8-23-506	COLORADO/1ST GEN	RR	15-21	STD	
A-89-21-538	COLORADO/1ST GEN	FRT	15-21	STD/2	
A-8-25-506	COLORADO/1ST GEN	RR	15-21	2"	
A-89-21-538	COLORADO/1ST GEN	FRT	02-09	STD/2	
A-8-24-632	COLORADO/1ST GEN	RR	02-09	STD	
A-89-21-538	COLORADO/1ST GEN	FRT	02-09	STD/2	
A-8-26-632	COLORADO/1ST GEN	RR	02-09	2"	
A-89-19-625N	COLORADO/1ST GEN	FRT	14-18	STD/2	
A-8-25-630	COLORADO/1ST GEN	RR	14-18	STD	
A-89-19-625N	COLORADO/1ST GEN	FRT	14-18	STD/2	
A-8-27-630	COLORADO/1ST GEN	RR	14-18	2"	

DODGE				
PART NO.	DETAILS		YEAR	LIFT
A-89-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
A-8-27-730	DODGE RAM 1500	RR	09-23	2"





COMPACT SERIES			
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil		
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches		
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS		
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft		
- Heavy Duty Build	to Hard.		
- Rubber Dust Cover	- Improved Performance under		
- Mounting Bush Kit	Demanding Conditions		

	FORD			
PART NO.	DETAILS		YEAR	LIFT
A-89-22-619	RANGER T6/T7	FRT	11-19	STD/2
A-8-24-504	RANGER T6/T7	RR	11-19	STD
A-89-22-619	RANGER T6/T7	FRT	11-19	STD/2
A-8-26-504	RANGER T6/T7	RR	11-19	2"
A-89-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
A-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
A-89-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
A-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
A-89-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
A-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
A-89-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
A-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
A-89-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
A-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
A-89-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
A-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
A-89-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
A-8-22-634	EVEREST NERS GEN	RR	2022-	STD
A-89-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
A-8-24-634	EVEREST NERS GEN	RR	2022-	2"
A-89-24-919	F-150/14TH GEN	FRT	15-20	STD/2
A-8-30-904	F-150/14TH GEN	RR	15-20	STD
A-89-24-919	F-150/14TH GEN	FRT	15-20	STD/2
A-8-32-904	F-150/14TH GEN	RR	15-20	2"
A-89-26-819	RANGER RAPTOR	FRT	17-21	STD/2
A-8-25-704	RANGER RAPTOR	RR	17-21	STD
A-89-26-819	RANGER RAPTOR	FRT	17-21	STD/2
A-8-27-704	RANGER RAPTOR	≫ RR	17-21	2"
A-89-22-920	RANGER NERS GEN	FRT	2022-	STD/2
A-8-24-529	RANGER NERS GEN	RR	2022-	STD
A-89-22-920	RANGER NERS GEN	FRT	2022-	STD/2
A-8-26-529	RANGER NERS GEN	RR	2022-	2"





COMPACT SERIES		
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

	GMC			
PART NO.	DETAILS		YEAR	LIFT
A-89-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
A-8-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
A-89-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
A-8-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
A-89-19-625	SIERRA 1500	FRT	07-13	STD/2
A-8-25-630	SIERRA 1500	RR	07-13	STD
A-89-19-625	SIERRA 1500	FRT	07-13	STD/2
A-8-27-630	SIERRA 1500	RR	07-13	2"
A-89-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
A-8-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
A-89-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
A-8-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
A-89-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
A-8-27-630	SIERRA 1500 AT4	RR	19-23	STD
A-89-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
A-8-29-630	SIERRA 1500 AT4	RR	19-23	2"
A-8-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
A-8-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
A-8-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
A-8-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
A-8-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
A-8-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
A-8-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
A-8-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
A-8-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
A-8-25-630	SIERRA 1500/2500/ CHEV. SILVERADO) RR	01-10	STD
A-8-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
A-8-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





COMPACT SERIES		
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

HYUNDAI				
PART NO.	DETAILS YEAR LIFT		LIFT	
A-8-18-537	HYUNDAI H1	FRT	11-14	STD
A-8-18-527	HYUNDAI H1	RR	11-14	STD

ISUZU				
PART NO.	DETAILS		YEAR	LIFT
A-89-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
A-8-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
A-89-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
A-8-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
A-89-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
A-8-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
A-89-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
A-8-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
A-8-16-505	MU-7	FRT	04-09	STD
A-8-22-506	MU-7	RR	04-09	STD
A-8-18-505	MU-7	FRT	04-09	2"
A-8-24-506	MU-7	RR	04-09	2"
A-89-21-538	MUX 1ST GEN	FRT	13-20	STD/2
A-8-24-632	MUX 1ST GEN	RR	13-20	STD
A-89-21-538	MUX 1ST GEN	FRT	13-20	STD/2
A-8-26-632	MUX 1ST GEN	RR	13-20	2"
A-89-21-538	MUX 2ND GEN	FRT	20-	STD/2
A-8-23-632	MUX 2ND GEN	RR	20-	STD
A-89-21-538	MUX 2ND GEN	yFRT	20-	STD/2
A-8-25-632	MUX 2ND GEN	RR	20-	2"





COMPACT SERIES		
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
A-8-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
A-8-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
A-8-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
A-8-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
A-8-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
A-8-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
A-8-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
A-8-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
A-8-22-514	WRANGLER TJ	FRT	97-06	STD
A-8-20-515	WRANGLER TJ	RR	97-06	STD
A-8-24-514	WRANGLER TJ	FRT	97-06	2"
A-8-22-515	WRANGLER TJ	RR	97-06	2"
A-8-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
A-8-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
A-8-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
A-8-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
A-8-25-646	JL	FRT	18-	STD
A-8-27-646	JL	RR	18-	STD
A-8-27-646	JL	FRT	18-	2"
A-8-29-646	JL	RR	18-	2"
A-8-28.79-646	JL	FRT	18-	3.5"
A-8-31.40-646	JL	RR	18-	3.5"
A-8-25-646	Л	FRT	19-23	STD
A-8-27-747	JT	RR	19-23	STD
A-8-27-646	Л Л	FRT	19-23	2"
A-8-29-747	JT	RR	19-23	2"
A-8-16-505	MAHINDRA THAR CRDE	FRT	10	STD
A-8-22-506	MAHINDRA THAR CRDE	RR	10	STD
A-8-18-505	MAHINDRA THAR CRDE	FRT	10	2"
A-8-24-506	MAHINDRA THAR CRDE	RR	10	2"





COMPACT SERIES		
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
A-8-24-522	DISCOVERY I	FRT	89-98	STD
A-8-24-510	DISCOVERY I	RR	89-98	STD
A-8-26-522	DISCOVERY I	FRT	89-98	2"
A-8-26-510	DISCOVERY I	RR	89-98	2"
A-8-24-522	DEFENDER 90/110/130	FRT	83-16	STD
A-8-24-510	DEFENDER 90/110/130	RR	83-16	STD
A-8-26-522	DEFENDER 90/110/130	FRT	83-16	2"
A-8-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA				
PART NO.	DETAILS		YEAR	LIFT	
A-89-22-619	MAZDA BT50	FRT	18-20	STD/2"	
A-8-24-504	MAZDA BT50	RR	18-20	STD	
A-89-22-619	MAZDA BT50	FRT	18-20	STD/2"	
A-8-26-504	MAZDA BT50	RR	18-20	2"	
A-89-21-538	MAZDA BT50	FRT	20-	STD/2"	
A-8-23-506	MAZDA BT50	RR	20-	STD	
A-89-21-538	MAZDA BT50	FRT	20-	STD/2"	
A-8-25-506	MAZDA BT50	RR	20-	2"	





COMPACT SERIES		
- 57mm. Body Diameter	Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

MITSUBISHI				
PART NO.	DETAILS		YEAR	LIFT
A-89-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
A-8-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
A-89-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
A-8-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
A-89-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
A-8-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
A-89-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
A-8-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
A-89-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
A-8-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
A-89-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
A-8-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
A-8-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
A-8-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
A-8-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
A-8-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
A-89-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
A-8-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
A-89-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
A-8-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
A-89-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
A-8-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
A-89-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
A-8-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





COMPACT SERIES		
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches	
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft	
- Heavy Duty Build	to Hard.	
- Rubber Dust Cover	- Improved Performance under	
- Mounting Bush Kit	Demanding Conditions	

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
A-8-20-522	PATROL Y60/Y61	FRT	97-16	STD
A-8-24-502	PATROL Y60/Y61	RR	97-16	STD
A-8-22-522	PATROL Y60/Y61	FRT	97-16	2"
A-8-26-502	PATROL Y60/Y61	RR	97-16	2"
A-89-19-615	PATROL Y62	FRT	10-	STD/2"
A-8-23-616	PATROL Y62	RR	10-	STD
A-89-19-615	PATROL Y62	FRT	10-	STD/2"
A-8-25-616	PATROL Y62	RR	10-	2"
A-89-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
A-8-21-525	NAVARA 4WD D40	RR	05-15	STD
A-89-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
A-8-24-525	NAVARA 4WD D40	RR	05-15	2"
A-89-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
A-8-22-506	NP300 D22/L.SPRING	RR	08-14	STD
A-89-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
A-8-24-506	NP300 D22/L.SPRING	RR	08-14	2"
A-89-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
A-8-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
A-89-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
A-8-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





COMPACT SERIES				
- 57mm. Body Diameter	Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches			
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft			
- Heavy Duty Build	to Hard.			
- Rubber Dust Cover	- Improved Performance under			
- Mounting Bush Kit	Demanding Conditions			

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
A-8-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
A-8-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
A-8-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
A-8-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
A-8-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
A-8-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
A-8-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
A-8-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
A-8-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
A-8-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
A-89-20-511	PRADO 95/J90	FRT	96-02	STD/2
A-8-22-512	PRADO 95/J90	RR	96-02	STD
A-89-20-511	PRADO 95/J90	FRT	96-02	STD/2
A-8-24-512	PRADO 95/J90	RR	96-02	2"
A-89-23-533	PRADO 120	FRT	02-09	STD/2
A-8-24-539	PRADO 120	RR	02-09	STD
A-89-23-533	PRADO 120	FRT	02-09	STD/2
A-8-26-539	PRADO 120	RR	02-09	2"
A-89-23-531	PRADO 150	FRT	09-	STD/2
A-8-24-539	PRADO 150	RR	09-	STD
A-89-23-531	PRADO 150	FRT	09-	STD/2
A-8-26-539	PRADO 150	RR	09-	2"
A-8-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
A-8-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
A-8-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
A-8-26-502	LANDCRUISER 78,79	RR	PRE-2012	2"





COMPACT SERIES				
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches			
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft			
- Heavy Duty Build	to Hard.			
- Rubber Dust Cover	- Improved Performance under			
- Mounting Bush Kit	Demanding Conditions			

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
A-8-24-522	LANDCRUISER 80	FRT	90-97	STD
A-8-24-536	LANDCRUISER 80	RR	90-97	STD
A-8-26-522	LANDCRUISER 80	FRT	90-97	2"
A-8-26-536	LANDCRUISER 80	RR	90-97	2"
A-8-18-534	LANDCRUISER 90	FRT	96-02	STD
A-8-22-512	LANDCRUISER 90	RR	96-02	STD
A-8-20-534	LANDCRUISER 90	FRT	96-02	2"
A-8-24-512	LANDCRUISER 90	RR	96-02	2"
A-8-18-534	LANDCRUISER 100	FRT	98-07	STD
A-8-24-535	LANDCRUISER 100	RR	98-07	STD
A-8-20-534	LANDCRUISER 100	FRT	98-07	2"
A-8-26-535	LANDCRUISER 100	RR	98-07	2"
A-89-26-621	LANDCRUISER 200	FRT	08-21	STD/2
A-8-24-622	LANDCRUISER 200	RR	08-21	STD
A-89-26-621	LANDCRUISER 200	FRT	08-21	STD/2
A-8-26-622	LANDCRUISER 200	RR	08-21	2"
A-89-26-436	LANDCRUISER 300	FRT	21-	STD/2
A-8-27-437	LANDCRUISER 300	RR	21-	STD
A-89-26-436	LANDCRUISER 300	FRT	21-	STD/2
A-8-29-437	LANDCRUISER 300	RR	21-	2"
A-89-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
A-8-27-437	LANDCRUISER/PRADO 250	RR	24	STD
A-89-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
A-8-29-437	LANDCRUISER/PRADO 250	RR	24	2"





COMPACT SERIES				
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches			
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft			
- Heavy Duty Build	to Hard.			
- Rubber Dust Cover	- Improved Performance under			
- Mounting Bush Kit	Demanding Conditions			

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
A-89-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
A-89-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
A-8-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
A-89-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
A-89-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
A-8-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
A-89-23-533	FJ CRUISER	FRT	06-14	STD/2
A-8-24-539	FJ CRUISER	RR	06-14	STD
A-89-23-533	FJ CRUISER	FRT	06-14	STD/2
A-8-26-539	FJ CRUISER	RR	06-14	2"
A-89-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
A-8-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
A-89-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
A-8-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
A-89-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
A-8-24-505	TACOMA/3RD GEN SST	RR	16-	STD
A-89-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
A-8-26-505	TACOMA/3RD GEN SST	RR	16-	2"
A-89-25-617	TUNDRA	FRT	07-21	STD/2
A-8-25-618	TUNDRA	RR	07-21	STD
A-89-25-617	TUNDRA	FRT	07-21	STD/2
A-8-27-618	TUNDRA	RR	07-21	2"
A-89-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
A-8-22-502	HILUX VIGO 4WD	RR	05-15	STD
A-89-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
A-8-24-502	HILUX VIGO 4WD	RR	05-15	2"





COMPACT SERIES				
- 57mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2" inches			
- 40mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Available in Gas and Oil Type	are 8 Ways Damping Adjustable , can manually adjust from Soft			
- Heavy Duty Build	to Hard.			
- Rubber Dust Cover - Mounting Bush Kit	- Improved Performance under Demanding Conditions			

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
A-89-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
A-8-22-512	FORTUNER 1ST GEN	RR	05-15	STD
A-89-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
A-8-24-512	FORTUNER 1ST GEN	RR	05-15	2"
A-89-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
A-8-23-612	FORTUNER 2ND GEN	RR	15-	STD
A-89-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
A-8-25-612	FORTUNER 2ND GEN	RR	15-	2"
A-89-23-531	HILUX REVO	FRT	15-23	STD/2
A-8-24-502	HILUX REVO	RR	15-23	STD
A-89-23-531	HILUX REVO	FRT	15-23	STD/2
A-8-26-502	HILUX REVO	RR	15-23	2"
A-89-26-532	HILUX GRS	FRT	23-	STD/2
A-8-27-712	HILUX GRS	RR	23-	STD
A-89-26-532	HILUX GRS	FRT	23-	STD/2
A-8-29-712	HILUX GRS	RR	23-	2"
A-89-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
A-89-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
A-8-22-502	HILUX CHAMP	RR	23-	STD
A-89-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
A-89-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
A-8-24-502	HILUX CHAMP	RR	23-	2"



MONOTUBE 2 Plesorber

* 52MM. BODY DIAMETER

20MM. PISTON ROD

46MM. DIAMETER PISTON











GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation			

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
GT-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
GT-21-506	COLORADO/1ST GEN	RR	04-12	STD
GT-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
GT-23-506	COLORADO/1ST GEN	RR	04-12	2"
GT-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
GT-23-506	COLORADO/2ND GEN	RR	15-21	STD
GT-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
GT-25-506	COLORADO/2ND GEN	RR	15-21	2"
GT-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
GT-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
GT-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
GT-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
GT-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
GT-25-630	SILVERADO 3RD GEN	RR	14-18	STD
GT-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
GT-27-630	SILVERADO 3RD GEN	RR	14-18	2"

第一个	DODGE		ä	
PART NO.	DETAILS		YEAR	LIFT
GT-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
GT-27-730	DODGE RAM 1500	RR	09-23	2"





GT 2.0 SERIES			
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil		
- 20mm. Piston Rod	Seat can raise from Standard to 2"		
- 46mm. Diameter Piston	- High Performance Monotube		
- Nitrogen Gas	Shock designed to provide		
- Upside Down/Inverted System	improved handling, stability, and control.		
- Rubber Dust Cover , - Mountina Bush Kit	- Enhanced Heat Dissipation		

FORD				
PART NO.	DETAILS		YEAR	LIFT
GT-22-619	RANGER T6/T7	FRT	11-19	STD/2
GT-24-504	RANGER T6/T7	RR	11-19	STD
GT-22-619	RANGER T6/T7	FRT	11-19	STD/2
GT-26-504	RANGER T6/T7	RR	11-19	2"
GT-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
GT-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
GT-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
GT-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
GT-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
GT-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
GT-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
GT-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
GT-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
GT-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
GT-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
GT-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
GT-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
GT-22-634	EVEREST NERS GEN	RR	2022-	STD
GT-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
GT-24-634	EVEREST NERS GEN	RR	2022-	2"
GT-24-919	F-150/14TH GEN	FRT	15-20	STD/2
GT-30-904	F-150/14TH GEN	RR	15-20	STD
GT-24-919	F-150/14TH GEN	FRT	15-20	STD/2
GT-32-904	F-150/14TH GEN	RR	15-20	2"
GT-26-819	RANGER RAPTOR	FRT	17-21	STD/2
GT-25-704	RANGER RAPTOR	RR	17-21	STD
GT-26-819	RANGER RAPTOR	FRT	17-21	STD/2
GT-27-704	RANGER RAPTOR	y RR	17-21	2"
GT-22-920	RANGER NERS GEN	FRT	2022-	STD/2
GT-24-529	RANGER NERS GEN	RR	2022-	STD
GT-22-920	RANGER NERS GEN	FRT	2022-	STD/2
GT-26-529	RANGER NERS GEN	RR	2022-	2"





GT 2.0 SERIES			
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil		
- 20mm. Piston Rod	Seat can raise from Standard to 2"		
- 46mm. Diameter Piston	- High Performance Monotube		
- Nitrogen Gas	Shock designed to provide		
- Upside Down/Inverted System	improved handling, stability, and control.		
- Rubber Dust Cover , - Mountina Bush Kit	- Enhanced Heat Dissipation		

	GMC			
PART NO.	DETAILS		YEAR	LIFT
GT-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
GT-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
GT-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
GT-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
GT-19-625	SIERRA 1500	FRT	07-13	STD/2
GT-25-630	SIERRA 1500	RR	07-13	STD
GT-19-625	SIERRA 1500	FRT	07-13	STD/2
GT-27-630	SIERRA 1500	RR	07-13	2"
GT-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
GT-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
GT-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
GT-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
GT-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
GT-27-630	SIERRA 1500 AT4	RR	19-23	STD
GT-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
GT-29-630	SIERRA 1500 AT4	RR	19-23	2"
GT-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
GT-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
GT-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
GT-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
GT-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
GT-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
GT-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
GT-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
GT-16-631	SIERRA 1500/2500/CHEV. SILVERADO	yFRT	01-10	STD
GT-25-630	SIERRA 1500/2500/CHEV. SILVERADO	RR	01-10	STD
GT-18-631	SIERRA 1500/2500/CHEV. SILVERADO	FRT	01-10	2"
GT-27-630	SIERRA 1500/2500/CHEV. SILVERADO	RR	01-10	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation			

HYUNDAI				
PART NO.	DETAILS		YEAR	LIFT
GT-18-537	HYUNDAI H1	FRT	11-14	STD
GT-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
GT-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
GT-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
GT-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
GT-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
GT-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
GT-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
GT-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
GT-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
GT-16-505	MU-7	FRT	04-09	STD
GT-22-506	MU-7	RR	04-09	STD
GT-18-505	MU-7	FRT	04-09	2"
GT-24-506	MU-7	RR	04-09	2"
GT-21-538	MUX 1ST GEN	FRT	13-20	STD/2
GT-24-632	MUX 1ST GEN	RR	13-20	STD
GT-21-538	MUX 1ST GEN	FRT	13-20	STD/2
GT-26-632	MUX 1ST GEN	RR	13-20	2"
GT-21-538	MUX 2ND GEN	FRT	20-	STD/2
GT-23-632	MUX 2ND GEN	RR	20-	STD
GT-21-538	MUX 2ND GEN	FRT	20-	STD/2
GT-25-632	MUX 2ND GEN	RR	20-	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation			

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
GT-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
GT-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
GT-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
GT-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
GT-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
GT-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
GT-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
GT-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
GT-22-514	WRANGLER TJ	FRT	97-06	STD
GT-20-515	WRANGLER TJ	RR	97-06	STD
GT-24-514	WRANGLER TJ	FRT	97-06	2"
GT-22-515	WRANGLER TJ	RR	97-06	2"
GT-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
GT-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
GT-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
GT-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
GT-25-646	JEEP JL	FRT	18-	STD
GT-27-646	JEEP JL	RR	18-	STD
GT-27-646	JEEP JL	FRT	18-	2"
GT-29-646	JEEP JL	RR	18-	2"
GT-28.79-646	JEEP JL	FRT	18-	3.5"
GT-31.40-646	JEEP JL	RR	18-	3.5"
GT-25-646	JEEP JT	FRT	19-23	STD
GT-27-747	JEEP JT	RR	19-23	STD
GT-27-646	JEEP JT	FRT	19-23	2"
GT-29-747	JEEP JT	RR	19-23	2"
GT-16-505	MAHINDRA THAR CRDE	FRT	10	STD
GT-22-506	MAHINDRA THAR CRDE	RR	10	STD
GT-18-505	MAHINDRA THAR CRDE	FRT	10	2"
GT-24-506	MAHINDRA THAR CRDE	RR	10	2"





GT 2.0 SERIES			
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil		
- 20mm. Piston Rod	Seat can raise from Standard to 2"		
- 46mm. Diameter Piston	- High Performance Monotube		
- Nitrogen Gas	Shock designed to provide		
- Upside Down/Inverted System	improved handling, stability, and control.		
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation		

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
GT-24-522	DISCOVERY I	FRT	89-98	STD
GT-24-510	DISCOVERY I	RR	89-98	STD
GT-26-522	DISCOVERY I	FRT	89-98	2"
GT-26-510	DISCOVERY I	RR	89-98	2"
GT-24-522	DEFENDER 90/110/130	FRT	83-16	STD
GT-24-510	DEFENDER 90/110/130	RR	83-16	STD
GT-26-522	DEFENDER 90/110/130	FRT	83-16	2"
GT-26-510	DEFENDER 90/110/130	RR	83-16	2"

MAZDA				
PART NO.	DETAILS		YEAR	LIFT
GT-22-619	MAZDA BT50	FRT	18-20	STD/2"
GT-24-504	MAZDA BT50	RR	18-20	STD
GT-22-619	MAZDA BT50	FRT	18-20	STD/2"
GT-26-504	MAZDA BT50	RR	18-20	2"
GT-21-538	MAZDA BT50	FRT	20-	STD/2"
GT-23-506	MAZDA BT50	RR	20-	STD
GT-21-538	MAZDA BT50	FRT	20-	STD/2"
GT-25-506	MAZDA BT50	RR	20-	2"





GT 2.0 SERIES			
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil		
- 20mm. Piston Rod	Seat can raise from Standard to 2"		
- 46mm. Diameter Piston	- High Performance Monotube		
- Nitrogen Gas	Shock designed to provide		
- Upside Down/Inverted System	improved handling, stability, and control.		
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation		

	MITSUBISHI			
PART NO.	DETAILS		YEAR	LIFT
GT-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
GT-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
GT-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
GT-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
GT-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
GT-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
GT-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
GT-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
GT-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
GT-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
GT-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
GT-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
GT-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
GT-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
GT-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
GT-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
GT-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GT-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
GT-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GT-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
GT-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GT-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
GT-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GT-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Rush Kit	- Enhanced Heat Dissipation			

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
GT-20-522	PATROL Y60/Y61	FRT	97-16	STD
GT-24-502	PATROL Y60/Y61	RR	97-16	STD
GT-22-522	PATROL Y60/Y61	FRT	97-16	2"
GT-26-502	PATROL Y60/Y61	RR	97-16	2"
GT-19-615	PATROL Y62	FRT	10-	STD/2"
GT-23-616	PATROL Y62	RR	10-	STD
GT-19-615	PATROL Y62	FRT	10-	STD/2"
GT-25-616	PATROL Y62	RR	10-	2"
GT-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
GT-21-525	NAVARA 4WD D40	RR	05-15	STD
GT-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
GT-24-525	NAVARA 4WD D40	RR	05-15	2"
GT-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
GT-22-506	NP300 D22/L.SPRING	RR	08-14	STD
GT-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
GT-24-506	NP300 D22/L.SPRING	RR	08-14	2"
GT-17-524	NP300/2ND GEN	FRT	05-14	STD/2"
GT-21-525	NP300/2ND GEN	RR	05-14	STD
GT-17-524	NP300/2ND GEN	FRT	05-14	STD/2"
GT-24-525	NP300/2ND GEN	RR	05-14	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation			

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
GT-18-507	SUZUKI JIMNY/CARIBBEAN	FRT	98-18	STD
GT-18-506	SUZUKI JIMNY/CARIBBEAN	RR	98-18	STD
GT-20-507	SUZUKI JIMNY/CARIBBEAN	FRT	98-18	2"
GT-20-506	SUZUKI JIMNY/CARIBBEAN	RR	98-18	2"
GT-21-507	SUZUKI JIMNY/CARIBBEAN	FRT	98-18	3"
GT-21-506	SUZUKI JIMNY/CARIBBEAN	RR	98-18	3"
GT-17-505	SUZUKI JIMNY NEW (4TH GEN)	FRT	18-	STD
GT-18-508	SUZUKI JIMNY NEW (4TH GEN)	RR	18-	STD
GT-19-505	SUZUKI JIMNY NEW (4TH GEN)	FRT	18-	2"
GT-20-508	SUZUKI JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
GT-20-511	TOY. PRADO 95/J90	FRT	96-02	STD/2
GT-22-512	TOY. PRADO 95/J90	RR	96-02	STD
GT-20-511	TOY. PRADO 95/J90	FRT	96-02	STD/2
GT-24-512	TOY. PRADO 95/J90	RR	96-02	2"
GT-23-533	TOY. PRADO 120	FRT	02-09	STD/2
GT-24-539	TOY. PRADO 120	RR	02-09	STD
GT-23-533	TOY. PRADO 120	FRT	02-09	STD/2
GT-26-539	TOY. PRADO 120	RR	02-09	2"
GT-23-531	TOY. PRADO 150	FRT	09-	STD/2
GT-24-539	TOY. PRADO 150	RR	09-	STD
GT-23-531	TOY. PRADO 150	FRT	09-	STD/2
GT-26-539	TOY. PRADO 150	RR	09-	2"
GT-20-522	TOY. LANDCRUISER 78, 79	FRT	PRE-2012	STD
GT-24-502	TOY. LANDCRUISER 78, 79	RR	PRE-2012	STD
GT-22-522	TOY. LANDCRUISER 78, 79	FRT	PRE-2012	2"
GT-26-502	TOY. LANDCRUISER 78, 79	RR	PRE-2012	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation			

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
GT-24-522	TOY. LANDCRUISER 80	FRT	90-97	STD
GT-24-536	TOY. LANDCRUISER 80	RR	90-97	STD
GT-26-522	TOY. LANDCRUISER 80	FRT	90-97	2"
GT-26-536	TOY. LANDCRUISER 80	RR	90-97	2"
GT-18-534	TOY. LANDCRUISER 90	FRT	96-02	STD
GT-22-512	TOY. LANDCRUISER 90	RR	96-02	STD
GT-20-534	TOY. LANDCRUISER 90	FRT	96-02	2"
GT-24-512	TOY. LANDCRUISER 90	RR	96-02	2"
GT-18-534	TOY. LANDCRUISER 100	FRT	98-07	STD
GT-24-535	TOY. LANDCRUISER 100	RR	98-07	STD
GT-20-534	TOY. LANDCRUISER 100	FRT	98-07	2"
GT-26-535	TOY. LANDCRUISER 100	RR	98-07	2"
GT-26-621	TOY. LANDCRUISER 200	FRT	08-21	STD/2
GT-24-622	TOY. LANDCRUISER 200	RR	08-21	STD
GT-26-621	TOY. LANDCRUISER 200	FRT	08-21	STD/2
GT-26-622	TOY. LANDCRUISER 200	RR	08-21	2"
GT-26-436	TOY. LANDCRUISER 300	FRT	21-	STD/2
GT-27-437	TOY. LANDCRUISER 300	RR	21-	STD
GT-26-436	TOY. LANDCRUISER 300	FRT	21-	STD/2
GT-29-437	TOY. LANDCRUISER 300	RR	21-	2"
GT-26-426	TOY. LANDCRUISER/PRADO 250	FRT	24	STD/2
GT-27-437	TOY. LANDCRUISER/PRADO 250	RR	24	STD
GT-26-426	TOY. LANDCRUISER/PRADO 250	FRT	24	STD/2
GT-29-437	TOY. LANDCRUISER/PRADO 250	RR	24	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover ,	- Enhanced Heat Dissipation			

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
GT-18-518/L	Toy. Innova/reborn 2nd gen	FRT/L	16-	STD/2
GT-18-519/R	Toy. Innova/reborn 2nd gen	FRT/R	16-	STD/2
GT-20-512	TOY. INNOVA/REBORN 2ND GEN	RR	16-	STD
GT-18-518/L	TOY. INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
GT-18-519/R	TOY. INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
GT-22-512	TOY. INNOVA/REBORN 2ND GEN	RR	16-	2"
GT-23-533	TOY. FJ CRUISER	FRT	06-14	STD/2
GT-24-539	TOY. FJ CRUISER	RR	06-14	STD
GT-23-533	TOY. FJ CRUISER	FRT	06-14	STD/2
GT-26-539	TOY. FJ CRUISER	RR	06-14	2"
GT-23-533	TOY. TACOMA/2ND GEN SST	FRT	05-15	STD/2
GT-24-539	TOY. TACOMA/2ND GEN SST	RR	05-15	STD
GT-23-533	TOY. TACOMA/2ND GEN SST	FRT	05-15	STD/2
GT-26-539	TOY. TACOMA/2ND GEN SST	RR	05-15	2"
GT-23-533	TOY. TACOMA/3RD GEN SST	FRT	16-	STD/2
GT-24-505	TOY. TACOMA/3RD GEN SST	RR	16-	STD
GT-23-533	TOY. TACOMA/3RD GEN SST	FRT	16-	STD/2
GT-26-505	TOY. TACOMA/3RD GEN SST	RR	16-	2"
GT-25-617	TOY. TUNDRA	FRT	07-21	STD/2
GT-25-618	TOY. TUNDRA	RR	07-21	STD
GT-25-617	TOY. TUNDRA	FRT	07-21	STD/2
GT-27-618	TOY. TUNDRA	RR	07-21	2"
GT-23-531	TOY. HILUX VIGO 4WD	FRT	05-15	STD/2
GT-22-502	TOY. HILUX VIGO 4WD	RR	05-15	STD
GT-23-531	TOY. HILUX VIGO 4WD	FRT	05-15	STD/2
GT-24-502	TOY. HILUX VIGO 4WD	RR	05-15	2"





GT 2.0 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- High Performance Monotube			
- Nitrogen Gas	Shock designed to provide			
- Upside Down/Inverted System	improved handling, stability, and control.			
- Rubber Dust Cover , - Mounting Bush Kit	- Enhanced Heat Dissipation			

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
GT-23-531	Toy. Fortuner 1st gen	FRT	05-15	STD/2
GT-22-512	Toy. Fortuner 1st gen	RR	05-15	STD
GT-23-531	Toy. Fortuner 1st gen	FRT	05-15	STD/2
GT-24-512	Toy. Fortuner 1st gen	RR	05-15	2"
GT-23-531	Toy. Fortuner 2nd gen	FRT	15-	STD/2
GT-23-612	Toy. Fortuner 2nd gen	RR	15-	STD
GT-23-531	Toy. Fortuner 2nd gen	FRT	15-	STD/2
GT-25-612	Toy. Fortuner 2nd gen	RR	15-	2"
GT-23-531	TOY. HILUX REVO	FRT	15-23	STD/2
GT-24-502	TOY. HILUX REVO	RR	15-23	STD
GT-23-531	TOY. HILUX REVO	FRT	15-23	STD/2
GT-26-502	TOY. HILUX REVO	RR	15-23	2"
GT-26-532	TOY. HILUX GRS	FRT	23-	STD/2
GT-27-712	TOY. HILUX GRS	RR	23-	STD
GT-26-532	TOY. HILUX GRS	FRT	23-	STD/2
GT-29-712	TOY. HILUX GRS	RR	23-	2"
GT-18-518/L	TOY. HILUX CHAMP	FRT/L	23-	STD/2
GT-18-519/R	TOY. HILUX CHAMP	FRT/R	23-	STD/2
GT-22-502	TOY. HILUX CHAMP	RR	23-	STD
GT-18-518/L	TOY. HILUX CHAMP	FRT/L	23-	STD/2
GT-18-519/R	TOY. HILUX CHAMP	FRT/R	23-	STD/2
GT-24-502	TOY. HILUX CHAMP	RR	23-	2"









GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Nitrogen Gas Pressurized to 200 PSI	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

	CHEVROLET			
PART NO.	DETAILS		YEAR	LIFT
GTP-8-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
GTP-8-21-506	COLORADO/1ST GEN	RR	04-12	STD
GTP-8-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
GTP-8-23-506	COLORADO/1ST GEN	RR	04-12	2"
GTP-8-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
GTP-8-23-506	COLORADO/2ND GEN	RR	15-21	STD
GTP-8-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
GTP-8-25-506	COLORADO/2ND GEN	RR	15-21	2"
GTP-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
GTP-8-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
GTP-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
GTP-8-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
GTP-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
GTP-8-25-630	SILVERADO 3RD GEN	RR	14-18	STD
GTP-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
GTP-8-27-630	SILVERADO 3RD GEN	RR	14-18	2"

DODGE				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
GTP-8-27-730	DODGE RAM 1500	RR	09-23	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
 Nitrogen Gas Pressurized to 200 PSI 	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

	FORD			
PART NO.	DETAILS		YEAR	LIFT
GTP-8-22-619	RANGER T6/T7	FRT	11-19	STD/2
GTP-8-24-504	RANGER T6/T7	RR	11-19	STD
GTP-8-22-619	RANGER T6/T7	FRT	11-19	STD/2
GTP-8-26-504	RANGER T6/T7	RR	11-19	2"
GTP-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
GTP-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
GTP-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
GTP-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
GTP-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
GTP-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
GTP-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
GTP-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
GTP-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
GTP-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
GTP-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
GTP-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
GTP-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
GTP-8-22-634	EVEREST NERS GEN	RR	2022-	STD
GTP-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
GTP-8-24-634	EVEREST NERS GEN	RR	2022-	2"
GTP-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2
GTP-8-30-904	F-150/14TH GEN	RR	15-20	STD
GTP-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2
GTP-8-32-904	F-150/14TH GEN	RR	15-20	2"
GTP-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2
GTP-8-25-704	RANGER RAPTOR	RR	17-21	STD
GTP-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2
GTP-8-27-704	RANGER RAPTOR	RR	17-21	2"
GTP-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2
GTP-8-24-529	RANGER NERS GEN	RR	2022-	STD
GTP-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2
GTP-8-26-529	RANGER NERS GEN	RR	2022-	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Nitrogen Gas Pressurized to 200 PSI	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

	GMC			
PART NO.	DETAILS		YEAR	LIFT
GTP-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
GTP-8-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
GTP-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
GTP-8-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
GTP-8-19-625	SIERRA 1500	FRT	07-13	STD/2
GTP-8-25-630	SIERRA 1500	RR	07-13	STD
GTP-8-19-625	SIERRA 1500	FRT	07-13	STD/2
GTP-8-27-630	SIERRA 1500	RR	07-13	2"
GTP-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
GTP-8-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
GTP-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
GTP-8-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
GTP-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
GTP-8-27-630	SIERRA 1500 AT4	RR	19-23	STD
GTP-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
GTP-8-29-630	SIERRA 1500 AT4	RR	19-23	2"
GTP-8-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
GTP-8-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
GTP-8-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
GTP-8-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
GTP-8-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
GTP-8-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
GTP-8-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
GTP-8-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
GTP-8-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
GTP-8-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	≯ RR	01-10	STD
GTP-8-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
GTP-8-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Nitrogen Gas Pressurized to 200 PSI	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

HYUNDAI				
PART NO. DETAILS			YEAR	LIFT
GTP-8-18-537	HYUNDAI H1	FRT	11-14	STD
GTP-8-18-527	GTP-8-18-527 HYUNDAI H1 RR		11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
GTP-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
GTP-8-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
GTP-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
GTP-8-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
GTP-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
GTP-8-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
GTP-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
GTP-8-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
GTP-8-16-505	MU-7	FRT	04-09	STD
GTP-8-22-506	MU-7	RR	04-09	STD
GTP-8-18-505	MU-7	FRT	04-09	2"
GTP-8-24-506	MU-7	RR	04-09	2"
GTP-8-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
GTP-8-24-632	MU-X 1ST GEN	RR	13-20	STD
GTP-8-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
GTP-8-26-632	MU-X 1ST GEN	RR	13-20	2"
GTP-8-21-538	MU-X 2ND GEN	FRT	20-	STD/2
GTP-8-23-632	MU-X 2ND GEN	RR	20-	STD
GTP-8-21-538	MU-X 2ND GEN	FRT	20-	STD/2
GTP-8-25-632	MU-X 2ND GEN	RR	20-	2"





GTP-8 SERIES			
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil		
- 20mm. Piston Rod	Seat can raise from Standard to 2		
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS are 8 Ways Damping Adjustable , can manually adjust from Soft to		
 Nitrogen Gas Pressurized to 200 PSI 			
- Upside Down/Inverted System	Hard.		
- Rubber Dust Cover /	- Enhanced Performance		

	JEEP			
PART NO.			YEAR	LIFT
GTP-8-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
GTP-8-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
GTP-8-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
GTP-8-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
GTP-8-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
GTP-8-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
GTP-8-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
GTP-8-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
GTP-8-22-514	WRANGLER TJ	FRT	97-06	STD
GTP-8-20-515	WRANGLER TJ	RR	97-06	STD
GTP-8-24-514	WRANGLER TJ	FRT	97-06	2"
GTP-8-22-515	WRANGLER TJ	RR	97-06	2"
GTP-8-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
GTP-8-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
GTP-8-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
GTP-8-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
GTP-8-25-646	JL	FRT	18-	STD
GTP-8-27-646	JL	RR	18-	STD
GTP-8-27-646	JL	FRT	18-	2"
GTP-8-29-646	JL	RR	18-	2"
GTP-8-28.79-646	JL	FRT	18-	3.5"
GTP-8-31.40-646	JL	RR	18-	3.5"
GTP-8-25-646	Л	FRT	19-23	STD
GTP-8-27-747	JT	RR	19-23	STD
GTP-8-27-646	Л	FRT	19-23	2"
GTP-8-29-747	л 🕦	RR	19-23	2"
GTP-8-16-505	MAHINDRA THAR CRDE	FRT	10	STD
GTP-8-22-506	MAHINDRA THAR CRDE	RR	10	STD
GTP-8-18-505	MAHINDRA THAR CRDE	FRT	10	2"
GTP-8-24-506	MAHINDRA THAR CRDE	RR	10	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Nitrogen Gas Pressurized to 200 PSI	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-24-522	DISCOVERY I	FRT	89-98	STD
GTP-8-24-510	DISCOVERY I	RR	89-98	STD
GTP-8-26-522	DISCOVERY I	FRT	89-98	2"
GTP-8-26-510	DISCOVERY I	RR	89-98	2"
GTP-8-24-522	DEFENDER 90/110/130	FRT	83-16	STD
GTP-8-24-510	DEFENDER 90/110/130	RR	83-16	STD
GTP-8-26-522	DEFENDER 90/110/130	FRT	83-16	2"
GTP-8-26-510	DEFENDER 90/110/130	RR	83-16	2"

MAZDA				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-22-619	MAZDA BT50	FRT	18-20	STD/2"
GTP-8-24-504	MAZDA BT50	RR	18-20	STD
GTP-8-22-619	MAZDA BT50	FRT	18-20	STD/2"
GTP-8-26-504	MAZDA BT50	RR	18-20	2"
GTP-8-21-538	MAZDA BT50	FRT	20-	STD/2"
GTP-8-23-506	MAZDA BT50	RR	20-	STD
GTP-8-21-538	MAZDA BT50	FRT	20-	STD/2"
GTP-8-25-506	MAZDA BT50	RR	20-	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
 Nitrogen Gas Pressurized to 200 PSI 	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

MITSUBISHI				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
GTP-8-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
GTP-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
GTP-8-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
GTP-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
GTP-8-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
GTP-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
GTP-8-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
GTP-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
GTP-8-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
GTP-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
GTP-8-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
GTP-8-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
GTP-8-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
GTP-8-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
GTP-8-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
GTP-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GTP-8-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
GTP-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GTP-8-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
GTP-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GTP-8-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
GTP-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GTP-8-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
 Nitrogen Gas Pressurized to 200 PSI 	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance			

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-20-522	PATROL Y60/Y61	FRT	97-16	STD
GTP-8-24-502	PATROL Y60/Y61	RR	97-16	STD
GTP-8-22-522	PATROL Y60/Y61	FRT	97-16	2"
GTP-8-26-502	PATROL Y60/Y61	RR	97-16	2"
GTP-8-19-615	PATROL Y62	FRT	10-	STD/2"
GTP-8-23-616	PATROL Y62	RR	10-	STD
GTP-8-19-615	PATROL Y62	FRT	10-	STD/2"
GTP-8-25-616	PATROL Y62	RR	10-	2"
GTP-8-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
GTP-8-21-525	NAVARA 4WD D40	RR	05-15	STD
GTP-8-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
GTP-8-24-525	NAVARA 4WD D40	RR	05-15	2"
GTP-8-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
GTP-8-22-506	NP300 D22/L.SPRING	RR	08-14	STD
GTP-8-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
GTP-8-24-506	NP300 D22/L.SPRING	RR	08-14	2"
GTP-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
GTP-8-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
GTP-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
GTP-8-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Nitrogen Gas	are 8 Ways Damping Adjustable ,			
Pressurized to 200 PSI	can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover /	- Enhanced Performance			

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
GTP-8-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
GTP-8-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
GTP-8-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
GTP-8-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
GTP-8-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
GTP-8-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
GTP-8-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
GTP-8-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
GTP-8-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA				
PART NO.	DETAILS		YEAR	LIFT	
GTP-8-20-511	PRADO 95/J90	FRT	96-02	STD/2	
GTP-8-22-512	PRADO 95/J90	RR	96-02	STD	
GTP-8-20-511	PRADO 95/J90	FRT	96-02	STD/2	
GTP-8-24-512	PRADO 95/J90	RR	96-02	2"	
GTP-8-23-533	PRADO 120	FRT	02-09	STD/2	
GTP-8-24-539	PRADO 120	RR	02-09	STD	
GTP-8-23-533	PRADO 120	FRT	02-09	STD/2	
GTP-8-26-539	PRADO 120	RR	02-09	2"	
GTP-8-23-531	PRADO 150	FRT	09-	STD/2	
GTP-8-24-539	PRADO 150	RR	09-	STD	
GTP-8-23-531	PRADO 150	FRT	09-	STD/2	
GTP-8-26-539	PRADO 150	RR	09-	2"	
GTP-8-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD	
GTP-8-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD	
GTP-8-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"	
GTP-8-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"	





GTP-8 SERIES				
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil			
- 20mm. Piston Rod	Seat can raise from Standard to 2"			
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS			
- Nitrogen Gas Pressurized to 200 PSI	are 8 Ways Damping Adjustable , can manually adjust from Soft to			
- Upside Down/Inverted System	Hard.			
- Rubber Dust Cover /	- Enhanced Performance			

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
GTP-8-24-522	LANDCRUISER 80	FRT	90-97	STD
GTP-8-24-536	LANDCRUISER 80	RR	90-97	STD
GTP-8-26-522	LANDCRUISER 80	FRT	90-97	2"
GTP-8-26-536	LANDCRUISER 80	RR	90-97	2"
GTP-8-18-534	LANDCRUISER 90	FRT	96-02	STD
GTP-8-22-512	LANDCRUISER 90	RR	96-02	STD
GTP-8-20-534	LANDCRUISER 90	FRT	96-02	2"
GTP-8-24-512	LANDCRUISER 90	RR	96-02	2"
GTP-8-18-534	LANDCRUISER 100	FRT	98-07	STD
GTP-8-24-535	LANDCRUISER 100	RR	98-07	STD
GTP-8-20-534	LANDCRUISER 100	FRT	98-07	2"
GTP-8-26-535	LANDCRUISER 100	RR	98-07	2"
GTP-8-26-621	LANDCRUISER 200	FRT	08-21	STD/2
GTP-8-24-622	LANDCRUISER 200	RR	08-21	STD
GTP-8-26-621	LANDCRUISER 200	FRT	08-21	STD/2
GTP-8-26-622	LANDCRUISER 200	RR	08-21	2"
GTP-8-26-436	LANDCRUISER 300	FRT	21-	STD/2
GTP-8-27-437	LANDCRUISER 300	RR	21-	STD
GTP-8-26-436	LANDCRUISER 300	FRT	21-	STD/2
GTP-8-29-437	LANDCRUISER 300	RR	21-	2"
GTP-8-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
GTP-8-27-437	LANDCRUISER/PRADO 250	RR	24	STD
GTP-8-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
GTP-8-29-437	LANDCRUISER/PRADO 250	RR	24	2"





GTP-8 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2"	
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
 Nitrogen Gas Pressurized to 200 PSI 	are 8 Ways Damping Adjustable , can manually adjust from Soft to	
- Upside Down/Inverted System	Hard.	
- Rubber Dust Cover / Mounting Bush Kit	- Enhanced Performance	

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
GTP-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
GTP-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
GTP-8-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
GTP-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
GTP-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
GTP-8-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
GTP-8-23-533	FJ CRUISER	FRT	06-14	STD/2
GTP-8-24-539	FJ CRUISER	RR	06-14	STD
GTP-8-23-533	FJ CRUISER	FRT	06-14	STD/2
GTP-8-26-539	FJ CRUISER	RR	06-14	2"
GTP-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
GTP-8-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
GTP-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
GTP-8-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
GTP-8-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
GTP-8-24-505	TACOMA/3RD GEN SST	RR	16-	STD
GTP-8-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
GTP-8-26-505	TACOMA/3RD GEN SST	RR	16-	2"
GTP-8-25-617	TUNDRA	FRT	07-21	STD/2
GTP-8-25-618	TUNDRA	RR	07-21	STD
GTP-8-25-617	TUNDRA	FRT	07-21	STD/2
GTP-8-27-618	TUNDRA	RR	07-21	2"
GTP-8-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
GTP-8-22-502	HILUX VIGO 4WD	RR	05-15	STD
GTP-8-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
GTP-8-24-502	HILUX VIGO 4WD	RR	05-15	2"





GTP-8 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Coil	
- 20mm. Piston Rod	Seat can raise from Standard to 2"	
- 46mm. Diameter Piston	- Front and Rear Shock AbsorbeRS	
- Nitrogen Gas Pressurized to 200 PSI	are 8 Ways Damping Adjustable , can manually adjust from Soft to	
- Upside Down/Inverted System	Hard.	
- Rubber Dust Cover /	- Enhanced Performance	

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
GTP-8-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
GTP-8-22-512	FORTUNER 1ST GEN	RR	05-15	STD
GTP-8-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
GTP-8-24-512	FORTUNER 1ST GEN	RR	05-15	2"
GTP-8-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
GTP-8-23-612	FORTUNER 2ND GEN	RR	15-	STD
GTP-8-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
GTP-8-25-612	FORTUNER 2ND GEN	RR	15-	2"
GTP-8-23-531	HILUX REVO	FRT	15-23	STD/2
GTP-8-24-502	HILUX REVO	RR	15-23	STD
GTP-8-23-531	HILUX REVO	FRT	15-23	STD/2
GTP-8-26-502	HILUX REVO	RR	15-23	2"
GTP-8-26-532	HILUX GRS	FRT	23-	STD/2
GTP-8-27-712	HILUX GRS	RR	23-	STD
GTP-8-26-532	HILUX GRS	FRT	23-	STD/2
GTP-8-29-712	HILUX GRS	RR	23-	2"
GTP-8-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
GTP-8-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
GTP-8-22-502	HILUX CHAMP	RR	23-	STD
GTP-8-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
GTP-8-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
GTP-8-24-502	HILUX CHAMP	RR	23-	2"





RUNNING 2.0 SERIES

- >: MONO-TUBE
- >: UPSIDE DOWN
- >: ADJUSTABLE COIL SEAT
- >: COIL OVER TYPE
- >: NITROGEN GAS
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT



20mm. Roa

52mm. Body

46mm. PISTON





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
RN-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
GT-21-506	COLORADO/1ST GEN	RR	04-12	STD
RN-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
GT-23-506	COLORADO/1ST GEN	RR	04-12	2"
RN-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
GT-23-506	COLORADO/2ND GEN	RR	15-21	STD
RN-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
GT-25-506	COLORADO/2ND GEN	RR	15-21	2"
RN-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
GT-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
RN-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
GT-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
RN-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
GT-25-630	SILVERADO 3RD GEN	RR	14-18	STD
RN-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
GT-27-630	SILVERADO 3RD GEN	RR	14-18	2"

	DODGE			4
PART NO.	DETAILS		YEAR	LIFT
RN-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
GT-27-730	DODGE RAM 1500	RR	09-23	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

	FORD			
PART NO.	DETAILS		YEAR	LIFT
RN-22-619	RANGER T6/T7	FRT	11-19	STD/2
GT-24-504	RANGER T6/T7	RR	11-19	STD
RN-22-619	RANGER T6/T7	FRT	11-19	STD/2
GT-26-504	RANGER T6/T7	RR	11-19	2"
RN-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
GT-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
RN-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
GT-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
RN-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
GT-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
RN-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
GT-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
RN-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
GT-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
RN-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
GT-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
RN-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
GT-22-634	EVEREST NERS GEN	RR	2022-	STD
RN-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
GT-24-634	EVEREST NERS GEN	RR	2022-	2"
RN-24-919	F-150/14TH GEN	FRT	15-20	STD/2
GT-30-904	F-150/14TH GEN	RR	15-20	STD
RN-24-919	F-150/14TH GEN	FRT	15-20	STD/2
GT-32-904	F-150/14TH GEN	RR	15-20	2"
RN-26-819	RANGER RAPTOR	FRT	17-21	STD/2
GT-25-704	RANGER RAPTOR	RR	17-21	STD
RN-26-819	RANGER RAPTOR	FRT	17-21	STD/2
GT-27-704	RANGER RAPTOR	RR	17-21	2"
RN-22-920	RANGER NERS GEN	FRT	2022-	STD/2
GT-24-529	RANGER NERS GEN	RR	2022-	STD
RN-22-920	RANGER NERS GEN	FRT	2022-	STD/2
GT-26-529	RANGER NERS GEN	RR	2022-	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

	GMC			
PART NO.	DETAILS		YEAR	LIFT
RN-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
GT-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
RN-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
GT-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
RN-19-625	SIERRA 1500	FRT	07-13	STD/2
GT-25-630	SIERRA 1500	RR	07-13	STD
RN-19-625	SIERRA 1500	FRT	07-13	STD/2
GT-27-630	SIERRA 1500	RR	07-13	2"
RN-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
GT-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
RN-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
GT-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
RN-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
GT-27-630	SIERRA 1500 AT4	RR	19-23	STD
RN-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
GT-29-630	SIERRA 1500 AT4	RR	19-23	2"
GT-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
GT-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
GT-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
GT-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
GT-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
GT-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
GT-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
GT-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
GT-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
GT-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	STD
GT-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
GT-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

HYUNDAI				
PART NO.	DETAILS		YEAR	LIFT
GT-18-537	HYUNDAI H1	FRT	11-14	STD
GT-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
RN-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
GT-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
RN-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
GT-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
RN-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
GT-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
RN-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
GT-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
GT-16-505	MU-7	FRT	04-09	STD
GT-22-506	MU-7	RR	04-09	STD
GT-18-505	MU-7	FRT	04-09	2"
GT-24-506	MU-7	RR	04-09	2"
RN-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
GT-24-632	MU-X 1ST GEN	RR	13-20	STD
RN-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
GT-26-632	MU-X 1ST GEN	RR	13-20	2"
RN-21-538	MU-X 2ND GEN	FRT	20-	STD/2
GT-23-632	MU-X 2ND GEN	RR	20-	STD
RN-21-538	MU-X 2ND GEN	FRT	20-	STD/2
GT-25-632	MU-X 2ND GEN	RR	20-	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with	
- 20mm. Piston Rod	-Spring Seat can use for Standard & Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Rush Kit	- Enhanced Heat Dissipation	

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
GT-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
GT-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
GT-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
GT-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
GT-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
GT-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
GT-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
GT-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
GT-22-514	WRANGLER TJ	FRT	97-06	STD
GT-20-515	WRANGLER TJ	RR	97-06	STD
GT-24-514	WRANGLER TJ	FRT	97-06	2"
GT-22-515	WRANGLER TJ	RR	97-06	2"
GT-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
GT-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
GT-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
GT-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
GT-25-646	JL	FRT	18-	STD
GT-27-646	JL	RR	18-	STD
GT-27-646	JL	FRT	18-	2"
GT-29-646	JL	RR	18-	2"
GT-28.79-646	JL	FRT	18-	3.5"
GT-31.40-646	JL	RR	18-	3.5"
GT-25-646)Ţ	FRT	19-23	STD
GT-27-747	JT	RR	19-23	STD
GT-27-646	JT	FRT	19-23	2"
GT-29-747	ЈТ	RR	19-23	2"
GT-16-505	MAHINDRA THAR CRDE	FRT	10	STD
GT-22-506	MAHINDRA THAR CROE	RR	10	STD
GT-18-505	MAHINDRA THAR CRDE	FRT	10	2"
GT-24-506	MAHINDRA THAR CRDE	RR	10	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with -Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
GT-24-522	DISCOVERY I	FRT	89-98	STD
GT-24-510	DISCOVERY I	RR	89-98	STD
GT-26-522	DISCOVERY I	FRT	89-98	2"
GT-26-510	DISCOVERY I	RR	89-98	2"
GT-24-522	DEFENDER 90/110/130	FRT	83-16	STD
GT-24-510	DEFENDER 90/110/130	RR	83-16	STD
GT-26-522	DEFENDER 90/110/130	FRT	83-16	2"
GT-26-510	DEFENDER 90/110/130	RR	83-16	2"

MAZDA				
PART NO.	DETAILS		YEAR	LIFT
RN-22-619	MAZDA BT50	FRT	18-20	STD/2"
GT-24-504	MAZDA BT50	RR	18-20	STD
RN-22-619	MAZDA BT50	FRT	18-20	STD/2"
GT-26-504	MAZDA BT50	RR	18-20	2"
RN-21-538	MAZDA BT50	FRT	20-	STD/2"
GT-23-506	MAZDA BT50	RR	20-	STD
RN-21-538	MAZDA BT50	FRT	20-	STD/2"
GT-25-506	MAZDA BT50	RR	20-	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

MITSUBISHI				
PART NO.	DETAILS		YEAR	LIFT
RN-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
GT-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
RN-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
GT-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
RN-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
GT-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
RN-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
GT-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
RN-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
GT-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
RN-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
GT-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
GT-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
GT-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
GT-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
GT-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
RN-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GT-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
RN-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
GT-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
RN-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GT-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
RN-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
GT-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
GT-20-522	PATROL Y60/Y61	FRT	97-16	STD
GT-24-502	PATROL Y60/Y61	RR	97-16	STD
GT-22-522	PATROL Y60/Y61	FRT	97-16	2"
GT-26-502	PATROL Y60/Y61	RR	97-16	2"
RN-19-615	PATROL Y62	FRT	10-	STD/2"
GT-23-616	PATROL Y62	RR	10-	STD
RN-19-615	PATROL Y62	FRT	10-	STD/2"
GT-25-616	PATROL Y62	RR	10-	2"
RN-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
GT-21-525	NAVARA 4WD D40	RR	05-15	STD
RN-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
GT-24-525	NAVARA 4WD D40	RR	05-15	2"
RN-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
GT-22-506	NP300 D22/L.SPRING	RR	08-14	STD
RN-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
GT-24-506	NP300 D22/L.SPRING	RR	08-14	2"
RN-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
GT-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
RN-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
GT-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





RUNNING 2.0 SERIES	
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &
- 20mm. Piston Rod	Lift Application
- 46mm. Diameter Piston	- High Performance Coil-Over
- Nitrogen Gas	shock designed to improve handling and performance by improved
- Upside Down/Inverted System	overall balance and stability.
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
GT-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
GT-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
GT-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
GT-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
GT-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
GT-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
GT-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
GT-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
GT-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
GT-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RN-20-511	PRADO 95/J90	FRT	96-02	STD/2
GT-22-512	PRADO 95/J90	RR	96-02	STD
RN-20-511	PRADO 95/J90	FRT	96-02	STD/2
GT-24-512	PRADO 95/J90	RR	96-02	2"
RN-23-533	PRADO 120	FRT	02-09	STD/2
GT-24-539	PRADO 120	RR	02-09	STD
RN-23-533	PRADO 120	FRT	02-09	STD/2
GT-26-539	PRADO 120	RR	02-09	2"
RN-23-531	PRADO 150	FRT	09-	STD/2
GT-24-539	PRADO 150	RR	09-	STD
RN-23-531	PRADO 150	FRT	09-	STD/2
GT-26-539	PRADO 150	RR	09-	2"
GT-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
GT-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
GT-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
GT-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
GT-24-522	LANDCRUISER 80	FRT	90-97	STD
GT-24-536	LANDCRUISER 80	RR	90-97	STD
GT-26-522	LANDCRUISER 80	FRT	90-97	2"
GT-26-536	LANDCRUISER 80	RR	90-97	2"
GT-18-534	LANDCRUISER 90	FRT	96-02	STD
GT-22-512	LANDCRUISER 90	RR	96-02	STD
GT-20-534	LANDCRUISER 90	FRT	96-02	2"
GT-24-512	LANDCRUISER 90	RR	96-02	2"
GT-18-534	LANDCRUISER 100	FRT	98-07	STD
GT-24-535	LANDCRUISER 100	RR	98-07	STD
GT-20-534	LANDCRUISER 100	FRT	98-07	2"
GT-26-535	LANDCRUISER 100	RR	98-07	2"
RN-26-621	LANDCRUISER 200	FRT	08-21	STD/2
GT-24-622	LANDCRUISER 200	RR	08-21	STD
RN-26-621	LANDCRUISER 200	FRT	08-21	STD/2
GT-26-622	LANDCRUISER 200	RR	08-21	2"
RN-26-436	LANDCRUISER 300	FRT	21-	STD/2
GT-27-437	LANDCRUISER 300	RR	21-	STD
RN-26-436	LANDCRUISER 300	FRT	21-	STD/2
GT-29-437	LANDCRUISER 300	RR	21-	2"
RN-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
GT-27-437	LANDCRUISER/PRADO 250	RR	24	STD
RN-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
GT-29-437	LANDCRUISER/PRADO 250	RR	24	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mounting Rush Kit	- Enhanced Heat Dissipation	

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RN-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RN-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
GT-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
RN-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RN-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
GT-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
RN-23-533	FJ CRUISER	FRT	06-14	STD/2
GT-24-539	FJ CRUISER	RR	06-14	STD
RN-23-533	FJ CRUISER	FRT	06-14	STD/2
GT-26-539	FJ CRUISER	RR	06-14	2"
RN-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
GT-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
RN-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
GT-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
RN-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
GT-24-505	TACOMA/3RD GEN SST	RR	16-	STD
RN-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
GT-26-505	TACOMA/3RD GEN SST	RR	16-	2"
RN-25-617	TUNDRA	FRT	07-21	STD/2
GT-25-618	TUNDRA	RR	07-21	STD
RN-25-617	TUNDRA	FRT	07-21	STD/2
GT-27-618	TUNDRA	RR	07-21	2"
RN-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
GT-22-502	HILUX VIGO 4WD	RR	05-15	STD
RN-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
GT-24-502	HILUX VIGO 4WD	RR	05-15	2"





RUNNING 2.0 SERIES		
- 52mm. Body Diameter	- Front Shock AbsorbeRS with -Spring Seat can use for Standard &	
- 20mm. Piston Rod	Lift Application	
- 46mm. Diameter Piston	- High Performance Coil-Over	
- Nitrogen Gas	shock designed to improve handling and performance by improved	
- Upside Down/Inverted System	overall balance and stability.	
- Rubber Dust Cover / - Mountina Bush Kit	- Enhanced Heat Dissipation	

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
RN-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
GT-22-512	FORTUNER 1ST GEN	RR	05-15	STD
RN-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
GT-24-512	FORTUNER 1ST GEN	RR	05-15	2"
RN-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
GT-23-612	FORTUNER 2ND GEN	RR	15-	STD
RN-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
GT-25-612	FORTUNER 2ND GEN	RR	15-	2"
RN-23-531	HILUX REVO	FRT	15-23	STD/2
GT-24-502	HILUX REVO	RR	15-23	STD
RN-23-531	HILUX REVO	FRT	15-23	STD/2
GT-26-502	HILUX REVO	RR	15-23	2"
RN-26-532	HILUX GRS	FRT	23-	STD/2
GT-27-712	HILUX GRS	RR	23-	STD
RN-26-532	HILUX GRS	FRT	23-	STD/2
GT-29-712	HILUX GRS	RR	23-	2"
RN-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RN-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
GT-22-502	HILUX CHAMP	RR	23-	STD
RN-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RN-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
GT-24-502	HILUX CHAMP	RR	23-	2"



SER Solder

M16PRO SERIES

- >: MONO-TUBE
- >: SUB-TANK/PIGGY BACK
- >: UPSIDE DOWN
- >: NITROGEN GAS
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT
- >: DAMPING ADJUSTABLE (8 WAYS)



52mm. Body

46mm. PISTON

> 20mm. Rod





M16 PRO	2.0 SERIES
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance
- 20mm. Piston Rod	and durability
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.
- Upside Down/Inverted System	- Enhanced Ride Comfort
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability

	CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT	
RN-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2	
M16P-8-21-506	COLORADO/1ST GEN	RR	04-12	STD	
RN-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2	
M16P-8-23-506	COLORADO/1ST GEN	RR	04-12	2"	
RN-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2	
M16P-8-23-506	COLORADO/2ND GEN	RR	15-21	STD	
RN-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2	
M16P-8-25-506	COLORADO/2ND GEN	RR	15-21	2"	
RN-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2	
M16P-8-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD	
RN-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2	
M16P-8-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"	
RN-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2	
M16P-8-25-630	SILVERADO 3RD GEN	RR	14-18	STD	
RN-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2	
M16P-8-27-630	SILVERADO 3RD GEN	RR	14-18	2"	

	DODGE			
PART NO.	DETAILS		YEAR	LIFT
RN-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
M16P-8-27-730	DODGE RAM 1500	RR	09-23	2"





M16 PRO	2.0 SERIES
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance
- 20mm. Piston Rod	and durability
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.
- Upside Down/Inverted System	- Enhanced Ride Comfort
- Rubber Dust Cover / - Mountina Bush Kit	- Improved Handling and Stability

	FORD			
PART NO.	DETAILS		YEAR	LIFT
RN-22-619	RANGER T6/T7	FRT	11-19	STD/2
M16P-8-24-504	RANGER T6/T7	RR	11-19	STD
RN-22-619	RANGER T6/T7	FRT	11-19	STD/2
M16P-8-26-504	RANGER T6/T7	RR	11-19	2"
RN-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
M16P-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
RN-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
M16P-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
RN-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
M16P-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
RN-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
M16P-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
RN-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
M16P-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
RN-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
M16P-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
RN-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
M16P-8-22-634	EVEREST NERS GEN	RR	2022-	STD
RN-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
M16P-8-24-634	EVEREST NERS GEN	RR	2022-	2"
RN-24-919	F-150/14TH GEN	FRT	15-20	STD/2
M16P-8-30-904	F-150/14TH GEN	RR	15-20	STD
RN-24-919	F-150/14TH GEN	FRT	15-20	STD/2
M16P-8-32-904	F-150/14TH GEN	RR	15-20	2"
RN-26-819	RANGER RAPTOR	FRT	17-21	STD/2
M16P-8-25-704	RANGER RAPTOR	RR	17-21	STD
RN-26-819	RANGER RAPTOR	FRT	17-21	STD/2
M16P-8-27-704	RANGER RAPTOR	RR	17-21	2"
RN-22-920	RANGER NERS GEN	FRT	2022-	STD/2
M16P-8-24-529	RANGER NERS GEN	RR	2022-	STD
RN-22-920	RANGER NERS GEN	FRT	2022-	STD/2
M16P-8-26-529	RANGER NERS GEN	RR	2022-	2"





M16 PRO 2.0 SERIES		
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance	
- 20mm. Piston Rod	and durability	
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways	
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.	
- Upside Down/Inverted System	- Enhanced Ride Comfort	
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability	

	GMC			
PART NO.	DETAILS		YEAR	LIFT
RN-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
M16P-8-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
RN-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
M16P-8-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
RN-19-625	SIERRA 1500	FRT	07-13	STD/2
M16P-8-25-630	SIERRA 1500	RR	07-13	STD
RN-19-625	SIERRA 1500	FRT	07-13	STD/2
M16P-8-27-630	SIERRA 1500	RR	07-13	2"
RN-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
M16P-8-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
RN-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
M16P-8-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
RN-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
M16P-8-27-630	SIERRA 1500 AT4	RR	19-23	STD
RN-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
M16P-8-29-630	SIERRA 1500 AT4	RR	19-23	2"
M16P-8-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
M16P-8-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
M16P-8-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
M16P-8-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
M16P-8-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
M16P-8-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
M16P-8-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
M16P-8-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
M16P-8-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
M16P-8-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	STD
M16P-8-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
M16P-8-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





M16 PRO	2.0 SERIES
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance
- 20mm. Piston Rod	and durability
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.
- Upside Down/Inverted System	- Enhanced Ride Comfort
Rubber Dust Cover /Mounting Bush Kit	- Improved Handling and Stability

HYUNDAI				
PART NO.	DETAILS		YEAR	LIFT
M16P-8-18-537	HYUNDAI H1	FRT	11-14	STD
M16P-8-18-527	HYUNDAI H1	RR	11-14	STD

ISUZU				
PART NO.	DETAILS		YEAR	LIFT
RN-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
M16P-8-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
RN-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
M16P-8-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
RN-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
M16P-8-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
RN-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
M16P-8-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
M16P-8-16-505	MU-7	FRT	04-09	STD
M16P-8-22-506	MU-7	RR	04-09	STD
M16P-8-18-505	MU-7	FRT	04-09	2"
M16P-8-24-506	MU-7	RR	04-09	2"
RN-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
M16P-8-24-632	MU-X 1ST GEN	RR	13-20	STD
RN-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
M16P-8-26-632	MU-X 1ST GEN	RR	13-20	2"
RN-21-538	MU-X 2ND GEN	FRT	20-	STD/2
M16P-8-23-632	MU-X 2ND GEN	RR	20-	STD
RN-21-538	MU-X 2ND GEN	FRT	20-	STD/2
M16P-8-25-632	MU-X 2ND GEN	RR	20-	2"





M16 PRO 2.0 SERIES		
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance	
- 20mm. Piston Rod	and durability	
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways	
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.	
- Upside Down/Inverted System	- Enhanced Ride Comfort	
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability	

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
M16P-8-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
M16P-8-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
M16P-8-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
M16P-8-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
M16P-8-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
M16P-8-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
M16P-8-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
M16P-8-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
M16P-8-22-514	WRANGLER TJ	FRT	97-06	STE
M16P-8-20-515	WRANGLER TJ	RR	97-06	STE
M16P-8-24-514	WRANGLER TJ	FRT	97-06	2"
M16P-8-22-515	WRANGLER TJ	RR	97-06	2"
M16P-8-24-503	WRANGLER JK/RUBICON	FRT	07-18	STE
M16P-8-24-633	WRANGLER JK/RUBICON	RR	07-18	STE
M16P-8-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
M16P-8-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
M16P-8-25-646	JL	FRT	18-	STE
M16P-8-27-646	JL	RR	18-	STE
M16P-8-27-646	JL	FRT	18-	2"
M16P-8-29-646	JL	RR	18-	2"
M16P-8-28.79-646	JL	FRT	18-	3.5
M16P-8-31.40-646	JL	RR	18-	3.5
M16P-8-25-646	JT	FRT	19-23	STE
M16P-8-27-747	JT	RR	19-23	STE
M16P-8-27-646	JT (FRT	19-23	2"
M16P-8-29-747	JT 💮	RR	19-23	2"
M16P-8-16-505	MAHINDRA THAR CRDE	FRT	10	STE
M16P-8-22-506	MAHINDRA THAR CRDE	RR	10	STE
M16P-8-18-505	MAHINDRA THAR CRDE	FRT	10	2"
M16P-8-24-506	MAHINDRA THAR CRDE	RR	10	2"





M16 PRO 2.0 SERIES		
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance	
- 20mm. Piston Rod	and durability	
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways	
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.	
- Upside Down/Inverted System	- Enhanced Ride Comfort	
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability	

LAND ROVER				
PART NO.	DETAILS YEAR		LIFT	
M16P-8-24-522	DISCOVERY I	FRT	89-98	STD
M16P-8-24-510	DISCOVERY I	RR	89-98	STD
M16P-8-26-522	DISCOVERY I	FRT	89-98	2"
M16P-8-26-510	DISCOVERY I	RR	89-98	2"
M16P-8-24-522	DEFENDER 90/110/130	FRT	83-16	STD
M16P-8-24-510	DEFENDER 90/110/130	RR	83-16	STD
M16P-8-26-522	DEFENDER 90/110/130	FRT	83-16	2"
M16P-8-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA			
PART NO.	DETAILS		YEAR	LIFT
RN-22-619	MAZDA BT50	FRT	18-20	STD/2"
M16P-8-24-504	MAZDA BT50	RR	18-20	STD
RN-22-619	MAZDA BT50	FRT	18-20	STD/2"
M16P-8-26-504	MAZDA BT50	RR	18-20	2"
RN-21-538	MAZDA BT50	FRT	20-	STD/2"
M16P-8-23-506	MAZDA BT50	RR	20-	STD
RN-21-538	MAZDA BT50	FRT	20-	STD/2"
M16P-8-25-506	MAZDA BT50	RR	20-	2"





M16 PRO 2.0 SERIES		
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance	
- 20mm. Piston Rod	and durability	
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways	
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.	
- Upside Down/Inverted System	- Enhanced Ride Comfort	
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability	

	MITSUBISHI			
PART NO.	DETAILS		YEAR	LIFT
RN-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
M16P-8-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
RN-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
M16P-8-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
RN-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
M16P-8-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
RN-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
M16P-8-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
RN-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
M16P-8-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
RN-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
M16P-8-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
M16P-8-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
M16P-8-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
M16P-8-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
M16P-8-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
RN-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
M16P-8-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
RN-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
M16P-8-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
RN-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
M16P-8-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
RN-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
M16P-8-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





M16 PRO 2.0 SERIES				
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance			
- 20mm. Piston Rod	and durability			
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways			
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.			
- Upside Down/Inverted System	- Enhanced Ride Comfort			
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability			

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
M16P-8-20-522	PATROL Y60/Y61	FRT	97-16	STD
M16P-8-24-502	PATROL Y60/Y61	RR	97-16	STD
M16P-8-22-522	PATROL Y60/Y61	FRT	97-16	2"
M16P-8-26-502	PATROL Y60/Y61	RR	97-16	2"
RN-19-615	PATROL Y62	FRT	10-	STD/2"
M16P-8-23-616	PATROL Y62	RR	10-	STD
RN-19-615	PATROL Y62	FRT	10-	STD/2"
M16P-8-25-616	PATROL Y62	RR	10-	2"
RN-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
M16P-8-21-525	NAVARA 4WD D40	RR	05-15	STD
RN-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
M16P-8-24-525	NAVARA 4WD D40	RR	05-15	2"
RN-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
M16P-8-22-506	NP300 D22/L.SPRING	RR	08-14	STD
RN-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
M16P-8-24-506	NP300 D22/L.SPRING	RR	08-14	2"
RN-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
M16P-8-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
RN-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
M16P-8-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





M16 PRO 2.0 SERIES				
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance			
- 20mm. Piston Rod	and durability			
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways			
Nitrogen GasPressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.			
- Upside Down/Inverted System	- Enhanced Ride Comfort			
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability			

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
M16P-8-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
M16P-8-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
M16P-8-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
M16P-8-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
M16P-8-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
M16P-8-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
M16P-8-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
M16P-8-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
M16P-8-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
M16P-8-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RN-20-511	PRADO 95/J90	FRT	96-02	STD/2
M16P-8-22-512	PRADO 95/J90	RR	96-02	STD
RN-20-511	PRADO 95/J90	FRT	96-02	STD/2
M16P-8-24-512	PRADO 95/J90	RR	96-02	2"
RN-23-533	PRADO 120	FRT	02-09	STD/2
M16P-8-24-539	PRADO 120	RR	02-09	STD
RN-23-533	PRADO 120	FRT	02-09	STD/2
M16P-8-26-539	PRADO 120	RR	02-09	2"
RN-23-531	PRADO 150	FRT	09-	STD/2
M16P-8-24-539	PRADO 150	RR	09-	STD
RN-23-531	PRADO 150	FRT	09-	STD/2
M16P-8-26-539	PRADO 150	RR	09-	2"
M16P-8-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
M16P-8-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
M16P-8-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
M16P-8-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





M16 PRO 2.0 SERIES				
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance			
- 20mm. Piston Rod	and durability			
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways			
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.			
- Upside Down/Inverted System	- Enhanced Ride Comfort			
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability			

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
M16P-8-24-522	LANDCRUISER 80	FRT	90-97	STD
M16P-8-24-536	LANDCRUISER 80	RR	90-97	STD
M16P-8-26-522	LANDCRUISER 80	FRT	90-97	2"
M16P-8-26-536	LANDCRUISER 80	RR	90-97	2"
M16P-8-18-534	LANDCRUISER 90	FRT	96-02	STD
M16P-8-22-512	LANDCRUISER 90	RR	96-02	STD
M16P-8-20-534	LANDCRUISER 90	FRT	96-02	2"
M16P-8-24-512	LANDCRUISER 90	RR	96-02	2"
M16P-8-18-534	LANDCRUISER 100	FRT	98-07	STD
M16P-8-24-535	LANDCRUISER 100	RR	98-07	STD
M16P-8-20-534	LANDCRUISER 100	FRT	98-07	2"
M16P-8-26-535	LANDCRUISER 100	RR	98-07	2"
RN-26-621	LANDCRUISER 200	FRT	08-21	STD/2
M16P-8-24-622	LANDCRUISER 200	RR	08-21	STD
RN-26-621	LANDCRUISER 200	FRT	08-21	STD/2
M16P-8-26-622	LANDCRUISER 200	RR	08-21	2"
RN-26-436	LANDCRUISER 300	FRT	21-	STD/2
M16P-8-27-437	LANDCRUISER 300	RR	21-	STD
RN-26-436	LANDCRUISER 300	FRT	21-	STD/2
M16P-8-29-437	LANDCRUISER 300	RR	21-	2"
RN-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
M16P-8-27-437	LANDCRUISER/PRADO 250	RR	24	STD
RN-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
M16P-8-29-437	LANDCRUISER/PRADO 250	RR	24	2"





M16 PRO 2.0 SERIES				
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance			
- 20mm. Piston Rod	and durability			
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways			
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.			
- Upside Down/Inverted System	- Enhanced Ride Comfort			
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability			

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RN-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RN-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
M16P-8-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
RN-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RN-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
M16P-8-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
RN-23-533	FJ CRUISER	FRT	06-14	STD/2
M16P-8-24-539	FJ CRUISER	RR	06-14	STD
RN-23-533	FJ CRUISER	FRT	06-14	STD/2
M16P-8-26-539	FJ CRUISER	RR	06-14	2"
RN-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
M16P-8-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
RN-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
M16P-8-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
RN-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
M16P-8-24-505	TACOMA/3RD GEN SST	RR	16-	STD
RN-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
M16P-8-26-505	TACOMA/3RD GEN SST	RR	16-	2"
RN-25-617	TUNDRA	FRT	07-21	STD/2
M16P-8-25-618	TUNDRA	RR	07-21	STD
RN-25-617	TUNDRA	FRT	07-21	STD/2
M16P-8-27-618	TUNDRA	RR	07-21	2"
RN-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
M16P-8-22-502	HILUX VIGO 4WD	RR	05-15	STD
RN-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
M16P-8-24-502	HILUX VIGO 4WD	RR	05-15	2"





M16 PRO 2.0 SERIES				
- 52mm. Body Diameter	- Piggy-Back design for improved heat dissipation, better performance			
- 20mm. Piston Rod	and durability			
- 46mm. Diameter Piston	- Rear Shock AbsorbeRS are 8 Ways			
- Nitrogen Gas - Pressurized to 200 PSI	Damping Adjustable , can manually adjust from Soft to Hard.			
- Upside Down/Inverted System	- Enhanced Ride Comfort			
- Rubber Dust Cover / - Mounting Bush Kit	- Improved Handling and Stability			

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
RN-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
M16P-8-22-512	FORTUNER 1ST GEN	RR	05-15	STD
RN-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
M16P-8-24-512	FORTUNER 1ST GEN	RR	05-15	2"
RN-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
M16P-8-23-612	FORTUNER 2ND GEN	RR	15-	STD
RN-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
M16P-8-25-612	FORTUNER 2ND GEN	RR	15-	2"
RN-23-531	HILUX REVO	FRT	15-23	STD/2
M16P-8-24-502	HILUX REVO	RR	15-23	STD
RN-23-531	HILUX REVO	FRT	15-23	STD/2
M16P-8-26-502	HILUX REVO	RR	15-23	2"
RN-26-532	HILUX GRS	FRT	23-	STD/2
M16P-8-27-712	HILUX GRS	RR	23-	STD
RN-26-532	HILUX GRS	FRT	23-	STD/2
M16P-8-29-712	HILUX GRS	RR	23-	2"
RN-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RN-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
M16P-8-22-502	HILUX CHAMP	RR	23-	STD
RN-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RN-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
M16P-8-24-502	HILUX CHAMP	RR	23-	2"



MONOTUBE 25 Sorber

* 66MM. BODY DIAMETER

22MM. PISTON ROD

60MM. DIAMETER PISTON











ROCK 2.5 SERIES					
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)				
- 22mm. Piston Rod	- Front shocks with spring seat for both				
- 60mm. Diameter Piston	standard and lifted setups				
- Nitrogen Gas	- Can setup rebound and compression				
- Pressurized to 200 PSI	damping				
- Upside Down/Inverted System	- Designed to absorb vibrations when driving				
- Rubber Dust Cover / - Mountina Bush Kit	- Enhanced Heat Dissipation				

CHEVROLET						
PART NO.	DETAILS		YEAR	LIFT		
RA-8-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2		
RE-8-21-506	COLORADO/1ST GEN	RR	04-12	STD		
RA-8-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2		
RE-8-23-506	COLORADO/1ST GEN	RR	04-12	2"		
RA-8-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2		
RE-8-23-506	COLORADO/2ND GEN	RR	15-21	STD		
RA-8-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2		
RE-8-25-506	COLORADO/2ND GEN	RR	15-21	2"		
RA-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2		
RE-8-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD		
RA-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2		
RE-8-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"		
RA-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2		
RE-8-25-630	SILVERADO 3RD GEN	RR	14-18	STD		
RA-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2		
RE-8-27-630	SILVERADO 3RD GEN	RR	14-18	2"		

DODGE						
PART NO.	DETAILS		YEAR	LIFT		
RA-8-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2		
RE-8-27-730	DODGE RAM 1500	RR	09-23	2"		





ROCK	2.5 SERIES
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)
- 22mm. Piston Rod	- Front shocks with spring seat for both
- 60mm. Diameter Piston	standard and lifted setups
- Nitrogen Gas	- Can setup rebound and compression
- Pressurized to 200 PSI	damping
- Upside Down/Inverted System	- Designed to absorb vibrations when
opside bowininverted system	driving
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation

	FORD			
PART NO.	DETAILS		YEAR	LIFT
RA-8-22-619	RANGER T6/T7	FRT	11-19	STD/2
RE-8-24-504	RANGER T6/T7	RR	11-19	STD
RA-8-22-619	RANGER T6/T7	FRT	11-19	STD/2
RE-8-26-504	RANGER T6/T7	RR	11-19	2"
RA-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
RE-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
RA-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
RE-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
RA-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
RE-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
RA-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
RE-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
RA-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
RE-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
RA-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
RE-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
RA-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
RE-8-22-634	EVEREST NERS GEN	RR	2022-	STD
RA-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
RE-8-24-634	EVEREST NERS GEN	RR	2022-	2"
RA-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2
RE-8-30-904	F-150/14TH GEN	RR	15-20	STD
RA-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2
RE-8-32-904	F-150/14TH GEN	RR	15-20	2"
RA-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2
RE-8-25-704	RANGER RAPTOR	RR	17-21	STD
RA-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2
RE-8-27-704	RANGER RAPTOR	≫RR	17-21	2"
RA-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2
RE-8-24-529	RANGER NERS GEN	RR	2022-	STD
RA-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2
RE-8-26-529	RANGER NERS GEN	RR	2022-	2"



ROCK	2.5 SERIES
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)
- 22mm. Piston Rod	- Front shocks with spring seat for both
- 60mm. Diameter Piston	standard and lifted setups
- Nitrogen Gas	- Can setup rebound and compression
- Pressurized to 200 PSI	damping
- Upside Down/Inverted System	- Designed to absorb vibrations when driving
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation

	FORD			
PART NO.	DETAILS		YEAR	LIFT
RA-8-22-619	RANGER T6/T7	FRT	11-19	STD/2
RE-8-24-504	RANGER T6/T7	RR	11-19	STD
RA-8-22-619	RANGER T6/T7	FRT	11-19	STD/2
RE-8-26-504	RANGER T6/T7	RR	11-19	2"
RA-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
RE-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
RA-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
RE-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
RA-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
RE-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
RA-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
RE-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
RA-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
RE-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
RA-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
RE-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
RA-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
RE-8-22-634	EVEREST NERS GEN	RR	2022-	STD
RA-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
RE-8-24-634	EVEREST NERS GEN	RR	2022-	2"
RA-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2
RE-8-30-904	F-150/14TH GEN	RR	15-20	STD
RA-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2
RE-8-32-904	F-150/14TH GEN	RR	15-20	2"
RA-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2
RE-8-25-704	RANGER RAPTOR	RR	17-21	STD
RA-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2
RE-8-27-704	RANGER RAPTOR	RR	17-21	2"
RA-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2
RE-8-24-529	RANGER NERS GEN	RR	2022-	STD
RA-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2
RE-8-26-529	RANGER NERS GEN	RR	2022-	2"





ROCK 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Front shocks with spring seat for both		
- 60mm. Diameter Piston	standard and lifted setups		
- Nitrogen Gas - Pressurized to 200 PSI	- Can setup rebound and compression damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover /	- Enhanced Heat Dissipation		

	GMC			
PART NO.	DETAILS		YEAR	LIFT
RA-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
RE-8-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
RA-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
RE-8-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
RA-8-19-625	SIERRA 1500	FRT	07-13	STD/2
RE-8-25-630	SIERRA 1500	RR	07-13	STD
RA-8-19-625	SIERRA 1500	FRT	07-13	STD/2
RE-8-27-630	SIERRA 1500	RR	07-13	2"
RA-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
RE-8-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
RA-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
RE-8-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
RA-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
RE-8-27-630	SIERRA 1500 AT4	RR	19-23	STD
RA-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
RE-8-29-630	SIERRA 1500 AT4	RR	19-23	2"
RE-8-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
RE-8-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
RE-8-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
RE-8-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
RE-8-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
RE-8-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
RE-8-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
RE-8-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
RE-8-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
RE-8-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	STD
RE-8-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
RE-8-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





ROCK 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Front shocks with spring seat for both		
- 60mm. Diameter Piston	standard and lifted setups		
- Nitrogen Gas	- Can setup rebound and compression		
- Pressurized to 200 PSI	damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation		

HYUNDAI				
PART NO.	DETAILS YEAR LIFT			
RE-8-18-537	HYUNDAI H1	FRT	11-14	STD
RE-8-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
RE-8-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
RE-8-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
RE-8-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
RE-8-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
RE-8-16-505	MU-7	FRT	04-09	STD
RE-8-22-506	MU-7	RR	04-09	STD
RE-8-18-505	MU-7	FRT	04-09	2"
RE-8-24-506	MU-7	RR	04-09	2"
RA-8-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
RE-8-24-632	MU-X 1ST GEN	RR	13-20	STD
RA-8-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
RE-8-26-632	MU-X 1ST GEN	RR	13-20	2"
RA-8-21-538	MU-X 2ND GEN	FRT	20-	STD/2
RE-8-23-632	MU-X 2ND GEN	RR	20-	STD
RA-8-21-538	MU-X 2ND GEN	FRT	20-	STD/2
RE-8-25-632	MU-X 2ND GEN	RR	20-	2"





ROCK 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Front shocks with spring seat for both		
- 60mm. Diameter Piston	standard and lifted setups		
Nitrogen GasPressurized to 200 PSI	- Can setup rebound and compression damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation		

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
RE-8-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
RE-8-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
RE-8-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
RE-8-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
RE-8-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
RE-8-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
RE-8-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
RE-8-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
RE-8-22-514	WRANGLER TJ	FRT	97-06	STD
RE-8-20-515	WRANGLER TJ	RR	97-06	STD
RE-8-24-514	WRANGLER TJ	FRT	97-06	2"
RE-8-22-515	WRANGLER TJ	RR	97-06	2"
RE-8-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
RE-8-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
RE-8-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
RE-8-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
RE-8-25-646	JL	FRT	18-	STD
RE-8-27-646	JL	RR	18-	STD
RE-8-27-646	JL	FRT	18-	2"
RE-8-29-646	JL	RR	18-	2"
RE-8-28.79-646	JL	FRT	18-	3.5"
RE-8-31.40-646	JL	RR	18-	3.5"
RE-8-25-646	л	FRT	19-23	STD
RE-8-27-747	Jī	RR	19-23	STD
RE-8-27-646	TL TL	FRT	19-23	2"
RE-8-29-747	JΤ	RR	19-23	2"
RE-8-16-505	MAHINDRA THAR CRDE	FRT	10	STD
RE-8-22-506	MAHINDRA THAR CRDE	RR	10	STD
RE-8-18-505	MAHINDRA THAR CRDE	FRT	10	2"
RE-8-24-506	MAHINDRA THAR CRDE	RR	10	2"





ROCK 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Front shocks with spring seat for both		
- 60mm. Diameter Piston	standard and lifted setups		
- Nitrogen Gas - Pressurized to 200 PSI	- Can setup rebound and compression damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover /	- Enhanced Heat Dissipation		

LAND ROVER				
PART NO.	DETAILS	DETAILS YEAR		LIFT
RE-8-24-522	DISCOVERY I	FRT	89-98	STD
RE-8-24-510	DISCOVERY I	RR	89-98	STD
RE-8-26-522	DISCOVERY I	FRT	89-98	2"
RE-8-26-510	DISCOVERY I	RR	89-98	2"
RE-8-24-522	DEFENDER 90/110/130	FRT	83-16	STD
RE-8-24-510	DEFENDER 90/110/130	RR	83-16	STD
RE-8-26-522	DEFENDER 90/110/130	FRT	83-16	2"
RE-8-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA			
PART NO.	DETAILS		YEAR	LIFT
RA-8-22-619	MAZDA BT50	FRT	18-20	STD/2"
RE-8-24-504	MAZDA BT50	RR	18-20	STD
RA-8-22-619	MAZDA BT50	FRT	18-20	STD/2"
RE-8-26-504	MAZDA BT50	RR	18-20	2"
RA-8-21-538	MAZDA BT50	FRT	20-	STD/2"
RE-8-23-506	MAZDA BT50	RR	20-	STD
RA-8-21-538	MAZDA BT50	FRT	20-	STD/2"
RE-8-25-506	MAZDA BT50	RR	20-	2"





ROCK 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Front shocks with spring seat for both		
- 60mm. Diameter Piston	standard and lifted setups		
- Nitrogen Gas	- Can setup rebound and compression		
- Pressurized to 200 PSI	damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mountina Bush Kit	- Enhanced Heat Dissipation		

	MITSUBISHI			
PART NO.	DETAILS		YEAR	LIFT
RA-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
RE-8-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
RA-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
RE-8-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
RA-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
RE-8-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
RA-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
RE-8-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
RA-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
RE-8-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
RA-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
RE-8-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
RE-8-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
RE-8-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
RE-8-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
RE-8-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
RA-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
RE-8-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
RA-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
RE-8-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
RA-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
RE-8-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
RA-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
RE-8-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





	ROCK	2.5 SERIES
-	66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)
-	22mm. Piston Rod	- Front shocks with spring seat for both
-	60mm. Diameter Piston	standard and lifted setups
-		- Can setup rebound and compression
ŀ	Pressurized to 200 PSI	damping
-	Upside Down/Inverted System	- Designed to absorb vibrations when driving
-	Rubber Dust Cover / Mounting Bush Kit	- Enhanced Heat Dissipation

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
RE-8-20-522	PATROL Y60/Y61	FRT	97-16	STD
RE-8-24-502	PATROL Y60/Y61	RR	97-16	STD
RE-8-22-522	PATROL Y60/Y61	FRT	97-16	2"
RE-8-26-502	PATROL Y60/Y61	RR	97-16	2"
RA-8-19-615	PATROL Y62	FRT	10-	STD/2"
RE-8-23-616	PATROL Y62	RR	10-	STD
RA-8-19-615	PATROL Y62	FRT	10-	STD/2"
RE-8-25-616	PATROL Y62	RR	10-	2"
RA-8-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
RE-8-21-525	NAVARA 4WD D40	RR	05-15	STD
RA-8-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
RE-8-24-525	NAVARA 4WD D40	RR	05-15	2"
RA-8-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
RE-8-22-506	NP300 D22/L.SPRING	RR	08-14	STD
RA-8-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
RE-8-24-506	NP300 D22/L.SPRING	RR	08-14	2"
RA-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
RE-8-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
RA-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
RE-8-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





ROCK 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Front shocks with spring seat for both		
- 60mm. Diameter Piston	standard and lifted setups		
- Nitrogen Gas	- Can setup rebound and compression		
- Pressurized to 200 PSI	damping		
- Upside Down/Inverted Syste	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation		

SUZUKI				
PART NO.	DETAILS	DETAILS YEAR		LIFT
RE-8-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
RE-8-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
RE-8-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
RE-8-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
RE-8-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
RE-8-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
RE-8-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
RE-8-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
RE-8-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
RE-8-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RA-8-20-511	PRADO 95/J90	FRT	96-02	STD/2
RE-8-22-512	PRADO 95/J90	RR	96-02	STD
RA-8-20-511	PRADO 95/J90	FRT	96-02	STD/2
RE-8-24-512	PRADO 95/J90	RR	96-02	2"
RA-8-23-533	PRADO 120	FRT	02-09	STD/2
RE-8-24-539	PRADO 120	RR	02-09	STD
RA-8-23-533	PRADO 120	FRT	02-09	STD/2
RE-8-26-539	PRADO 120	RR	02-09	2"
RA-8-23-531	PRADO 150	FRT	09-	STD/2
RE-8-24-539	PRADO 150	RR	09-	STD
RA-8-23-531	PRADO 150	FRT	09-	STD/2
RE-8-26-539	PRADO 150	RR	09-	2"
RE-8-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
RE-8-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
RE-8-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
RE-8-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





ROCK 2.5 SERIES		
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)	
- 22mm. Piston Rod	- Front shocks with spring seat for both	
- 60mm. Diameter Piston	standard and lifted setups	
- Nitrogen Gas - Pressurized to 200 PSI	- Can setup rebound and compression damping	
- Upside Down/Inverted System	- Designed to absorb vibrations when driving	
- Rubber Dust Cover /	- Enhanced Heat Dissipation	

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RE-8-24-522	LANDCRUISER 80	FRT	90-97	STD
RE-8-24-536	LANDCRUISER 80	RR	90-97	STD
RE-8-26-522	LANDCRUISER 80	FRT	90-97	2"
RE-8-26-536	LANDCRUISER 80	RR	90-97	2"
RE-8-18-534	LANDCRUISER 90	FRT	96-02	STD
RE-8-22-512	LANDCRUISER 90	RR	96-02	STD
RE-8-20-534	LANDCRUISER 90	FRT	96-02	2"
RE-8-24-512	LANDCRUISER 90	RR	96-02	2"
RE-8-18-534	LANDCRUISER 100	FRT	98-07	STD
RE-8-24-535	LANDCRUISER 100	RR	98-07	STD
RE-8-20-534	LANDCRUISER 100	FRT	98-07	2"
RE-8-26-535	LANDCRUISER 100	RR	98-07	2"
RA-8-26-621	LANDCRUISER 200	FRT	08-21	STD/2
RE-8-24-622	LANDCRUISER 200	RR	08-21	STD
RA-8-26-621	LANDCRUISER 200	FRT	08-21	STD/2
RE-8-26-622	LANDCRUISER 200	RR	08-21	2"
RA-8-26-436	LANDCRUISER 300	FRT	21-	STD/2
RE-8-27-437	LANDCRUISER 300	RR	21-	STD
RA-8-26-436	LANDCRUISER 300	FRT	21-	STD/2
RE-8-29-437	LANDCRUISER 300	RR	21-	2"
RA-8-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
RE-8-27-437	LANDCRUISER/PRADO 250	RR	24	STD
RA-8-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
RE-8-29-437	LANDCRUISER/PRADO 250	RR	24	2"





ROCK 2.5 SERIES		
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)	
- 22mm. Piston Rod	- Front shocks with spring seat for both	
- 60mm. Diameter Piston	standard and lifted setups	
- Nitrogen Gas - Pressurized to 200 PSI	- Can setup rebound and compression damping	
- Upside Down/Inverted System	- Designed to absorb vibrations when driving	
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation	

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RA-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RA-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
RE-8-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
RA-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RA-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
RE-8-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
RA-8-23-533	FJ CRUISER	FRT	06-14	STD/2
RE-8-24-539	FJ CRUISER	RR	06-14	STD
RA-8-23-533	FJ CRUISER	FRT	06-14	STD/2
RE-8-26-539	FJ CRUISER	RR	06-14	2"
RA-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
RE-8-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
RA-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
RE-8-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
RA-8-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
RE-8-24-505	TACOMA/3RD GEN SST	RR	16-	STD
RA-8-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
RE-8-26-505	TACOMA/3RD GEN SST	RR	16-	2"
RA-8-25-617	TUNDRA	FRT	07-21	STD/2
RE-8-25-618	TUNDRA	RR	07-21	STD
RA-8-25-617	TUNDRA	FRT	07-21	STD/2
RE-8-27-618	TUNDRA	RR	07-21	2"
RA-8-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
RE-8-22-502	HILUX VIGO 4WD	RR	05-15	STD
RA-8-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
RE-8-24-502	HILUX VIGO 4WD	RR	05-15	2"





ROCK 2.5 SERIES					
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)				
- 22mm. Piston Rod	- Front shocks with spring seat for both				
- 60mm. Diameter Piston	standard and lifted setups				
- Nitrogen Gas	- Can setup rebound and compression				
- Pressurized to 200 PSI	damping				
- Upside Down/Inverted Syste	- Designed to absorb vibrations when driving				
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation				

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
RA-8-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
RE-8-22-512	FORTUNER 1ST GEN	RR	05-15	STD
RA-8-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
RE-8-24-512	FORTUNER 1ST GEN	RR	05-15	2"
RA-8-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
RE-8-23-612	FORTUNER 2ND GEN	RR	15-	STD
RA-8-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
RE-8-25-612	FORTUNER 2ND GEN	RR	15-	2"
RA-8-23-531	HILUX REVO	FRT	15-23	STD/2
RE-8-24-502	HILUX REVO	RR	15-23	STD
RA-8-23-531	HILUX REVO	FRT	15-23	STD/2
RE-8-26-502	HILUX REVO	RR	15-23	2"
RA-8-26-532	HILUX GRS	FRT	23-	STD/2
RE-8-27-712	HILUX GRS	RR	23-	STD
RA-8-26-532	HILUX GRS	FRT	23-	STD/2
RE-8-29-712	HILUX GRS	RR	23-	2"
RA-8-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RA-8-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
RE-8-22-502	HILUX CHAMP	RR	23-	STD
RA-8-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RA-8-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
RE-8-24-502	HILUX CHAMP	RR	23-	2"





RIDE 2.5 SERIES

- >: MONO-TUBE SUB-TANK
- >: PIGGY BACK
- >: UPSIDE DOWN
- >: NITROGEN GAS
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT
- >: DAMPING ADJUSTABLE (HIGH/LOW SPEED)



60mm. PISTON

22mm. Rod





RIDE 2.5 SERIES					
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)				
- 22mm. Piston Rod	- Piggy-Back design for improved heat				
- 60mm. Diameter Piston	dissipation, better performance and durability				
- Nitrogen Gas - pressurized to 200 PSI	- Can setup rebound and compression damping				
- Upside Down/Inverted System	- Designed to absorb vibrations when driving				
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation				

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
RA-8-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
RBH-8-21-506	COLORADO/1ST GEN	RR	04-12	STD
RA-8-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
RBH-8-23-506	COLORADO/1ST GEN	RR	04-12	2"
RA-8-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
RBH-8-23-506	COLORADO/2ND GEN	RR	15-21	STD
RA-8-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
RBH-8-25-506	COLORADO/2ND GEN	RR	15-21	2"
RA-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
RBH-8-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
RA-8-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
RBH-8-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
RA-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
RBH-8-25-630	SILVERADO 3RD GEN	RR	14-18	STD
RA-8-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
RBH-8-27-630	SILVERADO 3RD GEN	RR	14-18	2"

	DODGE			
PART NO.	DETAILS		YEAR	LIFT
RA-8-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
RBH-8-27-730	DODGE RAM 1500	RR	09-23	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

FORD					
PART NO.	DETAILS		YEAR	LIFT	
RA-8-22-619	RANGER T6/T7	FRT	11-19	STD/2	
RBH-8-24-504	RANGER T6/T7	RR	11-19	STD	
RA-8-22-619	RANGER T6/T7	FRT	11-19	STD/2	
RBH-8-26-504	RANGER T6/T7	RR	11-19	2"	
RA-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2	
RBH-8-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD	
RA-8-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2	
RBH-8-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"	
RA-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2	
RBH-8-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD	
RA-8-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2	
RBH-8-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"	
RA-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2	
RBH-8-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD	
RA-8-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2	
RBH-8-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"	
RA-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2	
RBH-8-22-634	EVEREST NERS GEN	RR	2022-	STD	
RA-8-22-920	EVEREST NERS GEN	FRT	2022-	STD/2	
RBH-8-24-634	EVEREST NERS GEN	RR	2022-	2"	
RA-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2	
RBH-8-30-904	F-150/14TH GEN	RR	15-20	STD	
RA-8-24-919	F-150/14TH GEN	FRT	15-20	STD/2	
RBH-8-32-904	F-150/14TH GEN	RR	15-20	2"	
RA-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2	
RBH-8-25-704	RANGER RAPTOR	RR	17-21	STD	
RA-8-26-819	RANGER RAPTOR	FRT	17-21	STD/2	
RBH-8-27-704	RANGER RAPTOR	RR	17-21	2"	
RA-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2	
RBH-8-24-529	RANGER NERS GEN	RR	2022-	STD	
RA-8-22-920	RANGER NERS GEN	FRT	2022-	STD/2	
RBH-8-26-529	RANGER NERS GEN	RR	2022-	2"	





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
- Nitrogen Gas - pressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

	GMC			
PART NO.	DETAILS		YEAR	LIFT
RA-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
RBH-8-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
RA-8-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
RBH-8-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
RA-8-19-625	SIERRA 1500	FRT	07-13	STD/2
RBH-8-25-630	SIERRA 1500	RR	07-13	STD
RA-8-19-625	SIERRA 1500	FRT	07-13	STD/2
RBH-8-27-630	SIERRA 1500	RR	07-13	2"
RA-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
RBH-8-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
RA-8-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
RBH-8-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
RA-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
RBH-8-27-630	SIERRA 1500 AT4	RR	19-23	STD
RA-8-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
RBH-8-29-630	SIERRA 1500 AT4	RR	19-23	2"
RBH-8-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
RBH-8-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
RBH-8-18-627	Sierra 1500/GMT400 1ST Gen	FRT	99-06	2"
RBH-8-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
RBH-8-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
RBH-8-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
RBH-8-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
RBH-8-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
RBH-8-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
RBH-8-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	STD
RBH-8-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
RBH-8-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
- Nitrogen Gas - pressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

HYUNDAI				
PART NO.	DETAILS		YEAR	LIFT
RBH-8-18-537	RBH-8-18-537 HYUNDAI H1 FRT		11-14	STD
RBH-8-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
RBH-8-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
RBH-8-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
RBH-8-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
RA-8-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
RBH-8-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
RBH-8-16-505	MU-7	FRT	04-09	STD
RBH-8-22-506	MU-7	RR	04-09	STD
RBH-8-18-505	MU-7	FRT	04-09	2"
RBH-8-24-506	MU-7	RR	04-09	2"
RA-8-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
RBH-8-24-632	MU-X 1ST GEN	RR	13-20	STD
RA-8-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
RBH-8-26-632	MU-X 1ST GEN	RR	13-20	2"
RA-8-21-538	MU-X 2ND GEN	FRT	20-	STD/2
RBH-8-23-632	MU-X 2ND GEN	RR	20-	STD
RA-8-21-538	MU-X 2ND GEN	FRT	20-	STD/2
RBH-8-25-632	MU-X 2ND GEN	RR	20-	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
- Nitrogen Gas - pressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
RBH-8-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
RBH-8-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
RBH-8-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
RBH-8-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
RBH-8-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
RBH-8-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
RBH-8-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
RBH-8-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
RBH-8-22-514	WRANGLER TJ	FRT	97-06	STD
RBH-8-20-515	WRANGLER TJ	RR	97-06	STD
RBH-8-24-514	WRANGLER TJ	FRT	97-06	2"
RBH-8-22-515	WRANGLER TJ	RR	97-06	2"
RBH-8-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
RBH-8-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
RBH-8-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
RBH-8-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
RBH-8-25-646	JL	FRT	18-	STD
RBH-8-27-646	JL	RR	18-	STD
RBH-8-27-646	JL	FRT	18-	2"
RBH-8-29-646	JL	RR	18-	2"
RBH-8-28.79-646	JL	FRT	18-	3.5"
RBH-8-31.40-646	JL	RR	18-	3.5"
RBH-8-25-646	JT	FRT	19-23	STD
RBH-8-27-747	JT	RR	19-23	STD
RBH-8-27-646	Л	FRT	19-23	2"
RBH-8-29-747	JΤ	RR	19-23	2"
RBH-8-16-505	MAHINDRA THAR CRDE	FRT	10	STD
RBH-8-22-506	MAHINDRA THAR CRDE	RR	10	STD
RBH-8-18-505	MAHINDRA THAR CRDE	FRT	10	2"
RBH-8-24-506	MAHINDRA THAR CRDE	RR	10	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
RBH-8-24-522	DISCOVERY I	FRT	89-98	STD
RBH-8-24-510	DISCOVERY I	RR	89-98	STD
RBH-8-26-522	DISCOVERY I	FRT	89-98	2"
RBH-8-26-510	DISCOVERY I	RR	89-98	2"
RBH-8-24-522	DEFENDER 90/110/130	FRT	83-16	STD
RBH-8-24-510	DEFENDER 90/110/130	RR	83-16	STD
RBH-8-26-522	DEFENDER 90/110/130	FRT	83-16	2"
RBH-8-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA			
PART NO.	DETAILS		YEAR	LIFT
RA-8-22-619	MAZDA BT50	FRT	18-20	STD/2"
RBH-8-24-504	MAZDA BT50	RR	18-20	STD
RA-8-22-619	MAZDA BT50	FRT	18-20	STD/2"
RBH-8-26-504	MAZDA BT50	RR	18-20	2"
RA-8-21-538	MAZDA BT50	FRT	20-	STD/2"
RBH-8-23-506	MAZDA BT50	RR	20-	STD
RA-8-21-538	MAZDA BT50	FRT	20-	STD/2"
RBH-8-25-506	MAZDA BT50	RR	20-	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

	MITSUBISHI			
PART NO.	DETAILS		YEAR	LIFT
RA-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
RBH-8-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
RA-8-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
RBH-8-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
RA-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
RBH-8-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
RA-8-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
RBH-8-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
RA-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
RBH-8-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
RA-8-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
RBH-8-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
RBH-8-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
RBH-8-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
RBH-8-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
RBH-8-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
RA-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
RBH-8-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
RA-8-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
RBH-8-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
RA-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
RBH-8-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
RA-8-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
RBH-8-22-528	PAJERO SPORT 3RD GEN	ÿ RR	15-23	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
RBH-8-20-522	PATROL Y60/Y61	FRT	97-16	STD
RBH-8-24-502	PATROL Y60/Y61	RR	97-16	STD
RBH-8-22-522	PATROL Y60/Y61	FRT	97-16	2"
RBH-8-26-502	PATROL Y60/Y61	RR	97-16	2"
RA-8-19-615	PATROL Y62	FRT	10-	STD/2"
RBH-8-23-616	PATROL Y62	RR	10-	STD
RA-8-19-615	PATROL Y62	FRT	10-	STD/2"
RBH-8-25-616	PATROL Y62	RR	10-	2"
RA-8-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
RBH-8-21-525	NAVARA 4WD D40	RR	05-15	STD
RA-8-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
RBH-8-24-525	NAVARA 4WD D40	RR	05-15	2"
RA-8-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
RBH-8-22-506	NP300 D22/L.SPRING	RR	08-14	STD
RA-8-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
RBH-8-24-506	NP300 D22/L.SPRING	RR	08-14	2"
RA-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
RBH-8-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
RA-8-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
RBH-8-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





RIDE 2.5 SERIES				
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)			
- 22mm. Piston Rod	- Piggy-Back design for improved heat			
- 60mm. Diameter Piston	dissipation, better performance and durability			
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping			
- Upside Down/Inverted System	- Designed to absorb vibrations when driving			
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation			

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
RBH-8-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
RBH-8-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
RBH-8-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
RBH-8-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
RBH-8-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
RBH-8-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
RBH-8-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
RBH-8-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
RBH-8-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
RBH-8-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	ТОУОТА				
PART NO.	DETAILS		YEAR	LIFT	
RA-8-20-511	PRADO 95/J90	FRT	96-02	STD/2	
RBH-8-22-512	PRADO 95/J90	RR	96-02	STD	
RA-8-20-511	PRADO 95/J90	FRT	96-02	STD/2	
RBH-8-24-512	PRADO 95/J90	RR	96-02	2"	
RA-8-23-533	PRADO 120	FRT	02-09	STD/2	
RBH-8-24-539	PRADO 120	RR	02-09	STD	
RA-8-23-533	PRADO 120	FRT	02-09	STD/2	
RBH-8-26-539	PRADO 120	RR	02-09	2"	
RA-8-23-531	PRADO 150	FRT	09-	STD/2	
RBH-8-24-539	PRADO 150	RR	09-	STD	
RA-8-23-531	PRADO 150	FRT	09-	STD/2	
RBH-8-26-539	PRADO 150	RR	09-	2"	
RBH-8-20-522	LANDCRUISER 78, 79	FRT	PRBH-2012	STD	
RBH-8-24-502	LANDCRUISER 78, 79	RR	PRBH-2012	STD	
RBH-8-22-522	LANDCRUISER 78, 79	FRT	PRBH-2012	2"	
RBH-8-26-502	LANDCRUISER 78, 79	RR	PRBH-2012	2"	





RIDE 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Piggy-Back design for improved heat		
- 60mm. Diameter Piston	dissipation, better performance and durability		
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation		

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RBH-8-24-522	LANDCRUISER 80	FRT	90-97	STD
RBH-8-24-536	LANDCRUISER 80	RR	90-97	STD
RBH-8-26-522	LANDCRUISER 80	FRT	90-97	2"
RBH-8-26-536	LANDCRUISER 80	RR	90-97	2"
RBH-8-18-534	LANDCRUISER 90	FRT	96-02	STD
RBH-8-22-512	LANDCRUISER 90	RR	96-02	STD
RBH-8-20-534	LANDCRUISER 90	FRT	96-02	2"
RBH-8-24-512	LANDCRUISER 90	RR	96-02	2"
RBH-8-18-534	LANDCRUISER 100	FRT	98-07	STD
RBH-8-24-535	LANDCRUISER 100	RR	98-07	STD
RBH-8-20-534	LANDCRUISER 100	FRT	98-07	2"
RBH-8-26-535	LANDCRUISER 100	RR	98-07	2"
RA-8-26-621	LANDCRUISER 200	FRT	08-21	STD/2
RBH-8-24-622	LANDCRUISER 200	RR	08-21	STD
RA-8-26-621	LANDCRUISER 200	FRT	08-21	STD/2
RBH-8-26-622	LANDCRUISER 200	RR	08-21	2"
RA-8-26-436	LANDCRUISER 300	FRT	21-	STD/2
RBH-8-27-437	LANDCRUISER 300	RR	21-	STD
RA-8-26-436	LANDCRUISER 300	FRT	21-	STD/2
RBH-8-29-437	LANDCRUISER 300	RR	21-	2"
RA-8-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
RBH-8-27-437	LANDCRUISER/PRADO 250	RR	24	STD
RA-8-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
RBH-8-29-437	LANDCRUISER/PRADO 250	≫RR	24	2"





RIDE 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Piggy-Back design for improved heat		
- 60mm. Diameter Piston	dissipation, better performance and durability		
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation		

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RA-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RA-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
RBH-8-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
RA-8-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RA-8-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
RBH-8-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
RA-8-23-533	FJ CRUISER	FRT	06-14	STD/2
RBH-8-24-539	FJ CRUISER	RR	06-14	STD
RA-8-23-533	FJ CRUISER	FRT	06-14	STD/2
RBH-8-26-539	FJ CRUISER	RR	06-14	2"
RA-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
RBH-8-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
RA-8-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
RBH-8-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
RA-8-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
RBH-8-24-505	TACOMA/3RD GEN SST	RR	16-	STD
RA-8-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
RBH-8-26-505	TACOMA/3RD GEN SST	RR	16-	2"
RA-8-25-617	TUNDRA	FRT	07-21	STD/2
RBH-8-25-618	TUNDRA	RR	07-21	STD
RA-8-25-617	TUNDRA	FRT	07-21	STD/2
RBH-8-27-618	TUNDRA	RR	07-21	2"
RA-8-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
RBH-8-22-502	HILUX VIGO 4WD	_{>y} RR	05-15	STD
RA-8-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
RBH-8-24-502	HILUX VIGO 4WD	RR	05-15	2"





RIDE 2.5 SERIES			
- 66mm. Body Diameter	- 16 Steps Adjustable (High/Low Speed)		
- 22mm. Piston Rod	- Piggy-Back design for improved heat		
- 60mm. Diameter Piston	dissipation, better performance and durability		
Nitrogen Gaspressurized to 200 PSI	- Can setup rebound and compression damping		
- Upside Down/Inverted System	- Designed to absorb vibrations when driving		
- Rubber Dust Cover / - Mounting Bush Kit	- Enhanced Heat Dissipation		

	TOYOTA				
PART NO.	DETAILS		YEAR	LIFT	
RA-8-23-531	Fortuner 1st gen	FRT	05-15	STD/2	
RBH-8-22-512	FORTUNER 1ST GEN	RR	05-15	STD	
RA-8-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2	
RBH-8-24-512	FORTUNER 1ST GEN	RR	05-15	2"	
RA-8-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2	
RBH-8-23-612	FORTUNER 2ND GEN	RR	15-	STD	
RA-8-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2	
RBH-8-25-612	FORTUNER 2ND GEN	RR	15-	2"	
RA-8-23-531	HILUX REVO	FRT	15-23	STD/2	
RBH-8-24-502	HILUX REVO	RR	15-23	STD	
RA-8-23-531	HILUX REVO	FRT	15-23	STD/2	
RBH-8-26-502	HILUX REVO	RR	15-23	2"	
RA-8-26-532	HILUX GRS	FRT	23-	STD/2	
RBH-8-27-712	HILUX GRS	RR	23-	STD	
RA-8-26-532	HILUX GRS	FRT	23-	STD/2	
RBH-8-29-712	HILUX GRS	RR	23-	2"	
RA-8-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2	
RA-8-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2	
RBH-8-22-502	HILUX CHAMP	RR	23-	STD	
RA-8-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2	
RA-8-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2	
RBH-8-24-502	HILUX CHAMP	RR	23-	2"	





RS 2.5 SERIES

- >: MONO-TUBE
- >: UPSIDE DOWN
- >: ADJUSTABLE COIL SEAT
- >: COIL OVER TYPE
- >: NITROGEN GAS
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT



66mm. Boay

60mm. Piston

22mm.





RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	mproved heat dissipation and increased damping forces	

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
RS-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
RS-21-506	COLORADO/1ST GEN	RR	04-12	STD
RS-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
RS-23-506	COLORADO/1ST GEN	RR	04-12	2"
RS-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
RS-23-506	COLORADO/2ND GEN	RR	15-21	STD
RS-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
RS-25-506	COLORADO/2ND GEN	RR	15-21	2"
RS-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
RS-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
RS-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
RS-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
RS-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
RS-25-630	SILVERADO 3RD GEN	RR	14-18	STD
RS-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
RS-27-630	SILVERADO 3RD GEN	RR	14-18	2"

	DODGE				
PART NO.	DETAILS		YEAR	LIFT	
RS-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2	
RS-27-730	DODGE RAM 1500	RR	09-23	2"	





	FORD			
PART NO.	DETAILS		YEAR	LIFT
RS-22-619	RANGER T6/T7	FRT	11-19	STD/2
RS-24-504	RANGER T6/T7	RR	11-19	STD
RS-22-619	RANGER T6/T7	FRT	11-19	STD/2
RS-26-504	RANGER T6/T7	RR	11-19	2"
RS-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
RS-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
RS-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
RS-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
RS-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
RS-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
RS-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
RS-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
RS-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
RS-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
RS-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
RS-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
RS-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
RS-22-634	EVEREST NERS GEN	RR	2022-	STD
RS-22-920	EVEREST NERS GEN	FRT	2022-	STD/2
RS-24-634	EVEREST NERS GEN	RR	2022-	2"
RS-24-919	F-150/14TH GEN	FRT	15-20	STD/2
RS-30-904	F-150/14TH GEN	RR	15-20	STD
RS-24-919	F-150/14TH GEN	FRT	15-20	STD/2
RS-32-904	F-150/14TH GEN	RR	15-20	2"
RS-26-819	RANGER RAPTOR	FRT	17-21	STD/2
RS-25-704	RANGER RAPTOR	RR	17-21	STD
RS-26-819	RANGER RAPTOR	FRT	17-21	STD/2
RS-27-704	RANGER RAPTOR	≯ RR	17-21	2"
RS-22-920	RANGER NERS GEN	FRT	2022-	STD/2
RS-24-529	RANGER NERS GEN	RR	2022-	STD
RS-22-920	RANGER NERS GEN	FRT	2022-	STD/2
RS-26-529	RANGER NERS GEN	RR	2022-	2"





RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

	GMC			
PART NO.	DETAILS		YEAR	LIFT
RS-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
RS-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
RS-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
RS-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
RS-19-625	SIERRA 1500	FRT	07-13	STD/2
RS-25-630	SIERRA 1500	RR	07-13	STD
RS-19-625	SIERRA 1500	FRT	07-13	STD/2
RS-27-630	SIERRA 1500	RR	07-13	2"
RS-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
RS-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
RS-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
RS-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
RS-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
RS-27-630	SIERRA 1500 AT4	RR	19-23	STD
RS-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
RS-29-630	SIERRA 1500 AT4	RR	19-23	2"
RS-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
RS-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
RS-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
RS-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
RS-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
RS-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
RS-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
RS-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
RS-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
RS-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	≥ RR	01-10	STD
RS-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
RS-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
	- 2.5 Monotube Body Size for	
	improved heat dissipation and increased damping forces	

HYUNDAI				
PART NO.	PART NO. DETAILS YEAR LIFT		LIFT	
RS-18-537	HYUNDAI H1	FRT	11-14	STD
RS-18-527	RS-18-527 HYUNDAI H1 RR 11-14 STD		STD	

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
RS-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
RS-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
RS-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
RS-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
RS-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
RS-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
RS-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
RS-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
RS-16-505	MU-7	FRT	04-09	STD
RS-22-506	MU-7	RR	04-09	STD
RS-18-505	MU-7	FRT	04-09	2"
RS-24-506	MU-7	RR	04-09	2"
RS-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
RS-24-632	MU-X 1ST GEN	RR	13-20	STD
RS-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
RS-26-632	MU-X 1ST GEN	RR	13-20	2"
RS-21-538	MU-X 2ND GEN	FRT	20-	STD/2
RS-23-632	MU-X 2ND GEN	RR	20-	STD
RS-21-538	MU-X 2ND GEN	FRT	20-	STD/2
RS-25-632	MU-X 2ND GEN	RR	20-	2"





RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
RS-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
RS-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
RS-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
RS-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
RS-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
RS-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
RS-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
RS-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
RS-22-514	WRANGLER TJ	FRT	97-06	STD
RS-20-515	WRANGLER TJ	RR	97-06	STD
RS-24-514	WRANGLER TJ	FRT	97-06	2"
RS-22-515	WRANGLER TJ	RR	97-06	2"
RS-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
RS-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
RS-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
RS-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
RS-25-646	JL	FRT	18-	STD
RS-27-646	JL	RR	18-	STD
RS-27-646	JL	FRT	18-	2"
RS-29-646	JL	RR	18-	2"
RS-28.79-646	JL	FRT	18-	3.5"
RS-31.40-646	JL	RR	18-	3.5"
RS-25-646	л	FRT	19-23	STD
RS-27-747	JΤ	RR	19-23	STD
RS-27-646	JT	FRT	19-23	2"
RS-29-747	Л	RR	19-23	2"
RS-16-505	MAHINDRA THAR CRDE	FRT	10	STD
RS-22-506	MAHINDRA THAR CRDE	RR	10	STD
RS-18-505	MAHINDRA THAR CRDE	FRT	10	2"
RS-24-506	MAHINDRA THAR CRDE	RR	10	2"



RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
RS-24-522	DISCOVERY I	FRT	89-98	STD
RS-24-510	DISCOVERY I	RR	89-98	STD
RS-26-522	DISCOVERY I	FRT	89-98	2"
RS-26-510	DISCOVERY I	RR	89-98	2"
RS-24-522	DEFENDER 90/110/130	FRT	83-16	STD
RS-24-510	DEFENDER 90/110/130	RR	83-16	STD
RS-26-522	DEFENDER 90/110/130	FRT	83-16	2"
RS-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA				
PART NO.	DETAILS		YEAR	LIFT	
RS-22-619	MAZDA BT50	FRT	18-20	STD/2"	
RS-24-504	MAZDA BT50	RR	18-20	STD	
RS-22-619	MAZDA BT50	FRT	18-20	STD/2"	
RS-26-504	MAZDA BT50	RR	18-20	2"	
RS-21-538	MAZDA BT50	FRT	20-	STD/2"	
RS-23-506	MAZDA BT50	RR	20-	STD	
RS-21-538	MAZDA BT50	FRT	20-	STD/2"	
RS-25-506	MAZDA BT50	RR	20-	2"	





RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	mproved heat dissipation and increased damping forces	

	MITSUBISHI			
PART NO.	DETAILS		YEAR	LIFT
RS-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
RS-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
RS-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
RS-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
RS-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
RS-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
RS-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
RS-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
RS-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
RS-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
RS-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
RS-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
RS-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
RS-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
RS-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
RS-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
RS-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
RS-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
RS-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
RS-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
RS-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
RS-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
RS-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
RS-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"



RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	mproved heat dissipation and increased damping forces	

NISSAN				
PART NO.	DETAILS		YEAR	LIFT
RS-20-522	PATROL Y60/Y61	FRT	97-16	STD
RS-24-502	PATROL Y60/Y61	RR	97-16	STD
RS-22-522	PATROL Y60/Y61	FRT	97-16	2"
RS-26-502	PATROL Y60/Y61	RR	97-16	2"
RS-19-615	PATROL Y62	FRT	10-	STD/2"
RS-23-616	PATROL Y62	RR	10-	STD
RS-19-615	PATROL Y62	FRT	10-	STD/2"
RS-25-616	PATROL Y62	RR	10-	2"
RS-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
RS-21-525	NAVARA 4WD D40	RR	05-15	STD
RS-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
RS-24-525	NAVARA 4WD D40	RR	05-15	2"
RS-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
RS-22-506	NP300 D22/L.SPRING	RR	08-14	STD
RS-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
RS-24-506	NP300 D22/L.SPRING	RR	08-14	2"
RS-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
RS-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
RS-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
RS-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





RS 2.5 SERIES				
- 66mm. Body Diameter	- High-performance coil-over for			
- 22mm. Piston Rod	better handling, balance, and stability.			
- 60mm. Diameter Piston	- Front shocks with spring seat for			
- Nitrogen Gas	both standard and lifted setups.			
- Upside Down/Inverted System	- 2.5 Monotube Body Size for			
- Rubber Dust Cover / - Mounting Bush Kit	mproved heat dissipation and increased damping forces			

SUZUKI				
PART NO.	DETAILS		YEAR	LIFT
RS-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
RS-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
RS-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
RS-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
RS-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
RS-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
RS-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
RS-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
RS-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
RS-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RS-20-511	PRADO 95/J90	FRT	96-02	STD/2
RS-22-512	PRADO 95/J90	RR	96-02	STD
RS-20-511	PRADO 95/J90	FRT	96-02	STD/2
RS-24-512	PRADO 95/J90	RR	96-02	2"
RS-23-533	PRADO 120	FRT	02-09	STD/2
RS-24-539	PRADO 120	RR	02-09	STD
RS-23-533	PRADO 120	FRT	02-09	STD/2
RS-26-539	PRADO 120	RR	02-09	2"
RS-23-531	PRADO 150	FRT	09-	STD/2
RS-24-539	PRADO 150	RR	09-	STD
RS-23-531	PRADO 150	FRT	09-	STD/2
RS-26-539	PRADO 150	RR	09-	2"
RS-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
RS-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
RS-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
RS-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





RS 2.5 SERIES				
- 66mm. Body Diameter	- High-performance coil-over for			
- 22mm. Piston Rod	better handling, balance, and stability.			
- 60mm. Diameter Piston	- Front shocks with spring seat for			
- Nitrogen Gas	both standard and lifted setups.			
- Upside Down/Inverted System	- 2.5 Monotube Body Size for			
- Rubber Dust Cover / - Mounting Bush Kit	mproved heat dissipation and increased damping forces			

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RS-24-522	LANDCRUISER 80	FRT	90-97	STD
RS-24-536	LANDCRUISER 80	RR	90-97	STD
RS-26-522	LANDCRUISER 80	FRT	90-97	2"
RS-26-536	LANDCRUISER 80	RR	90-97	2"
RS-18-534	LANDCRUISER 90	FRT	96-02	STD
RS-22-512	LANDCRUISER 90	RR	96-02	STD
RS-20-534	LANDCRUISER 90	FRT	96-02	2"
RS-24-512	LANDCRUISER 90	RR	96-02	2"
RS-18-534	LANDCRUISER 100	FRT	98-07	STD
RS-24-535	LANDCRUISER 100	RR	98-07	STD
RS-20-534	LANDCRUISER 100	FRT	98-07	2"
RS-26-535	LANDCRUISER 100	RR	98-07	2"
RS-26-621	LANDCRUISER 200	FRT	08-21	STD/2
RS-24-622	LANDCRUISER 200	RR	08-21	STD
RS-26-621	LANDCRUISER 200	FRT	08-21	STD/2
RS-26-622	LANDCRUISER 200	RR	08-21	2"
RS-26-436	LANDCRUISER 300	FRT	21-	STD/2
RS-27-437	LANDCRUISER 300	RR	21-	STD
RS-26-436	LANDCRUISER 300	FRT	21-	STD/2
RS-29-437	LANDCRUISER 300	RR	21-	2"
RS-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
RS-27-437	LANDCRUISER/PRADO 250	RR	24	STD
RS-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
RS-29-437	LANDCRUISER/PRADO 250	RR	24	2"





	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
RS-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RS-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
RS-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
RS-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
RS-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
RS-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
RS-23-533	FJ CRUISER	FRT	06-14	STD/2
RS-24-539	FJ CRUISER	RR	06-14	STD
RS-23-533	FJ CRUISER	FRT	06-14	STD/2
RS-26-539	FJ CRUISER	RR	06-14	2"
RS-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
RS-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
RS-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
RS-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
RS-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
RS-24-505	TACOMA/3RD GEN SST	RR	16-	STD
RS-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
RS-26-505	TACOMA/3RD GEN SST	RR	16-	2"
RS-25-617	TUNDRA	FRT	07-21	STD/2
RS-25-618	TUNDRA	RR	07-21	STD
RS-25-617	TUNDRA	FRT	07-21	STD/2
RS-27-618	TUNDRA	RR	07-21	2"
RS-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
RS-22-502	HILUX VIGO 4WD	RR	05-15	STD
RS-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
RS-24-502	HILUX VIGO 4WD	RR	05-15	2"



RS 2.5 SERIES		
- 66mm. Body Diameter	- High-performance coil-over for	
- 22mm. Piston Rod	better handling, balance, and stability.	
- 60mm. Diameter Piston	- Front shocks with spring seat for	
- Nitrogen Gas	both standard and lifted setups.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

TOYOTA				
PART NO.	DETAILS		YEAR	LIFT
RS-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
RS-22-512	FORTUNER 1ST GEN	RR	05-15	STD
RS-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
RS-24-512	FORTUNER 1ST GEN	RR	05-15	2"
RS-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
RS-23-612	FORTUNER 2ND GEN	RR	15-	STD
RS-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
RS-25-612	FORTUNER 2ND GEN	RR	15-	2"
RS-23-531	HILUX REVO	FRT	15-23	STD/2
RS-24-502	HILUX REVO	RR	15-23	STD
RS-23-531	HILUX REVO	FRT	15-23	STD/2
RS-26-502	HILUX REVO	RR	15-23	2"
RS-26-532	HILUX GRS	FRT	23-	STD/2
RS-27-712	HILUX GRS	RR	23-	STD
RS-26-532	HILUX GRS	FRT	23-	STD/2
RS-29-712	HILUX GRS	RR	23-	2"
RS-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RS-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
RS-22-502	HILUX CHAMP	RR	23-	STD
RS-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
RS-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
RS-24-502	HILUX CHAMP	RR	23-	2"





XT 2.5 SERIES

- :>: MONO-TUBE
- >: UPSIDE DOWN
- >: ADJUSTABLE COIL SEAT
- >: NITROGEN GAS
- >: RUBBER DUST COVER
- >: MOUNTING BUSH KIT



66mm. Body

> 60mm. Piston

22mm. Rod







XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
XT-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
XT-21-506	COLORADO/1ST GEN	RR	04-12	STD
XT-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
XT-23-506	COLORADO/1ST GEN	RR	04-12	2"
XT-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
XT-23-506	COLORADO/2ND GEN	RR	15-21	STD
XT-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
XT-25-506	COLORADO/2ND GEN	RR	15-21	2"
XT-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
XT-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
XT-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
XT-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
XT-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
XT-25-630	SILVERADO 3RD GEN	RR	14-18	STD
XT-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
XT-27-630	SILVERADO 3RD GEN	RR	14-18	2"

	DODGE			
PART NO.	DETAILS		YEAR	LIFT
XT-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
XT-27-730	DODGE RAM 1500	RR	09-23	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

CHEVROLET				
PART NO.	DETAILS		YEAR	LIFT
XT-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
XT-21-506	COLORADO/1ST GEN	RR	04-12	STD
XT-21-538	COLORADO/1ST GEN	FRT	04-12	STD/2
XT-23-506	COLORADO/1ST GEN	RR	04-12	2"
XT-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
XT-23-506	COLORADO/2ND GEN	RR	15-21	STD
XT-21-538	COLORADO/2ND GEN	FRT	15-21	STD/2
XT-25-506	COLORADO/2ND GEN	RR	15-21	2"
XT-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
XT-24-632	TRAILBLAZER/1ST GEN	RR	02-09	STD
XT-21-538	TRAILBLAZER/1ST GEN	FRT	02-09	STD/2
XT-26-632	TRAILBLAZER/1ST GEN	RR	02-09	2"
XT-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
XT-25-630	SILVERADO 3RD GEN	RR	14-18	STD
XT-19-625N	SILVERADO 3RD GEN	FRT	14-18	STD/2
XT-27-630	SILVERADO 3RD GEN	RR	14-18	2"

	DODGE			
PART NO.	DETAILS		YEAR	LIFT
XT-21.5-729	DODGE RAM 1500	FRT	09-23	STD/2
XT-27-730	DODGE RAM 1500	RR	09-23	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

	FORD			
PART NO.	DETAILS		YEAR	LIFT
XT-22-619	RANGER T6/T7	FRT	11-19	STD/2
XT-24-504	RANGER T6/T7	RR	11-19	STD
XT-22-619	RANGER T6/T7	FRT	11-19	STD/2
XT-26-504	RANGER T6/T7	RR	11-19	2"
XT-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
XT-24-504	RANGER PXIII/BI TURBO	RR	19-21	STD
XT-20-719	RANGER PXIII/BI TURBO	FRT	19-21	STD/2
XT-26-504	RANGER PXIII/BI TURBO	RR	19-21	2"
XT-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
XT-22-634	EVEREST 4X4/1ST GEN	RR	03-15	STD
XT-22-619	EVEREST 4X4/1ST GEN	FRT	03-15	STD/2
XT-24-634	EVEREST 4X4/1ST GEN	RR	03-15	2"
XT-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
XT-22-634	EVEREST 4X4/2ND GEN	RR	15-	STD
XT-20-719	EVEREST 4X4/2ND GEN	FRT	15-	STD/2
XT-24-634	EVEREST 4X4/2ND GEN	RR	15-	2"
XT-22-920	EVEREST NEXT GEN	FRT	2022-	STD/2
XT-22-634	EVEREST NEXT GEN	RR	2022-	STD
XT-22-920	EVEREST NEXT GEN	FRT	2022-	STD/2
XT-24-634	EVEREST NEXT GEN	RR	2022-	2"
XT-24-919	F-150/14TH GEN	FRT	15-20	STD/2
XT-30-904	F-150/14TH GEN	RR	15-20	STD
XT-24-919	F-150/14TH GEN	FRT	15-20	STD/2
XT-32-904	F-150/14TH GEN	RR	15-20	2"
XT-26-819	RANGER RAPTOR	FRT	17-21	STD/2
XT-25-704	RANGER RAPTOR	RR	17-21	STD
XT-26-819	RANGER RAPTOR	FRT	17-21	STD/2
XT-27-704	RANGER RAPTOR	RR	17-21	2"
XT-22-920	RANGER NEXT GEN	FRT	2022-	STD/2
XT-24-529	RANGER NEXT GEN	RR	2022-	STD
XT-22-920	RANGER NEXT GEN	FRT	2022-	STD/2
XT-26-529	RANGER NEXT GEN	RR	2022-	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

	GMC			
PART NO.	DETAILS		YEAR	LIFT
XT-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
XT-25-630	YUKON GMT900/3RD GEN	RR	07-14-	STD
XT-19-625	YUKON GMT900/3RD GEN	FRT	07-14-	STD/2
XT-27-630	YUKON GMT900/3RD GEN	RR	07-14-	2"
XT-19-625	SIERRA 1500	FRT	07-13	STD/2
XT-25-630	SIERRA 1500	RR	07-13	STD
XT-19-625	SIERRA 1500	FRT	07-13	STD/2
XT-27-630	SIERRA 1500	RR	07-13	2"
XT-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
XT-25-630	SIERRA 1500/GMT K2XX	RR	07-18	STD
XT-19-625N	SIERRA 1500/GMT K2XX	FRT	14-18	STD/2
XT-27-630	SIERRA 1500/GMT K2XX	RR	07-18	2"
XT-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
XT-27-630	SIERRA 1500 AT4	RR	19-23	STD
XT-22.4-625	SIERRA 1500 AT4	FRT	19-23	STD/2
XT-29-630	SIERRA 1500 AT4	RR	19-23	2"
XT-16-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	STD
XT-25-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	STD
XT-18-627	SIERRA 1500/GMT400 1ST GEN	FRT	99-06	2"
XT-27-630	SIERRA 1500/GMT400 1ST GEN	RR	99-06	2"
XT-18-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	STD
XT-25-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	STD
XT-20-629	SIERRA 2500/GMT900 3RD GEN	FRT	15-19	2"
XT-27-630	SIERRA 2500/GMT900 3RD GEN	RR	15-19	2"
XT-16-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	STD
XT-25-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	Q1-1O	STD
XT-18-631	SIERRA 1500/2500/ CHEV. SILVERADO	FRT	01-10	2"
XT-27-630	SIERRA 1500/2500/ CHEV. SILVERADO	RR	01-10	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

HYUNDAI				
PART NO.	DETAILS YEAR LIFT		LIFT	
XT-18-537	HYUNDAI H1	FRT	11-14	STD
XT-18-527	HYUNDAI H1	RR	11-14	STD

	ISUZU			
PART NO.	DETAILS		YEAR	LIFT
XT-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
XT-21-506	D-MAX V-CROSS 4WD	RR	12-15	STD
XT-21-538	D-MAX V-CROSS 4WD	FRT	12-15	STD/2
XT-23-506	D-MAX V-CROSS 4WD	RR	12-15	2"
XT-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
XT-23-506	D-MAX V-CROSS 4WD	RR	20-	STD
XT-21-538	D-MAX V-CROSS 4WD	FRT	20-	STD/2
XT-25-506	D-MAX V-CROSS 4WD	RR	20-	2"
XT-16-505	MU-7	FRT	04-09	STD
XT-22-506	MU-7	RR	04-09	STD
XT-18-505	MU-7	FRT	04-09	2"
XT-24-506	MU-7	RR	04-09	2"
XT-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
XT-24-632	MU-X 1ST GEN	RR	13-20	STD
XT-21-538	MU-X 1ST GEN	FRT	13-20	STD/2
XT-26-632	MU-X 1ST GEN	RR	13-20	2"
XT-21-538	MU-X 2ND GEN	FRT	20-	STD/2
XT-23-632	MU-X 2ND GEN	RR	20-	STD
XT-21-538	MU-X 2ND GEN	FRT	20-	STD/2
XT-25-632	MU-X 2ND GEN	RR	20-	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

	JEEP			
PART NO.	DETAILS		YEAR	LIFT
XT-22-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	STD
XT-22-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	STD
XT-24-516	GRAND CHEROKEE ZJ-ZG/1ST GEN	FRT	93-99	2"
XT-24-517	GRAND CHEROKEE ZJ-ZG/1ST GEN	RR	93-99	2"
XT-22-514	CHEROKEE 4WD XJ	FRT	84-01	STD
XT-20-515	CHEROKEE 4WD XJ	RR	84-01	STD
XT-24-514	CHEROKEE 4WD XJ	FRT	84-01	2"
XT-22-515	CHEROKEE 4WD XJ	RR	84-01	2"
XT-22-514	WRANGLER TJ	FRT	97-06	STD
XT-20-515	WRANGLER TJ	RR	97-06	STD
XT-24-514	WRANGLER TJ	FRT	97-06	2"
XT-22-515	WRANGLER TJ	RR	97-06	2"
XT-24-503	WRANGLER JK/RUBICON	FRT	07-18	STD
XT-24-633	WRANGLER JK/RUBICON	RR	07-18	STD
XT-26-503	WRANGLER JK/RUBICON	FRT	07-18	2"
XT-26-633	WRANGLER JK/RUBICON	RR	07-18	2"
XT-25-646	JL	FRT	18-	STD
XT-27-646	JL	RR	18-	STD
XT-27-646	JL	FRT	18-	2"
XT-29-646	JL	RR	18-	2"
XT-28.79-646	JL	FRT	18-	3.5"
XT-31.40-646	JL JL	RR	18-	3.5"
XT-25-646	л	FRT	19-23	STD
XT-27-747	JΤ	RR	19-23	STD
XT-27-646	JT	FRT	19-23	2"
XT-29-747	JΤ	RR	19-23	2"
XT-16-505	MAHINDRA THAR CRDE	FRT	10	STD
XT-22-506	MAHINDRA THAR CRDE	RR	10	STD
XT-18-505	MAHINDRA THAR CRDE	FRT	10	2"
XT-24-506	MAHINDRA THAR CRDE	RR	10	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

LAND ROVER				
PART NO.	DETAILS		YEAR	LIFT
XT-24-522	DISCOVERY I	FRT	89-98	STD
XT-24-510	DISCOVERY I	RR	89-98	STD
XT-26-522	DISCOVERY I	FRT	89-98	2"
XT-26-510	DISCOVERY I	RR	89-98	2"
XT-24-522	DEFENDER 90/110/130	FRT	83-16	STD
XT-24-510	DEFENDER 90/110/130	RR	83-16	STD
XT-26-522	DEFENDER 90/110/130	FRT	83-16	2"
XT-26-510	DEFENDER 90/110/130	RR	83-16	2"

	MAZDA				
PART NO.	DETAILS		YEAR	LIFT	
XT-22-619	MAZDA BT50	FRT	18-20	STD/2"	
XT-24-504	MAZDA BT50	RR	18-20	STD	
XT-22-619	MAZDA BT50	FRT	18-20	STD/2"	
XT-26-504	MAZDA BT50	RR	18-20	2"	
XT-21-538	MAZDA BT50	FRT	20-	STD/2"	
XT-23-506	MAZDA BT50	RR	20-	STD	
XT-21-538	MAZDA BT50	FRT	20-	STD/2"	
XT-25-506	MAZDA BT50	RR	20-	2"	





XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

MITSUBISHI				
PART NO.	DETAILS		YEAR	LIFT
XT-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
XT-21-506	TRITON 4WD 3RD GEN	RR	05-14	STD
XT-18-520	TRITON 4WD 3RD GEN	FRT	05-14	STD/2"
XT-23-506	TRITON 4WD 3RD GEN	RR	05-14	2"
XT-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
XT-21-506	TRITON 4WD 4TH GEN	RR	15-23	STD
XT-18-520	TRITON 4WD 4TH GEN	FRT	15-23	STD/2"
XT-23-506	TRITON 4WD 4TH GEN	RR	15-23	2"
XT-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
XT-23-404	TRITON 4WD 5TH GEN	RR	24-	STD
XT-20-420	TRITON 4WD 5TH GEN	FRT	24-	STD/2"
XT-25-404	TRITON 4WD 5TH GEN	RR	24-	2"
XT-16-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	STD
XT-20-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	STD
XT-18-505	PAJERO SHOGUN V2/V4/2ND GEN	FRT	91-99	2"
XT-22-501	PAJERO SHOGUN V2/V4/2ND GEN	RR	91-99	2"
XT-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
XT-21-528	PAJERO SPORT 2ND GEN	RR	08-15	STD
XT-18-520	PAJERO SPORT 2ND GEN	FRT	08-15	STD/2"
XT-23-528	PAJERO SPORT 2ND GEN	RR	08-15	2"
XT-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
XT-20-528	PAJERO SPORT 3RD GEN	RR	15-23	STD
XT-18-520	PAJERO SPORT 3RD GEN	FRT	15-23	STD/2"
XT-22-528	PAJERO SPORT 3RD GEN	RR	15-23	2"





XT 2.5 SERIES		
- 66mm. Body Diameter	- High-performance monotube shock	
- 22mm. Piston Rod	for better handling, stability, and control.	
- 60mm. Diameter Piston	- Front shocks with adjustable coil	
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.	
- Upside Down/Inverted System	- 2.5 Monotube Body Size for	
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces	

	NISSAN			
PART NO.	DETAILS		YEAR	LIFT
XT-20-522	PATROL Y60/Y61	FRT	97-16	STD
XT-24-502	PATROL Y60/Y61	RR	97-16	STD
XT-22-522	PATROL Y60/Y61	FRT	97-16	2"
XT-26-502	PATROL Y60/Y61	RR	97-16	2"
XT-19-615	PATROL Y62	FRT	10-	STD/2"
XT-23-616	PATROL Y62	RR	10-	STD
XT-19-615	PATROL Y62	FRT	10-	STD/2"
XT-25-616	PATROL Y62	RR	10-	2"
XT-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
XT-21-525	NAVARA 4WD D40	RR	05-15	STD
XT-17-524	NAVARA 4WD D40	FRT	05-15	STD/2"
XT-24-525	NAVARA 4WD D40	RR	05-15	2"
XT-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
XT-22-506	NP300 D22/L.SPRING	RR	08-14	STD
XT-17-524	NP300 D22/L.SPRING	FRT	08-14	STD/2"
XT-24-506	NP300 D22/L.SPRING	RR	08-14	2"
XT-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
XT-21-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	STD
XT-17-524	NAVARA 4WD NP300/2ND GEN	FRT	05-14	STD/2"
XT-24-525	NAVARA 4WD NP300/2ND GEN	RR	05-14	2"





XT 2.5	SERIES
- 66mm. Body Diameter	- High-performance monotube shock
- 22mm. Piston Rod	for better handling, stability, and control.
- 60mm. Diameter Piston	- Front shocks with adjustable coil
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.
- Upside Down/Inverted System	- 2.5 Monotube Body Size for
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces

	SUZUKI			
PART NO.	DETAILS	YEAR	LIFT	
XT-18-507	JIMNY/CARIBBEAN	FRT	98-18	STD
XT-18-506	JIMNY/CARIBBEAN	RR	98-18	STD
XT-20-507	JIMNY/CARIBBEAN	FRT	98-18	2"
XT-20-506	JIMNY/CARIBBEAN	RR	98-18	2"
XT-21-507	JIMNY/CARIBBEAN	FRT	98-18	3"
XT-21-506	JIMNY/CARIBBEAN	RR	98-18	3"
XT-17-505	JIMNY NEW (4TH GEN)	FRT	18-	STD
XT-18-508	JIMNY NEW (4TH GEN)	RR	18-	STD
XT-19-505	JIMNY NEW (4TH GEN)	FRT	18-	2"
XT-20-508	JIMNY NEW (4TH GEN)	RR	18-	2"

	TOYOTA			
PART NO.	DETAILS			LIFT
XT-20-511	PRADO 95/J90	FRT	96-02	STD/2
XT-22-512	PRADO 95/J90	RR	96-02	STD
XT-20-511	PRADO 95/J90	FRT	96-02	STD/2
XT-24-512	PRADO 95/J90	RR	96-02	2"
XT-23-533	PRADO 120	FRT	02-09	STD/2
XT-24-539	PRADO 120	RR	02-09	STD
XT-23-533	PRADO 120	FRT	02-09	STD/2
XT-26-539	PRADO 120	RR	02-09	2"
XT-23-531	PRADO 150	FRT	09-	STD/2
XT-24-539	PRADO 150	RR	09-	STD
XT-23-531	PRADO 150	FRT	09-	STD/2
XT-26-539	PRADO 150	RR	09-	2"
XT-20-522	LANDCRUISER 78, 79	FRT	PRE-2012	STD
XT-24-502	LANDCRUISER 78, 79	RR	PRE-2012	STD
XT-22-522	LANDCRUISER 78, 79	FRT	PRE-2012	2"
XT-26-502	LANDCRUISER 78, 79	RR	PRE-2012	2"





XT 2.5	SERIES
- 66mm. Body Diameter	- High-performance monotube shock
- 22mm. Piston Rod	for better handling, stability, and control.
- 60mm. Diameter Piston	- Front shocks with adjustable coil
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.
- Upside Down/Inverted System	- 2.5 Monotube Body Size for
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
XT-24-522	LANDCRUISER 80	FRT	90-97	STD
XT-24-536	LANDCRUISER 80	RR	90-97	STD
XT-26-522	LANDCRUISER 80	FRT	90-97	2"
XT-26-536	LANDCRUISER 80	RR	90-97	2"
XT-18-534	LANDCRUISER 90	FRT	96-02	STD
XT-22-512	LANDCRUISER 90	RR	96-02	STD
XT-20-534	LANDCRUISER 90	FRT	96-02	2"
XT-24-512	LANDCRUISER 90	RR	96-02	2"
XT-18-534	LANDCRUISER 100	FRT	98-07	STD
XT-24-535	LANDCRUISER 100	RR	98-07	STD
XT-20-534	LANDCRUISER 100	FRT	98-07	2"
XT-26-535	LANDCRUISER 100	RR	98-07	2"
XT-26-621	LANDCRUISER 200	FRT	08-21	STD/2
XT-24-622	LANDCRUISER 200	RR	08-21	STD
XT-26-621	LANDCRUISER 200	FRT	08-21	STD/2
XT-26-622	LANDCRUISER 200	RR	08-21	2"
XT-26-436	LANDCRUISER 300	FRT	21-	STD/2
XT-27-437	LANDCRUISER 300	RR	21-	STD
XT-26-436	LANDCRUISER 300	FRT	21-	STD/2
XT-29-437	LANDCRUISER 300	RR	21-	2"
XT-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
XT-27-437	LANDCRUISER/PRADO 250	RR	24	STD
XT-26-426	LANDCRUISER/PRADO 250	FRT	24	STD/2
XT-29-437	LANDCRUISER/PRADO 250	RR	24	2"





XT 2.5	SERIES
- 66mm. Body Diameter	- High-performance monotube shock
- 22mm. Piston Rod	for better handling, stability, and control.
- 60mm. Diameter Piston	- Front shocks with adjustable coil
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.
- Upside Down/Inverted System	- 2.5 Monotube Body Size for
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
XT-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
XT-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
XT-20-512	INNOVA/REBORN 2ND GEN	RR	16-	STD
XT-18-518/L	INNOVA/REBORN 2ND GEN	FRT/L	16-	STD/2
XT-18-519/R	INNOVA/REBORN 2ND GEN	FRT/R	16-	STD/2
XT-22-512	INNOVA/REBORN 2ND GEN	RR	16-	2"
XT-23-533	FJ CRUISER	FRT	06-14	STD/2
XT-24-539	FJ CRUISER	RR	06-14	STD
XT-23-533	FJ CRUISER	FRT	06-14	STD/2
XT-26-539	FJ CRUISER	RR	06-14	2"
XT-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
XT-24-539	TACOMA/2ND GEN SST	RR	05-15	STD
XT-23-533	TACOMA/2ND GEN SST	FRT	05-15	STD/2
XT-26-539	TACOMA/2ND GEN SST	RR	05-15	2"
XT-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
XT-24-505	TACOMA/3RD GEN SST	RR	16-	STD
XT-23-533	TACOMA/3RD GEN SST	FRT	16-	STD/2
XT-26-505	TACOMA/3RD GEN SST	RR	16-	2"
XT-25-617	TUNDRA	FRT	07-21	STD/2
XT-25-618	TUNDRA	RR	07-21	STD
XT-25-617	TUNDRA	FRT	07-21	STD/2
XT-27-618	TUNDRA	RR	07-21	2"
XT-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
XT-22-502	HILUX VIGO 4WD	RR	05-15	STD
XT-23-531	HILUX VIGO 4WD	FRT	05-15	STD/2
XT-24-502	HILUX VIGO 4WD	RR	05-15	2"





XT 2.5	SERIES
- 66mm. Body Diameter	- High-performance monotube shock
- 22mm. Piston Rod	for better handling, stability, and control.
- 60mm. Diameter Piston	- Front shocks with adjustable coil
- Nitrogen Gas	seat, suitable for both standard and lifted vehicles.
- Upside Down/Inverted System	- 2.5 Monotube Body Size for
- Rubber Dust Cover / - Mounting Bush Kit	improved heat dissipation and increased damping forces

	TOYOTA			
PART NO.	DETAILS		YEAR	LIFT
XT-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
XT-22-512	FORTUNER 1ST GEN	RR	05-15	STD
XT-23-531	FORTUNER 1ST GEN	FRT	05-15	STD/2
XT-24-512	FORTUNER 1ST GEN	RR	05-15	2"
XT-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
XT-23-612	FORTUNER 2ND GEN	RR	15-	STD
XT-23-531	FORTUNER 2ND GEN	FRT	15-	STD/2
XT-25-612	FORTUNER 2ND GEN	RR	15-	2"
XT-23-531	HILUX REVO	FRT	15-23	STD/2
XT-24-502	HILUX REVO	RR	15-23	STD
XT-23-531	HILUX REVO	FRT	15-23	STD/2
XT-26-502	HILUX REVO	RR	15-23	2"
XT-26-532	HILUX GXT	FRT	23-	STD/2
XT-27-712	HILUX GXT	RR	23-	STD
XT-26-532	HILUX GXT	FRT	23-	STD/2
XT-29-712	HILUX GXT	RR	23-	2"
XT-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
XT-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
XT-22-502	HILUX CHAMP	RR	23-	STD
XT-18-518/L	HILUX CHAMP	FRT/L	23-	STD/2
XT-18-519/R	HILUX CHAMP	FRT/R	23-	STD/2
XT-24-502	HILUX CHAMP	RR	23-	2"

ACCESSORIES



UPPER CONTROL ARMS

Suitable For Lift 1-2 inch

- ➤ Easily Set Up Wheel Balance
- ➤ Profile Design toHave Big
- ➤ Play Room For Shock Absorber
 With Heavy Duty Structure
 All Wear And Tear Sparepart







OEM Compatible Rubber Bushs Corrected Ball Joint Angle With High Pange Ball Joint **Heavy Duty Construction**

Billet Dust Cap

AVAILABLE

PART NO.		DETAILS
UCA01-001	TOYOTA HILUX VIGO , REVO , ROCCO , FORTUNER NEW FORTUNER	
UCA04-001	FORD	RANGER , EVEREST
UCA04-002	FORD	RANGER NEXT-GEN
UCA03-001	ISUZU	D-MAX V-CROSS , MU-X
UCA04-001	MAZDA	BT50 PRO
UCA05-001	MITSUBISHI	TRITON , PAJERO SPORT
UCA02-001	NISSAN	D4D , NP300

ACCESSORIES



COIL SPRING

- ➤ Designed for improved handling, stability, and ride comfort.
- ➤ Available for Standard, 2-inch Lift, and Lowered applications.
- ➤ Provides consistent performance under various load conditions.
- ➤ Manufactured from high-quality spring steel for durability and precise fit.



(RAER))Y-377
Y-377
Y-377
Y-377
3-099
B-100
5-353
5-355
5-350
J-079V

ADD A LEAF

Add a lift kit means installing suspension components to raise the vehicle's height for example, adding a 2-inch lift. It improves ground clearance, allows larger tires, and enhances off-road capability and appearance.

PART NO.	MODEL	DETAILS
AAL540	TOYOTA	HILUX VIGO , REVO , ROCCO
AAL540	FORD	RANGER T6
AAL540	ISUZU	D-MAX V-CROSS
AAL540	MAZDA	BT50 PRO
AAL540	MITSUBISHI	TRITON
AAL540	NISSAN	D4D , NP300

EX# PLORAR

COASTON







www.explorershox.com





@explorershox

EXPLORAR CO.,LTD

219 Moo.1 Naraphirom, Banglen, Nakornpathom Thailand 73130

Tel: (66+)84-1470099, (66+)82-9604440

Email: kenji@explorarcorp.com katunchalee@explorarcorp.com